


Product datasheet

Specifications



legend - 30 x 40 mm - black - reverse, fast

Local distributor code:
21152089 ZB2BY2917

EAN Code: 3389110645477

Main

Product or component type	Marked legend
Accessory / separate part type	Legend
Accessory / separate part category	Marking accessory

Complementary

Marking	White reverse, fast on black background (horizontal mounting)
User language	English
Standards	NF E 52-124
Net weight	0.001 kg
Accessory / separate part destination	Pendant control station for power circuit Pendant control station for control circuit
Product compatibility	XACA XACB XACM
Label dimensions	30 x 40 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.100 cm
Package 1 Width	3.000 cm
Package 1 Length	4.000 cm
Package 1 Weight	1.100 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1.100 cm
Package 2 Width	4.500 cm
Package 2 Length	4.500 cm
Package 2 Weight	12.000 g
Unit Type of Package 3	S01
Number of Units in Package 3	200
Package 3 Height	15.000 cm
Package 3 Width	15.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Length	40.000 cm
Package 3 Weight	236.000 g

Logistical informations

Country of origin	CZ
-------------------	----

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No