

# Product datasheet

Specifications



## APC Replacement Battery Cartridge #164 with 2 Year Warranty

APCRBC164

EAN Code: 0731304346869

### Overview

Lead time Usually in Stock

### Main

Main Input Voltage 12 V DC  
Product or component type Replacement battery cartridge  
Battery type Lead-acid battery  
Provided equipment Installation guide

### Batteries & Runtime

Number of battery free slots 0  
Number of battery filled slots 0  
Battery voltage 12 V  
Number of battery replacement quantity 1

### Physical

Colour Black  
Height 105 mm  
Width 151 mm  
Depth 65 mm  
Net weight 3 kg  
Mounting mode Not rack-mountable

### Output

Battery capacity 9.4 Ah

### Environmental

Ambient air temperature for operation 0...45 °C  
Operating altitude 0...10000 ft  
Relative humidity 0...95 % non-condensing  
Ambient air temperature for storage -15...45 °C  
Storage altitude 0...15240 m  
Storage Relative Humidity 0...95 % non-condensing

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.9 cm
Package 1 Width	21.3 cm
Package 1 Length	17.5 cm
Package 1 Weight	3.5 kg
SCC14	10731304346866

## Contractual warranty

Warranty (in months)	24
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	22 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Carbon footprint of the manufacturing phase [A1 to A3]	11 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.5 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.3 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	1 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	9 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	<a href="#">REACH Declaration</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	1
End of life manual availability	<a href="#">End of Life Information</a>
Take-back	No