

ALPHA copper busbar 250 A 12 x 5 mm, 250 A, W = 250



Model	
product brand name	ALPHA
product designation	CU busbar
design of the product	12x5 mm, 250 A, W=250
busbar design	others
General technical data	
surface processing tin-plated	No
Main circuit	
operational current rated value	250 A
Product details	
product feature flexible	No
Mechanical Design	
width	12 mm
length	241 mm
thickness of busbar	5 mm
Net Weight	156 g
material of the busbar	copper

Approvals Certificates	
Environment	General Product Approval

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

[Confirmation](#)



General Product Ap- proval	Test Certificates	other
	Type Test Certific- ates/Test Report	Special Test Certific- ate



[Miscellaneous](#)

[Confirmation](#)

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
 Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
 Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
 Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9731-0KK10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK9731-0KK10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9731-0KK10

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



last modified:

1/15/2026 

