



DELTA flaeche IP44, AP Dark gray/light gray Shutter pushbutton with electrical interlock 10 A 250 V and symbols Up/Down, 66x 75 mm

Model	
product brand name	DELTA
product designation	Shutter/blind pushbutton
design of the product	With electrical lock 10 A 250 V and up/down symbols, 66 x 75 mm
design of the surface	others
type of composition	basic element with complete enclosure
design of the actuating element	rocker
General technical data	
number of poles	2
type of switch	pushbutton 2-pole
mounting type	surface mounting
material	others
Supply voltage	
operating voltage rated value	250 V
Protection class	
protection class IP	IP44
Breaking Capacity	
switching capacity current	10 A
Main circuit	
operational current rated value	10 A
Appearance	
appearance	shiny
RAL color number	7035
color	grey
Product details	
product feature interlock	No
product component labeling field	No
product feature halogen-free	Yes
product feature transparent	No
Product function	
product function	
• electronic operation	No
• mechanical operation	Yes
Display and operation	
number of keys	2
Mechanical Design	
height	75 mm
depth	47 mm
fastening method	screw mounting
material of the enclosure	plastic

Approvals Certificates

General Product Approval	other	Environment
 EG-Konf.	 VDE	
	Confirmation	Environmental Confirmations

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TD4708>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TD4708>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TD4708

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

4/4/2025 

