

TeSys LE - enclosed star-delta starter - 12 A - 415 V AC coil

Local distributor code:

381828037 LE3D12N7

EAN Code: 3389110627398

Main

Range	TeSys	
product name	TeSys LE	
Device short name	LE3D	
Product or component type	Enclosed star-delta starter	
Device application	Standard	
Material	Polycarbonate	
Utilisation category	AC-3	
Device composition	Thermal overload relay ordered separately Star-delta contactors Mechanical interlock	
[le] rated operational current	12 A AC-3	
Motor power kW	11 kW at 380/400 V AC 50/60 Hz 11 kW at 415 V AC 50/60 Hz 11 kW at 440 V AC 50/60 Hz 5.5 kW at 220 V AC 50/60 Hz	
[Uc] control circuit voltage	415 V AC 50/60 Hz	
Control type	Push-button start green I Push-button stop/reset red O	

Complementary

Connections - terminals	Power circuit: screw clamp terminals Control circuit: screw clamp terminals	
Cable entry number	2 ISO20 top	
	2 ISO25 top	
	2 ISO32 top	
	2 ISO40 top	
	2 ISO20 bottom	
	2 ISO25 bottom	
	2 ISO32 bottom	
	2 ISO40 bottom	
Width	186 mm	
Height	348 mm	
Depth	175.5 mm	
Net weight	3.65 kg	

Environment

IP degree of protection	IP65 conforming to IEC 60529	
IK degree of protection	IK07 conforming to IEC 60529	

Standards	IEC 60947-4-1
Ambient air temperature for operation	-540 °C
Environmental characteristic	Standard environment
Product certifications	UKCA

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	26.0 cm
Package 1 Width	29.0 cm
Package 1 Length	40.0 cm
Package 1 Weight	3.65 kg

Logistical informations

Country of origin

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	107
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins