

Safety Data Sheet

LHMT 68

Replaces date: 12/12/2017

Revision date: 22/02/2019

Version: 2.0.0

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Trade name: LHMT 68

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Lubricant

1.3. Details of the supplier of the safety data sheet

Supplier

Company: SKF MAINTENANCE PRODUCTS

Address: P.O. Box 2350

Zip code: 3430 DT

City: Nieuwegein

Country: NETHERLANDS

E-mail: sebastien.david@skf.com

Phone: +31 306307200

Homepage: www.skf.com

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24))

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

Most serious harmful effects: May cause slight irritation to the skin and eyes.

2.2. Label elements

Supplemental information

EUH210 Safety data sheet available on request.

EUH208 Contains Amines, C12-14-tert-alkyl. May produce an allergic reaction.

2.3. Other hazards

The product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No	EC No	REACH Reg. No.	Concentration	Notes	CLP-classification

Safety Data Sheet

LHMT 68

Replaces date: 12/12/2017

Revision date: 22/02/2019

Version: 2.0.0

Amines, C12-14-tert-alkyl	68955-53-3	273-279-1		0.025 -< 0.1%		Acute Tox. 4;H302 Acute Tox. 3;H311 Skin Corr. 1B;H314 Skin Sens. 1A;H317 Acute Tox. 2;H330 STOT SE 3;H335 Aquatic Acute 1;H400 Aquatic Chronic 1;H410
---------------------------	------------	-----------	--	---------------	--	---

Please see section 16 for the full text of H-phrases.

Ingredient comments: The mineral oils in the product contain <3% DMSO extract(IP 346).

SECTION 4: First aid measures

4.1. Description of first aid measures

- Inhalation:** Seek fresh air. Seek medical advice in case of persistent discomfort.
- Ingestion:** Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of persistent discomfort.
- Skin contact:** Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in case of persistent discomfort.
- Eye contact:** Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.
- General:** When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes. The product contains small amounts of Amines, C12-14-tert-alkyl. Persons with a known allergy may exhibit an allergic response to the product.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited stock.

Unsuitable extinguishing media: Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Not flammable, but combustible. Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

5.3. Advice for fire-fighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Safety Data Sheet

LHMT 68

Replaces date: 12/12/2017

Revision date: 22/02/2019

Version: 2.0.0

For non-emergency personnel: Stop leak if this can be done without risk. Wear safety goggles if there is a risk of eye splash. Wear gloves.

For emergency responders: In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use the product under well-ventilated conditions. Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Keep in tightly closed original packaging. Store in a dry, cool, well-ventilated area.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational hygiene measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended August 2018.

PNEC

Amines, C12-14-tert-alkyl, cas-no 68955-53-3

Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	0,001 mg/l			
PNEC aqua (marine water)	0,0001 mg/l			
PNEC aqua (intermittent releases)	0,004 mg/l			
PNEC STP (wastewater-treatment facilities)	0,635 mg/l			
PNEC soil	0,428 mg/l			

Safety Data Sheet

LHMT 68

Replaces date: 12/12/2017

Revision date: 22/02/2019

Version: 2.0.0

PNEC sediment (marine water)	0,214 mg/l			
PNEC sediment (freshwater)	2,14 mg/l			
PNEC oral (foodstuffs)	4,71 mg/l			

DNEL - workers

Amines, C12-14-tert-alkyl, cas-no 68955-53-3

Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Inhalation DNEL (long-term exposure - systemic effects)	12,5 mg/m ³				
Inhalation DNEL (long-term exposure - local effects)	12,1 mg/m ³				

8.2. Exposure controls

Appropriate engineering controls:

Wear the personal protective equipment specified below.

Personal protective equipment, eye/face protection:

Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN 166.

Personal protective equipment, hand protection:

Plastic or rubber gloves recommended.

Personal protective equipment, respiratory protection:

Not required.

In case of risk of formation of spray mist, wear respiratory protective equipment with P2 filter. Respiratory protection must conform to one of the following standards: EN 136/140/145.

Environmental exposure controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Liquid
Colour	Yellow
Odour	Characteristic
Solubility	Insoluble in the following: Water.
Explosive properties	Non-explosive
Oxidising properties	No data

Parameter	Value/unit	Remarks
pH (solution for use)	No data	
pH (concentrate)	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flash Point	≥ 200 °C	ISO 2592 (open cup)
Evaporation rate	No data	

Safety Data Sheet

LHMT 68

Replaces date: 12/12/2017

Revision date: 22/02/2019

Version: 2.0.0

Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Vapour pressure	< 0.001 hPa	(20 °C)
Vapour density	No data	
Relative density	No data	
Partition coefficient n-octanol/water	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
Viscosity	No data	
Odour threshold	No data	

9.2 Other information

Parameter	Value/unit	Remarks
Kinematic viscosity	68 mm ² /s	(40 °C)
Density	0,88 g/cm ³	(20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No known data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Amines, C12-14-tert-alkyl, cas-no 68955-53-3

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		612mg/kg		OECD 401	

Ingestion of large quantities may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Safety Data Sheet

LHMT 68

Replaces date: 12/12/2017

Revision date: 22/02/2019

Version: 2.0.0

Acute toxicity - dermal

Amines, C12-14-tert-alkyl, cas-no 68955-53-3

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		251mg/kg		OECD 402	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation

Amines, C12-14-tert-alkyl, cas-no 68955-53-3

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50 (vapour)	4 h	1.19mg/l		OECD 403	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation

Amines, C12-14-tert-alkyl, cas-no 68955-53-3

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				Corrosive		

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Serious eye damage/eye irritation

Amines, C12-14-tert-alkyl, cas-no 68955-53-3

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Corrosive	OECD 405	

May cause eye irritation. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Respiratory sensitisation or skin sensitisation

Amines, C12-14-tert-alkyl, cas-no 68955-53-3

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea pig				Sensitising	OECD 406	

The product contains small amounts of Amines, C12-14-tert-alkyl. Persons with a known allergy may exhibit an allergic response to the product. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Germ cell mutagenicity

Amines, C12-14-tert-alkyl, cas-no 68955-53-3

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Chinese hamster ovary cells				Negative	OECD 476	
Salmonella typhimurium	Ames test			Negative	OECD 471	
Mouse	Chromosome aberration test in vitro			Negative	OECD 474	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity

Amines, C12-14-tert-alkyl, cas-no 68955-53-3

Safety Data Sheet

LHMT 68

Replaces date: 12/12/2017

Revision date: 22/02/2019

Version: 2.0.0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat				Impairment of fertility: No indications.	OECD 414	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Single STOT exposure: The product does not have to be classified. Test data are not available. Inhalation of spray mist may cause irritation to the upper airways.

Repeated STOT exposure

Amines, C12-14-tert-alkyl, cas-no 68955-53-3

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	NOAEL (Vapour)		19mg/kg		OECD 412	
Rat	NOAEL (dermal)		20mg/kg		OECD 410	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Aspiration hazard: The product does not have to be classified. Test data are not available.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

Amines, C12-14-tert-alkyl, cas-no 68955-53-3

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Oncorhynchus mykiss		96hLC50	1.3mg/l		OECD 203	
Crustacea	Daphnia magna		48hEC50	4.1mg/l		OECD 202	
Algae	Selenastrum capricornutum		72hEC50	0.44mg/l		OECD 201	
Fish	Oncorhynchus mykiss	96 d	NOEC	0.078mg/l		OECD 210	

The product contains small quantities of environmentally hazardous substances. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

12.2. Persistence and degradability

Amines, C12-14-tert-alkyl, cas-no 68955-53-3

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
		28 d		3%	Not readily biodegradable.	OECD 301 D	

Not expected to be biodegradable.

12.3. Bioaccumulative potential

Amines, C12-14-tert-alkyl, cas-no 68955-53-3

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
			Log Pow	2.9			

No bioaccumulation expected.

12.4. Mobility in soil

Safety Data Sheet

LHMT 68

Replaces date: 12/12/2017

Revision date: 22/02/2019
Version: 2.0.0

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Oil products may cause soil and water pollution.

German water pollution classification (WGK): 1

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

Category of waste: EWC code: Depends on line of business and use, for instance 16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

Absorbent/cloth contaminated with the product: EWC code: 15 02 03 Absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02.

SECTION 14: Transport information

14.1. UN-No.:	Not applicable.	14.4. Packing group:	Not applicable.
14.2. UN proper shipping name:	Not applicable.	14.5. Environmental hazards:	Not applicable.
14.3. Transport hazard class(es):	Not applicable.		

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: None.

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
---------	---------------	-------------	---------

Safety Data Sheet

LHMT 68

Replaces date: 12/12/2017

Revision date: 22/02/2019

Version: 2.0.0

1.0.0	12/12/2017	Bureau Veritas HSE/ HSV	
2.0.0	22/02/2019	Bureau Veritas HSE/ SRU	1-16

Abbreviations:

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: Very Persistent and Very Bioaccumulative
- STOT: Specific Target Organ Toxicity
- DNEL: Derived No Effect Level
- PNEC: Predicted No Effect Concentration

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

List of relevant H-statements

- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Document language: GB