SIEMENS

Data sheet 5TG1828-2



DELTA profil, Cover plate TV/RF/SAT 2 and 3 knockout holes titanium white

product brand name product designation Cover plates for TV/RF/SAT connection, 2-hole and 3-hole version design of the product TV / RF / SAT cover plate version (5x65 mm type of composition central plate General technical data mounting type flush mounting product feature printed marking product feature printed marking material flush mounting product feature printed marking product feature printed marking material flush mounting suitability product feature printed marking material flush mounting flush material flush mounting fl	Model			
product designation Cover plates for TV/RF/SAT connection, 2-hole and 3-hole version design of the product TV/RF / SAT cover plate version 65x65 mm type of composition central plate General technical data Total plate mounting type flush mounting surface processing others product feature printed marking No material thermoplastic Protection class PP protection class IP SAT suitability SAT Appearance Shiny appearance Shiny appearance Similar to RAL 9010 color titanium white Product details product details product details product detail No • hinged lid No • halped ree Yes • transparent No • halped-free Yes • transparent No Mochanical Design feastering method screw mounting			DELTA	
design of the product TV / RF / SAT cover plate version 65x65 mm type of composition central plate General technical data TW / RF / SAT mounting type flush mounting surface processing others product feature printed marking No material thermoplastic Protection class Protection class IP IP20 Suitability Suitability or use AAppearance SAT appearance shiny RAL color number Similar to RAL 9010 color titanium white Product details Product component elabeling field No hinged lid No e halogen-free Yes e halogen-free Yes e transparent No Mochanical Design height 65 mm fastering method screw mounting material plastic <td>•</td> <td></td> <td></td>	•			
type of composition central plate General technical data mounting type flush mounting surface processing others product feature printed marking No material thermoplastic Protection class IP IP20 Suitability suitability or use SAT Appearance RAL color number Similar to RAL 9010 color Similar to RAL 9010 color Strain relief No e Istain melief No e Istain in relief No e Istain relief No e Istain relief No moderated teature product feature e Istain relief No moderated Sesign Mechanical Design Mechanical Design material platic converticates Formation of Composition Formati			•	
type of composition central plate General technical data mounting type flush mounting surface processing others product feature printed marking No material thermoplastic Protection class protection class IP IP20 Suitability suitability for use SAT Appearance appearance Appearance shing smilar to RAL 9010 color titanium white product details product component			65x65 mm	
General technical data mounting type flush mounting surface processing others product feature printed marking No material thermoplastic Protection class protection class IP IP20 Suitability suitability or use SAT Appearance appearance RAL color number Similar to RAL 9010 color titanium white Product details product details product component			central plate	
surface processing others product feature printed marking No material thermoplastic Protection class protection class IP protection class IP IP20 Suitability SAT suitability for use SAT Appearance shiny RAL color number Similar to RAL 9010 color titanium white Product details Product details product component I abeling field I abeling field No I hinged lid No I strain relief No product feature Yes I halogen-free Yes	General technical data			
surface processing others product feature printed marking No material thermoplastic Protection class protection class IP protection class IP IP20 Suitability SAT suitability for use SAT Appearance shiny RAL color number Similar to RAL 9010 color titanium white Product details Product details product component I abeling field I abeling field No I hinged lid No I strain relief No product feature Yes I halogen-free Yes	mounting type		flush mounting	
product feature printed marking thermoplastic Protection class protection class IP IP20 Suitability suitability for use Appearance appearance appearance shiny RAL color number Similar to RAL 9010 color titanium white Product details product component				
Protection class IP IP20 Suitability suitability for use SAT Appearance appearance shiny RAL color number color color titanium white Product details product component			No	
Protection class IP IP20 Suitability suitability for use SAT Appearance appearance shiny RAL color number color color titanium white Product details product component	material		thermoplastic	
Suitability suitability for use Appearance appearance appearance RAL color number color titanium white Product details product component	Protection class			
Suitability suitability for use Appearance appearance appearance RAL color number color titanium white Product details product component	protection class IP		IP20	
Appearance appearance Similar to RAL 9010 color titanium white Product details product component	Suitability			
appearance shiny RAL color number Similar to RAL 9010 color titanium white Product details product component	suitability for use		SAT	
RAL color number Similar to RAL 9010 color titanium white Product details product component	Appearance			
color titanium white Product details product component	appearance		shiny	
product component	RAL color number		Similar to RAL 9010	
product component	color		titanium white	
 labeling field hinged lid strain relief No product feature halogen-free transparent transparent Mechanical Design height 65 mm fastening method screw mounting material plastic Approvals Certificates No 	Product details			
 hinged lid strain relief No product feature halogen-free transparent No Mechanical Design height fastening method material plastic Approvals Certificates No 	product component			
strain relief No product feature halogen-free	 labeling field 		No	
product feature	hinged lid		No	
♦ halogen-free ♦ transparent No Mechanical Design height fastening method material Approvals Certificates Yes No No No No Plastic Approvals Certificates	strain relief		No	
● transparent No Mechanical Design height 65 mm fastening method screw mounting material plastic Approvals Certificates	product feature			
Mechanical Design height 65 mm fastening method screw mounting material plastic Approvals Certificates	• halogen-free		Yes	
height 65 mm fastening method screw mounting material plastic Approvals Certificates	transparent		No	
fastening method screw mounting material plastic Approvals Certificates	Mechanical Design			
material plastic Approvals Certificates	height		65 mm	
Approvals Certificates	fastening method		screw mounting	
	material		plastic	
General Product Approval other	Approvals Certificates			
	General Product Approval	other		

Confirmation

EHC

Confirmation

Miscellaneous

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG1828-2

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/5TG1828-2

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG1828-2

CAx-Online-Generator

http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications



last modified: 3/16/2023 🖸