

# Product datasheet

Specifications



## FR.PL.1 PIECE TARIF 1250A 3P

LVS03693

**EAN Code: 3606481932853**

### Main

Range	PrismaSeT
Range of product	PrismaSeT P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT P cubicle
Type of front plate	Cut-out
type of front plate	Cut-out
Installed device	ComPact: fixed INV800...1250 + NS800...1250 without earth leakage protection - control: toggle - vertical installation
Poles description	1 x 3P: mounting plate support: INV800...1250 + NS800...1250 vertical installation
Operating position	Vertical

### Complementary

Enclosure/cubicle description	Cubicle - width 650 + 150 mm depth 400 mm
Connection position	Front connection
Number of vertical modules [50 mm]	12
Standards	IEC 61439-2 IEC 61439-1
Product certifications	ASTA
Material	Steel
Surface finish	Textured Matt
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9003)
Height	600 mm
Width	500 mm
Net weight	2.8 kg
functional unit	650 + 150 mm 400 mm PrismaSeT P cubicle ComPact INV800...1250 + NS800...1250 without fixed toggle vertical 3P 1 front connection

### Environment

IP degree of protection	IP30
-------------------------	------

### Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	5.500 cm
<b>Package 1 Width</b>	50.500 cm
<b>Package 1 Length</b>	60.000 cm
<b>Package 1 Weight</b>	2.896 kg
<b>Unit Type of Package 2</b>	BB1
<b>Number of Units in Package 2</b>	4
<b>Package 2 Height</b>	26.500 cm
<b>Package 2 Width</b>	60.000 cm
<b>Package 2 Length</b>	79.000 cm
<b>Package 2 Weight</b>	13.440 kg
<b>Unit Type of Package 3</b>	P06
<b>Number of Units in Package 3</b>	12
<b>Package 3 Height</b>	95.000 cm
<b>Package 3 Width</b>	60.000 cm
<b>Package 3 Length</b>	80.000 cm
<b>Package 3 Weight</b>	46.000 kg

## Contractual warranty

<b>Warranty (in months)</b>	18
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant**

REACH Regulation [REACH Declaration](#)

Halogen-free status **Halogen free plastic parts product**

PVC free **Yes**

Silicone-free **Yes**

## Use Longer

### Lifetime extension

Repair **No**

## Use Again

### Repack and remanufacture

End of life manual availability **No need of specific recycling operations**

Take-back **No**