

Maximum light with maximum useful life

Our powerful LED spotlights and lamps



Simply powerful

The advantages of our LED spotlights and lamps

LED - a completely robust light source

In comparison to conventional lamps, LEDs have maximum impact resistance and are robust. That is a significant advantage when the mobile use of spotlights is required. However, even when installed permanently, the lighting miracles perform their role excellently without having to be replaced, especially where things get a little rougher – on ramps, in warehouses or in workshops.

Bright light, immediately

Thanks to the most modern lighting technology and high-power reflectors, our LED spotlights always provide the best illumination, immediately, without having to wait for the full power. Our LED programme ranges from between 560 lm and 5,600 lm of luminous power and thus provides suitable solutions for the individual needs of your customers.

Lifelong: environmentally- and cost-friendly

Our LED lamps consume up to 80% less energy than conventional lamps with the same luminous power. That helps to preserve the environment and saves money. In addition to this, with a useful life of 50,000 hours, our LEDs provide light 50 times longer than conventional lamps.

LEDs stay cool even with maximum illumination

LEDs produce only very little heat with unbeatable luminous power. Ideal for all workplaces in which, despite the need for maximum illumination, nothing should scorch.









Ready when you are. Be part of something big with brennenstuhl®´s LED spotlights and lamps

Nowadays, LED technology can be found everywhere. No wonder, because, with respect to energy efficiency and useful life, LEDs are the ultimate and, according to McKinsey, will have captured a global market share of nearly 60% of all lamps by 2016. However, it is not only the technology of the lamp that is decisive. What also counts are the materials used, the new, consistent and high-quality design of the body and the smart design of LED spotlights and lamps. Only then does the unfolding brilliance and the long useful life of LEDs present itself to its full advantage – in professional use and at home. The result is high-quality brennenstuhl® LED spotlights. We have an exciting market before us.









For installation indoors and outdoors, IP 65. Mobile high-power COB LED light with extra-wide light diffusion to illuminate a large area.

Mobile Chip LED Light ML CN 180 IP 65

- \bullet Uses 80 % less energy than conventional lamps
- Bright light instantly
- · Low heat generation, no danger of injury
- Chip LEDs have an extremely long lifespan, are shock-proof, maintenance-free
- Die-cast aluminium casing
- Stable, shock-absorbing steel-tube frame with ergonomic carrying handle
- · Spotlight can be rotated and locked
- · With safety glass

My price:	:

Article No.	Barcode 4007123	UP	Cable length	Cable	Output	Luminous flux	Lamp efficacy		Energy efficiency class	Plug
1 17125 0 803	621132	1	5 m	H07RN-F 3G1,0	80 W	5600 lm	70 lm/W	6400 K	A	German







My price:

Mobile Chip-LED light ML CN 150 IP 65

For installation indoors and outdoors, IP 65.

Mobile high-power COB LED light with extra-wide light diffusion to illuminate a large area.

- Uses 80% less energy than conventional lamps
- Bright light instantly
- · Low heat generation, no danger of injury
- · Chip LEDs have an extremely long lifespan, are shock-proof, maintenance-free
- Die-cast aluminium casing
- Stable, shock-absorbing steel-tube frame with ergonomic carrying handle
- · Spotlight can be rotated and locked
- · With safety glass

Article No.	Barcode 4007123	UP	Cable length	Cable	Output	Luminous flux	Lamp efficacy		Energy efficiency class	Plug
1 17125 0 503	621101	1	5 m	H07RN-F 3G1,0	50 W	3500 lm	70 lm/W	6400 K	A	German







My price:



Mobile Chip-LED light ML CN 130 IP 65

For installation indoors and outdoors, IP 65.


Mobile high-power COB LED light with extra-wide light diffusion to illuminate a large area.

- Uses 80% less energy than conventional lamps
- · Bright light instantly
- Low heat generation, no danger of injury
- · Chip LEDs have an extremely long lifespan, are shock-proof, maintenance-free
- Die-cast aluminium casing
- Stable, shock-absorbing steel-tube frame with ergonomic carrying handle
- · Spotlight can be rotated and locked
- · With safety glass

Article No.	Barcode 4007123	UP	Cable length	Cable	Output	Luminous flux	Lamp efficacy	Colour temperature	Energy efficiency class	Plug
1 17125 0 303	621071	1	5 m	H07RN-F 3G1,0	30 W	2100 lm	70 lm/W	6400 K	A	German
1 17125 3 303	623778	1	5 m	H07RN-F 3G1,0	30 W	2100 lm	70 lm/W	6400 K	A	British 240 V
1 17125 3 313	623815	1	5 m	H07RN-F 3G1,0	30 W	2100 lm	70 lm/W	6400 K	A	British 110 V





















My price:



Mobile High Performance LED Lamp ML903 IP 55

High power LEDs with special light diffusion for large scale lighting. Ideal for hobby, workshop or building site inside ort out IP 55.

- Uses 80 % less energy than conventional lamps
- · Bright light instantly
- 9 bright NICHIA high performance LEDs
- High performance reflector
- Low heat generation, no danger of injury
- LEDs have a very long lifespan, are shock-proof and maintenance-free
- Sturdy aluminium die-cast case with cooling fins for optimum heat dissipation
- Spotlight can be rotated and locked
- In colourful display-packaging
- Energy efficiency class: A

Article No.	Barcode 4007123	UP	Cable length	Cable	LEDs	Output	Luminous flux	Lamp efficacy	Colour temperature	Plug
1 17867 0	611423	1	5 m	H07RN-F 3G1,0	9 x 3 W	25,5 W	1675 lm	66 lm/W	4600 - 5600 K	German





Ideal for outdoor use, IP 65.
Tripod with high-power COB LED light, with extra-wide light diffusion to illuminate a large area.

- Uses 80% less energy than conventional lamps
- Bright light instantly
- · Low heat generation, no danger of injury
- Chip LEDs have an extremely long lifespan, are shock-proof, maintenance-free
- · Die-cast aluminium casing
- Extra stable and robust Tripod
- Strong tubular steel, aluminised
- Stepless height adjustment from 0.65 m to 1.55 m
- · Handy, reliable retaining nuts
- · Three sturdy legs





My price:



Article No.	Barcode 4007123	UP	Cable length	Cable	Output	Luminous flux	Lamp efficacy	Colour temperature	Energy efficiency class	Plug
1 17125 0 504	621118	1	5 m	H07RN-F 3G1,0	50 W	3500 lm	70 lm/W	6400 K	A	German
1 17125 3 504	623792	1	5 m	H07RN-F 3G1,0	50 W	3500 lm	70 lm/W	6400 K	A	British 240 V
1 17125 3 514	623822	1	5 m	H07RN-F 3G1,0	50 W	3500 lm	70 lm/W	6400 K	A	British 110 V





Mobile Chip-LED light ML CN 110 IP 65

For installation indoors and outdoors, IP 65.

Mobile high-power COB LED light with extra-wide light diffusion to illuminate a large area.

- Uses 80% less energy than conventional lamps
- Bright light instantly
- \bullet Low heat generation, no danger of injury
- · Chip LEDs have an extremely long lifespan, are shock-proof, maintenance-free
- · Die-cast aluminium casing
- Stable, shock-absorbing steel-tube frame with ergonomic carrying handle
- Spotlight can be rotated and locked
- · With safety glass





My price:



Article No.	Barcode 4007123	UP	Cable length	Cable	Output	Luminous flux	Lamp efficacy	Colour temperature	Energy efficiency class	Plug
1 17125 0 103	621040	1	2 m	H05RN-F 3G1,0	10 W	700 lm	70 lm/W	6400 K	A	German
1 17125 3 103	623785	1	2 m	H05RN-F 3G1,0	10 W	700 lm	70 lm/W	6400 K	A	British 240 V
1 17125 3 113	623808	1	2 m	H05RN-F 3G1,0	10 W	700 lm	70 lm/W	6400 K	A	British 110 V













COB LED Light L CN 180 IP 65

For installation indoors and outdoors, IP 65. High-power COB (Chip on Board) LED light for wall installation, with extra-wide light diffusion to illuminate a large area.

- Ideal for hobbyists, workshops and construction sites
- Illuminates house entrances, garages, courtyards, halls, etc.
- Uses 80 % less energy than conventional lamps
- Bright light instantly
- Low heat generation, no danger of injury
- · Chip LEDs have an extremely long lifespan, are shock-proof, maintenance-free
- Die-cast aluminium casing
- With safety glass



Article No.	Barcode 4007123	UP	Output	Luminous flux	Lamp efficacy	Colour temperature	Energy efficiency class
1 17125 0 801	621125	1	80 W	5600 lm	70 lm/W	6400 K	A



COB LED Light L CN 150 IP 65

For installation indoors and outdoors, IP 65.

High-power COB (Chip on Board) LED light for wall installation, with extra-wide light diffusion to illuminate a large area.

- Ideal for hobbyists, workshops and construction sites
- Illuminates house entrances, garages, courtyards, halls, etc.
- Uses 80% less energy than conventional lamps
- Bright light instantly
- · Low heat generation, no danger of injury
- Chip LEDs have an extremely long lifespan, are shock-proof, maintenance-free
- Die-cast aluminium casing
- · With safety glass

COB LED Light L CN 150 PIR IP 44 with PIR sensor

- Automatically illuminates house entrances, garages, courtyards, halls, etc.
- Range of detection: up to 12 metres, angle 180°
- Duty cycle adjustable between 10 sec. and 4 min.
- With twilight and sensivity switch

Article No.	Barcode 4007123	UP	Output	Luminous flux	Lamp efficacy	Colour temperature	Energy efficiency class
1 17125 0 501	621088	1	50 W	3500 lm	70 lm/W	6400 K	A
with PIR sens	sor		-				
1 17125 0 502	621095	1	50 W	3500 lm	70 lm/W	6400 K	A



My price:

COB LED Light L CN 130 IP 65

For installation indoors and outdoors, IP 65.

High-power COB (Chip on Board) LED light for wall installation, with extra-wide light diffusion to illuminate a large area.

- Ideal for hobbyists, workshops and construction sites
- Illuminates house entrances, garages, courtyards, halls, etc.
- \bullet Uses 80 % less energy than conventional lamps
- Bright light instantly
- · Low heat generation, no danger of injury
- · Chip LEDs have an extremely long lifespan, are shock-proof, maintenance-free
- Die-cast aluminium casing
- · With safety glass

COB LED Light L CN 130 PIR IP 44 with PIR sensor

- Automatically illuminates house entrances, garages, courtyards, halls, etc.
- \bullet Range of detection: up to 12 metres, angle 180 $\!\!^{\rm o}$
- Duty cycle adjustable between 10 sec. and 4 min.
- · With twilight and sensivity switch

Article No.	Barcode 4007123	UP	Output	Luminous flux	Lamp efficacy	Colour temperature	Energy efficiency class
1 17125 0 301	621057	1	30 W	2100 lm	70 lm/W	6400 K	A
with PIR sens	sor						
1 17125 0 302	621057	1	30 W	2100 lm	70 lm/W	6400 K	A

My price:













High Performance LED Lamp L903 IP 55 LED spotlight with 9 super bright LEDs, for interior and exterior wall mounting, IP 55.

- Bright light instantly
- Uses 80% less energy than conventional lamps9 bright NICHIA high performance LEDs
- High performance reflector
- Sturdy aluminium die-cast case with cooling fins for optimum heat dissipation
- Spotlight horizontal and vertical slewable
- LEDs have a very long lifespan, are shock-proof and maintenance-free

High Performance LED Lamp L903 PIR IP 55 with PIR sensor

- Ideal for the automatic of lighting entrance areas, driveways, carports or for burglary and theft deterrence
- ${f \cdot}$ Motion detectors have a range of approx. 10 m, detection angle of approx. 140°
- Adjustable light duration and twilight switch

Article No.	Barcode 4007123	UP	LEDs	Output	Luminous flux	Lamp efficacy	Colour temperature	Colour	Energy efficiency class
1 17863 0	611348	1	9 x 3 W	25,5 W	1675 lm	66 lm/W	4600 - 5600 K	Black	A
1 17864 0	611362	1	9 x 3 W	25,5 W	1675 lm	66 lm/W	4600 - 5600 K	White	A
with PIR sen	sor								
1 17865 0	611386	1	9 x 3 W	25,5 W	1675 lm	66 lm/W	4600 - 5600 K	Black	A
1 17866 0	611409	1	9 x 3 W	25,5 W	1675 lm	66 lm/W	4600 - 5600 K	White	A









COB LED Light L CN 110 IP 65

For installation indoors and outdoors, IP 65.

High-power COB (Chip on Board) LED light for wall installation, with extra-wide light diffusion to illuminate a large area.

- Ideal for hobbyists, workshops and construction sites
- Illuminates house entrances, garages, courtyards, halls, etc.
- Uses 80% less energy than conventional lamps
- Bright light instantly
- · Low heat generation, no danger of injury
- Chip LEDs have an extremely long lifespan, are shock-proof, maintenance-free
- · Die-cast aluminium casing
- · With safety glass


COB LED Light L CN 110 PIR IP 44 with PIR sensor


- Automatically illuminates house entrances, garages, courtyards, halls, etc.
- Range of detection: up to 12 metres, angle 180°
- Duty cycle adjustable between 10 sec. and 4 min.
- · With twilight and sensivity switch

Article No.	Barcode 4007123	UP	Output	Luminous flux	Lamp efficacy	Colour temperature	Energy efficiency class
1 17125 0 101	621026	1	10 W	700 lm	70 lm/W	6400 K	A
with PIR sens	sor						
1 17125 0 102	621033	1	10 W	700 lm	70 lm/W	6400 K	A

My price:













For interior and exterior wall mounting, IP 44. With 54 x 0,5 Watt high power LEDs and motion detector.

- Solid and moderns aluminium box
- 54 powerfull LEDs with bunched ray of light
- PIR sensor horizontally pivoting
- Range of detection: up to 10 metres, angle 180°
- Duty cycle adjustable between 10 sec. and 4 min.
- Spotlight can be rotated and locked

Sensor LED-zone lighting Duo Premium City LV5405 PIR IP 44 with PIR sensor

• 54 powerfull LEDs with frostet glass and wider illumination













I		

Article No.	Barcode 4007123	UP	LEDs	Luminous flux	Colour	Energy efficiency class
1 17965 0	617159	1	54 x 0,5 W	~ 2160 lm	Anthracite	A
1 17966 0	617173	1	54 x 0,5 W	~ 2160 lm	Anthracite	A

Available as from October 2013.



LED-spotlight Duo Premium City SV5405 IP 44

For interior and exterior wall mounting, IP44. With 54x x0,5 Watt high power LEDs.

- Solid and moderns aluminium box
- ullet 54 powerfull LEDs with bunched ray of light
- · Spotlight can be rotated and locked

LED-zone lighting Duo Premium City LV5405 IP 44

· With frosted glass







My price:

-			
l			

Article No.	Barcode 4007123	UP	LEDs	Luminous flux	Colour	Energy efficiency class
117967 0	617197	1	54 x 0,5 W	~ 2160 lm	Anthracite	A
117968 0	617210	1	54 x 0,5 W	~ 2160 lm	Anthracite	A

Available as from October 2013.



Sensor LED-spotlight Premium City SH2705 PIR IP 44 with PIR sensor

For indoor or outdoor installation, IP 44. With 27 x 0,5 W power LEDs and motion detector.

- Solid and moderns aluminium box
- 27 powerful LEDs with bunched ray of light
- PIR sensor horizontally pivoting
- Range of detection: up to 10 metres, angle 180°
- Duty cycle adjustable between 10 sec. and 4 min.
- Spotlight can be rotated and locked

Sensor LED-zone lighting Premium City LH2705 PIR IP 44 with PIR sensor

With frosted glass













l			
l			
l			

Article No.	Barcode 4007123	UP	LEDs	Luminous flux	Colour	Energy efficiency class
1 17961 0	617074	1	27 x 0,5 W	~ 1080 lm	Anthracite	A
117962 0	617098	1	27 x 0,5 W	~ 1080 lm	Anthracite	A

Available as from October 2013.



LED-spotlight Premium City SH2705 IP 44

For interior and exterior wall mounting, IP 44. With 27 x 0,5 Watt high power LEDs.

- Solid and moderns aluminium box
- 27 powerful LEDs with bunched ray of light
- Spotlight can be rotated and locked

LED-zone lighting Premium City LH2705 IP 44

• With frosted glass








My price:

Article No.	Barcode 4007123	UP	LEDs	Luminous flux	Colour	Energy efficiency class
1 17963 0	617111	1	27 x 0,5 W	~ 1080 lm	Anthracite	A
1 17964 0	617135	1	27 x 0,5 W	~ 1080 lm	Anthracite	A

Available as from October 2013.



Advantages of LED spotlights and lamps at a glance:

Completely robust

The solid aluminium spotlight body in combination with the LEDs, which are not sensitive to shock or vibrations, is convincing despite even the toughest usage. You can rely on the motion sensor even under heavy frost conditions.



Best illumination

Smart designs and high-power reflectors ensure sophisticated distribution of light. Due to the easy installation, all spotlights and lamps can be attached at the desired location in the blink of an eye.



Environmentally friendly

80% lower energy consumption in comparison to conventional lamps.



Simply safe

Maximum diffusion of light with low heat development makes our LED spotlight and lamp programme absolutely safe.



Hugo Brennenstuhl GmbH & Co. KG Seestraße 1-3

D-72074 Tübingen

Tel. +49(0)7071/8801-0 Fax +49(0)7071/87657 www.brennenstuhl.com info@brennenstuhl.de