


Product datasheet

Specifications



Horizontal coupling kit for PLA enclosure H750xD420 mm - 15 mm - IP55 coupling

NSYMUPLA74G

EAN Code: 3606480774157

Main

Range	Thalassa
Accessory / separate part category	Coupling accessory
Product or component type	Coupling frame
Anwendung	Multi-purpose
Mounting location	Side coupling of 2 enclosures
Mounting support	ZA plinth
Range compatibility	Thalassa PLA suitable enclosure Thalassa Thalassa PHD suitable enclosure
Device composition	1 frame fixing elements

Complementary

Material	Frame: polyester
Height	Nominal: 750 mm
Width	Frame: 15 mm
Depth	420 mm
IP degree of protection	IP55
Colour	Grey (RAL 7035)

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.500 cm
Package 1 Width	62.000 cm
Package 1 Length	37.000 cm
Package 1 Weight	900.000 g
Unit Type of Package 2	PAL
Number of Units in Package 2	4
Package 2 Height	29.000 cm
Package 2 Width	45.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	3.600 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Logistical informations

Country of origin	ES
-------------------	----

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	1341ad4e-77b9-40e3-bab0-32043fbc5959

Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No