


# Product datasheet

Specifications



## IP20 FRONT ISFL 185MM BCW650

LVS03735

**EAN Code: 3606481872685**

### Main

Range	PrismaSeT
Range of product	PrismaSeT P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT P cubicle
Type of front plate	Cut-out
Installed device	FuPact: fixed ISFL160 - control: fuse carriers handle - vertical installation FuPact: fixed ISFL250...630 - control: fuse carriers handle - vertical installation
Poles description	10 x 3P: mounting plate support: ISFL160 vertical installation 5 x 3P: mounting plate support: ISFL250...630 vertical installation

### Complementary

Enclosure/cubicle description	Cubicle - width 650 mm depth 400 mm
Connection position	Rear connection
Number of vertical modules [50 mm]	24
Standards	IEC 61439-2 IEC 61439-1
Product certifications	ASTA
Material	Steel
Surface finish	Textured Matt
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9003)
Width	570 mm
Net weight	10.06 kg
Quantity per set	Set of 1
functional unit	650 mm 400 mm PrismaSeT P cubicle FuPact ISFL160 fixed fuse carriers handle vertical 3P 10 rear connection on busbar 24 650 mm 400 mm PrismaSeT P cubicle FuPact ISFL250...630 fixed fuse carriers handle vertical 3P 5 rear connection on busbar 24

### Environment

IP degree of protection	IP20
-------------------------	------

### Packing Units

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.0 cm
Package 1 Width	62.0 cm
Package 1 Length	125.0 cm
Package 1 Weight	10.75 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	10
Package 2 Height	104.0 cm
Package 2 Width	80.0 cm
Package 2 Length	125.0 cm
Package 2 Weight	119.0 kg

## Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data


Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)


[How we assess product sustainability >](#)

<div>Environmental footprint</div>	
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

Use Better

<div>Materials and Substances</div>	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	<a href="#">REACH Declaration</a>
PVC free	Yes


Use Again

<div>Repack and remanufacture</div>	
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Dimensions

---



- All dimensions are approximate and are in  
- Also see technical documentation.