

Features

- **Multi-Point Isolation** – Designed to effectively secure multiple energy isolation points simultaneously.
- **Durable Construction** – Built from impact-resistant copolymer polypropylene for rugged industrial use.
- **Corrosion-Resistant Hardware** – Features stainless-steel nut and bolt in an injection-moulded unit for enhanced longevity.
- **Heavy-Duty Cable** – Supplied with a 2-meter, 4mm PVC-coated steel cable to handle challenging lockout requirements.
- **One-Piece Design** – Integrated construction prevents separation of components, reducing risk of loss or misuse.
- **Secure Locking System** – Unique twister mechanism stays attached to the base, ensuring reliable and secure operation.

RS PRO Universal Multipurpose Cable Lockout –Hanging Twister With 2-meter 4mm PVC Coated Steel Cable

RS Stock No.: 0710496



RS PRO is the own brand of RS. The RS PRO Seal of Approval is your assurance of professional quality, a guarantee that every part is rigorously tested, inspected, and audited against demanding standards. Making RS PRO the Smart Choice for our customers.

Product Description

- *Ideal for locking out multiple energy sources and hard-to-reach isolation points.*
- *Constructed from high-impact copolymer polypropylene for strength and durability.*
- *One-piece injection-moulded design includes a stainless-steel nut and bolt to resist corrosion and wear.*
- *Includes a 2-meter long, heavy-duty PVC-coated steel cable for versatile lockout applications.*
- *Innovative design keeps the tightening twister wheel permanently connected to the base unit.*
- *Suitable for use in demanding environments requiring long-lasting and tamper-proof lockout solutions.*

General Specifications

Type	Multipurpose Cable Lockout
Material	Copolymer Polypropylene
Colour	Red
Padlock holes	10
Package	PE-LD

Mechanical Specifications

Cable Diameter	4mm
Cable Length	2-meter
Weight	116 Grams

Operation Environment Specifications

Withstand temperature	+80 °C to -20 °C
-----------------------	------------------