



(1) EC-TYPE-EXAMINATION CERTIFICATE (Translation)

(2) Equipment and Protective Systems Intended for Use in
Potentially Explosive Atmospheres - **Directive 94/9/EC**

(3) EC-type-examination Certificate Number:

PTB 99 ATEX 1041



(4) Equipment: Plug-and socket device type GHG 512 R....

(5) Manufacturer: CEAG Sicherheitstechnik GmbH

(6) Address: D-69412 Eberbach

(7) This equipment and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.

(8) The Physikalisch-Technische Bundesanstalt, notified body No. 0102 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres, given in Annex II to the Directive.

The examination and test results are recorded in the confidential report PTB Ex 99-19042.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 50014:1997

EN 50018:1994

EN 50019:1994

(10) If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the schedule to this certificate.

(11) This EC-type-examination Certificate relates only to the design and construction of the specified equipment in accordance with Directive 94/9/EC. Further requirements of this Directive apply to the manufacture and supply of this equipment.

(12) The marking of the equipment shall include the following:




II 2 G EEx ed IIC T6 resp. T5

Zertifizierungsstelle Explosionsschutz

Braunschweig, September 01, 1999

By order:


Dr.-Ing. U. Klausmeyer
Regierungsdirektor



sheet 1/3

(13)

SCHEDULE

(14)

EC-TYPE-EXAMINATION CERTIFICATE PTB 99 ATEX 1041

(15) Description of equipment

The type GHG 512 ... R ... plug-and-socket device serves to connect portable electrical apparatus or to make connections in potentially explosive atmospheres.

The following variants are permissible: transformer plugs (isolating transformer, class of protection II) and an auxiliary or control contact in a wall-mounting socket-outlet.

Staggered grooves guarantee that only plugs or socket outlets of identical rated voltage will be used together. Mechanical marking ensures that the plugs of the type GHG 532... V ... plug-and-socket device (Certificate of Conformity PTB No. Ex-85.B.1066) can be used for the wall-mounting socket-outlet and in the coupling.

Electrical data

Rated voltage	up to	750	V
Rated current.....	max.	32	A
Utilization category		AC-3	

Transformer plug

Rated voltage, primary.....	up to	250	V
Rated voltage, secondary	up to	42	V
Power consumption	max.	65	VA
Miniature fuse		0.5	A
Temperature class		T 5	

In accordance with the relevant provisions, rated values other than those stated above are permissible, provided the making and breaking capacity is complied with. They have been specified by the manufacturer, dependent on the mode of operation, utilization category etc.

Nominal frequency	up to	400	Hz
Rated cross-section			
Plug.....	max.	2.5	mm ²
Coupling.....	max.	4	mm ²
Wall-mounting socket-outlet	max.	4	mm ²
Main terminals.....	max.	10	mm ²
Auxiliary terminals	max.	2,5	mm ²

(16) Report PTB Ex 99-19042, description (8 sheets), Annex to the description (11 sheets), 14 drawings

Physikalisch-Technische Bundesanstalt

Braunschweig und Berlin

SCHEDULE TO EC-TYPE-EXAMINATION CERTIFICATE PTB 99 ATEX 1041

(17) Special conditions for safe use

not applicable


(18) Essential health and safety requirements

The tests carried out and their positive results show that the plug-and-socket device meets the requirements of Directive 94/9/EC and of the standards stated on the cover sheet.

Zertifizierungsstelle Explosionsschutz

Braunschweig, September 01, 1999

By order:


Dr.-Ing. U. Klausmeyer
Regierungsrat

