

Product datasheet

Specifications



"KIT FLUSH-MOUNTING POUR ATV T3"

NSYPTDS3

EAN Code: 3606485433226

Main

Range	PanelSeT
Product or component type	Drive flush mounting kit
accessory category	Mounting and fixing accessory
Product specific application	Process and utilities
Range compatibility	Altivar variable speed drive ATV630 Altivar variable speed drive ATV930 PanelSeT SF and SM enclosures: H:>=600 mm x W:>=300 mm PanelSeT S3D enclosure: H:>=600 mm x W:>=300 mm
compatibility for Altivar Process 630-930, size:	3
Motor power kW	7.5 kW 220/240 V 11 kW 220/240 V 15 kW 380/480 V 18.5 kW 380/480 V 22 kW 380/480 V
Mounting location	Mode 1: back of enclosure on mounting plate Mode 2: inside enclosure
Kit composition	1 x mounting plate with flanges and integrated gasket, steel with anti-corrosive coating. Fixing by screws and nuts 1 x fixing accessories 1 x drilling template 1 x instruction sheet 1 x edge protector profile, plastic.

Complementary

Permanent permissible load	14.3 kg
Colour	Grey (RAL 7035)
Height	External: 555 mm Cut-out: 503 mm
Width	External: 295 mm Cut-out: 250 mm
Depth	Wall-enclosure separation : 22 mm
Product weight	2.452 kg
Services	Configuration of enclosurepre-drilled back at requested dimensions Factory installation drive flush mounting kit on enclosure

Environment

IP degree of protection	IP55 conforming to IEC 60529
-------------------------	------------------------------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 1	1
Package 1 Height	5.000 cm
Package 1 Width	37.000 cm
Package 1 Length	57.000 cm
Package 1 Weight	2.452 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	30
Package 2 Height	50.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	87.000 kg

Logistical informations

Country of origin	FR
-------------------	----

Contractual warranty

Coverage	Core product
Warranty	18 months


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.


[Environmental Data explained](#) >

[How we assess product sustainability](#) >

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	E893f0a0-d2cc-4011-9425-3873dde70142
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
Take-back	No