




TECHNICAL REQUIREMENTS:



PRELIMINARY

3000±50	177	CABLE ASSEMBLY, USB C 2.0 STRAIGHT PLUG TO USB C 2.0 STRAIGHT PLUG, IP67, 3M	2528302-4
2000±30	125	CABLE ASSEMBLY, USB C 2.0 STRAIGHT PLUG TO USB C 2.0 STRAIGHT PLUG, IP67, 2M	2528302-3
500±30	50	CABLE ASSEMBLY, USB C 2.0 STRAIGHT PLUG TO USB C 2.0 STRAIGHT PLUG, IP67, 0.5M	2528302-2
1000±30	76	CABLE ASSEMBLY, USB C 2.0 STRAIGHT PLUG TO USB C 2.0 STRAIGHT PLUG, IP67, 1M	2528302-1
DIM. L	WEIGHT (GRAMS)	DESCRIPTION	TE PART NUMBER

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—




PLUG-RECEPTACLE
ASSEMBLY

PRELIMINARY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KUMAR S. DHARANI 25MAY2026	TE Connectivity Ltd.		
		CHK NAIR, SREE KUMAR 25MAY2026			
DIMENSIONS: mm		APVD MANJUNATHA, ARAVIND 25MAY2026	NAME CABLE ASSY, USB-C 2.0, STRAIGHT PLG TO USB-C 2.0 STRAIGHT PLG, IP67		
		PRODUCT SPEC 108-162338			
TOLERANCES, UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC 114-161879	SIZE A2	CAGE CODE 00779	DRAWING NO C=2528302
MATERIAL SEE NOTE		WEIGHT SEE TABLE	RESTRICTED TO —		
FINISH SEE NOTE		CUSTOMER DRAWING	SCALE 1:1	SHEET 2 OF 3	REV 1



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
—	—	SEE SHEET 1	—	—	—

The packaging specifications are applicable to the following part numbers.: 2528302-X



1.Put the finished products in the packaging bag according to the diagram,1 pieces per packaging bag

2.Put a big PE bag in the outer carton,Follow 1pcs bottom cardboard, Follow the staked packed cable assembly,at last 1pcs top cardboard according to the diagram,And Quantity of products per outer carton see table "1"




(N.W.: XX.XXKg)

3.Confirm the label content and stick the label in the designated place.

PACKING MATERIAL LIST

Name	Quantity (PCS)	Specification
Outer Box	1	L384XW194XH315mm Print TE LOGO material:K=K plus
Packaging bag	1	750mm*480mm*0.05mm Opening for 480mm
Card Board	2	380*190mm B3C
Label	1	70X40MM
Packaging bag	1	260mm*190mm

PRELIMINARY

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN KUMAR S, DHARANI 25MAY2026 CHK NAIR, SREE KUMAR 25MAY2026 APVD MANJUNATHA, ARAVIND 25MAY2026		 TE Connectivity Ltd.		
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME			
		0 PLC ± -		CABLE ASSY, USB-C 2.0, STRAIGHT PLG TO USB-C 2.0 STRAIGHT PLG, IP67 -			
		1 PLC ± 0.3					
		2 PLC ± 0.2					
		3 PLC ± 0.15					
4 PLC ± -		PRODUCT SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO			
ANGLES ± 3°		108-162338					
MATERIAL		APPLICATION SPEC					
SEE NOTE		FINISH		114-161879			
		SEE NOTE		WEIGHT SEE TABLE			
CUSTOMER DRAWING				A2 00779		C=2528302	
				SCALE 1:1		SHEET 3 OF 3	
						REV 1	