


Datasheet

Stock No: 123-0927

RS Pro Convexed Cera-Cut

	<p>Suitable for:</p> <ul style="list-style-type: none"> Deburring all plastics and soft metals Surface scraping and parting line deflashing Blade can be replaced <p>Includes:</p> <ul style="list-style-type: none"> Cera-Cut Handle with convex Cera-cut blade
---	--



Instructions

Do not use heavy pressure when deburring as this will cause the blade to dig into the material and give an uneven finish

Use light and even pressure which will allow the blade and handle to work together to remove the burr and leave a smooth finish on the component

Blades should be handled carefully as they are sharp and can cut

Blades can break causing flying objects

Sharp edges and flying objects can cause injury


Users and bystanders should wear protective safety glasses

Do not pry or bend blades

Keep blades and sharp tools away from children

Do not regrind blades as this will weaken the blade and cause breakage and possible injury

Convexed Cera-cut Blade CR 2200


	<p>Suitable for surface cleaning and part line deflashing</p> <p>Material: Ceramic 1250HV</p> <p>Included Angle: 90°</p> <p>L: 60mm</p> <p>L1: 35mm</p> <p>L2: 25mm</p> <p>R: 250mm radius</p> <p>Blade thickness: 1.7mm</p>
---	--

Cera-cut Handle CR 2100

This unique plastic handle positively holds the Ceramic Blades due to its self gripping taper.
The handle also provides storage space inside for spare blades
The handle end cap is designed for efficient removal of the blade

**Blade removal:**

- 1 Remove the cap from the rear of the handle
- 2 Insert the cap into the round hole and turn 90°
- 3 Pull the blade out

**Blade insertion:**

- 1 Insert the blade into the groove at the front of the handle
- 2 To secure the blade in place, hold the blade and lightly tap the handle against a solid surface to ensure the blade is firmly held in the self gripping taper in the handle