






LOC		DIST		REVISIONS			
AD	25	REV	DATE	DESCRIPTION	DATE	BY	APPV
		01	28JUN07	REVISED PER ECO-07-012819		DH	DB



- 1 HOUSING MATERIAL: GLASS-FILLED POLYMER.
- 2 POST MATERIAL: COPPER ALLOY.
- 3 POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN PLATE ON POSTS.
- 4 MARKING ON THIS SIDE.
- 5 RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- 6 [PART NUMBER, DATE CODE] MARKED THIS APPROXIMATE AREA.



SECTION Z-Z

1-32	X	-	X	64	5650951-5
POSITIONS LOADED	C	B	A	NO. OF LOADED POSITION	ASSY PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN J. POLIGNONE OSMAYOS		Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME: ASSEMBLY, PIN, EUROCARD, TYPE C, A and C, 64/96 POSITION, 3.30[.130] SOLDER POST, SELECT LOAD	
0 PLC	±	1 PLC	±	APPLICATION SPEC	SIZE: A1
1 PLC	±	2 PLC	± 0.13[.005]	RESTRICTED TO	SCALE: 5:1
2 PLC	±	3 PLC	±	WEIGHT	SHEET 1 OF 1
3 PLC	±	4 PLC	±	CUSTOMER DRAWING	REV 01
4 PLC	±	ANGLES	±		