

# Product datasheet

Specifications



"PanelSet S3X - stainless steel  
304L- Scotch Brite® finish -  
H600xW1200xD300 mm."

NSYS3X601230

EAN Code: 3606480731747

## Main

|                      |  |
|----------------------|--|
| Range                | Spacial  |
| product name         | Spacial S3X  |
| enclosure type       | Multi-purpose  |
| category             | Compact enclosure  |
| nominal height       | 600 mm   |
| nominal width        | 1200 mm  |
| nominal depth        | 300 mm   |
| product installation | Wall-mounting  |
| Device composition   | 1 body<br>1 lock: door<br>2 perforated vertical profile drilled: door<br>2 doors |

## Complementary

|                             |  |
|-----------------------------|--|
| Body type                   | Single piece body, cross-shaped structure<br>Gutter shaped front rail        |
| Door type                   | Plain  |
| Number of doors             | Front face: 2 door(s)  |
| Door opening side           | Reversible (120 °)   |
| Lock type                   | 3 points lock, 3 mm double-bar   |
| Mounting plate description  | Without mounting plate   |
| Type of gland plate         | Without gland plate  |
| Accessibility for operation | Front  |
| Removable parts             | Door by hinges   |
| Material                    | Body and door: stainless steel 304L<br>Lock: zamak<br>Hinge: stainless steel |
| Surface finish              | Body and door: Scotch-Brite® brushed<br>Lock: chromium plated                |
| Net weight                  | 38 kg  |

## Environment

|                        |                             |
|------------------------|-----------------------------|
| Standards              | IEC 62208                   |
| Product certifications | CAN/CSA 22<br>UL 508 type A |

|                                     |                               |
|-------------------------------------|-------------------------------|
| <b>IP degree of protection</b>      | IP55 conforming to IEC 60529  |
| <b>IK degree of protection</b>      | IK10 conforming to IEC 62262  |
| <b>Environmental characteristic</b> | Specific hygiene<br>Corrosive |

## Packing Units

|                                     |            |
|-------------------------------------|------------|
| <b>Unit Type of Package 1</b>       | PCE        |
| <b>Number of Units in Package 1</b> | 1          |
| <b>Package 1 Height</b>             | 33.000 cm  |
| <b>Package 1 Width</b>              | 62.000 cm  |
| <b>Package 1 Length</b>             | 121.000 cm |
| <b>Package 1 Weight</b>             | 35.500 kg  |
| <b>Unit Type of Package 2</b>       | PAM        |
| <b>Number of Units in Package 2</b> | 4          |
| <b>Package 2 Height</b>             | 137.000 cm |
| <b>Package 2 Width</b>              | 100.000 cm |
| <b>Package 2 Length</b>             | 120.000 cm |
| <b>Package 2 Weight</b>             | 155.000 kg |

## Logistical informations

|                          |    |
|--------------------------|----|
| <b>Country of origin</b> | BG |
|--------------------------|----|

## Contractual warranty

|                 |           |
|-----------------|-----------|
| <b>Warranty</b> | 18 months |
|-----------------|-----------|

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 528

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number E893f0a0-d2cc-4011-9425-3873dde70142

REACH Regulation [REACH Declaration](#)

## Use Again

### Repack and remanufacture

Circularity Profile No need of specific recycling operations

Take-back No