

Features

- Rated currents up to 16A
- Screw Terminal
- The compact size can be applied to various situations.
- Enhanced filtering performance

RS PRO EMI Filters

RS Stock No.: 286-7282



RS PRO is the own brand of RS. The RS PRO Seal of Approval is your assurance of professional quality, a guarantee that every part is rigorously tested, inspected, and audited against demanding standards. Making RS PRO the Smart Choice for our customers.

Power Line Filters



Product Description

High performance single phase chassis mount EMI filter Applications:

- Electrical and electronic equipment
 - Medical equipment
 - Office automation equipment
- New energy equipment, Communication equipment;

General Specifications

The compact size can be applied to various situations.

This filter is also available as two-stage filters in noisy environment.

Electrical Specifications

Size(Length*Width*Height) 92*57*44.5mm

Weight 0.55kgs

Mounting Hole Spacing 104mm

Power Line Filters



Mechanical Specifications

Rated Voltage Max. 115/250VAC

Rated currents 16A

Operating frequency 50/60Hz

Hipot Rating Line to Ground 2250VDC Line to Line 500VDC

Temperature range | -25°C~+85°C

Leakage current 0.5mA/1.0mA

Inductance L1/2: 2x2.5mH;

Capacitance Cx1/2: 1.0uF; Cy:4700pF*2;

Resistance R:220K ohm;

Protection Category

IP Rating IP40

Approvals

Declarations CE UKCA REACH ROHS


Safety Standard | IEC 60939-1:2010;IEC 60939-2:2005

Similar Products

Stock No.	Brand	Phase Type	Mounting	Current	Dimension
237-8731	RS PRO	Single phase	Chassis mounting	16A	92*57*45mm




Physical Dimensions (Unit:mm)



0 ~ 10	±0.3		
10 ~ 100	±0.5		
100 ~ 150	±0.8		
150 ~ 200	±1.0		

Electrical Schematic



Power Line Filters



Insertion loss(IN 50ohm system according IEC/CISPR NO.17)

_____Common mode ------Differential mode

