SIEMENS

Neutral conductor/PE terminal, continuous, for floor mounting, for 100 A and 125 A, accessory for main and emergency switching-off switch 3LD2

Model

product brand name	SENTRON
product designation	Neutral conductor/PE terminal
design of the product	accessories for 3LD2 main and EMERGENCY-STOP switches
AWG number as coded connectable conductor cross section	
● minimum	12
● maximum	1
type of connectable conductor cross-sections for main contacts	
● finely stranded with core end processing	1x (4...50 mm²)
● solid or stranded	1x (4...35 mm²)

Approvals Certificates

General Product Approval					other
CSA	CCC	Confirmation	UL	EAC	Confirmation

other	Environment
Miscellaneous	Environmental Confirmations

Further information

Siemens has decided to exit the Russian market (see here).
https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business
Siemens is working on the renewal of the current EAC certificates.
Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).
Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9280-2C
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3LD9280-2C
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9280-2C
CAx-Online-Generator
http://www.siemens.com/cax
Tender specifications

23

56,7

83

last modified: 7/30/2022

11/18/2023

11/18/2023