TE Internal #: 5145246-1

Board-to-Board, 184 Position, 1.27 mm [.05 in] Centerline, Vertical, Natural, 13.97 mm [.55 in] Height, PCI & PCI Express Connectors

View on TE.com >



Connectors > PCB Connectors > Card Edge Connectors > PCI & PCI Express Connectors



Connector System: Board-to-Board

Number of Positions: 184

Centerline (Pitch): 1.27 mm [ .05 in ]

Contact Mating Area Plating Material Thickness: [30 µin]

PCB Mount Orientation: Vertical

### **Features**

### **Product Type Features**

Connector & Contact Terminates To	Printed Circuit Board			
Connector System	Board-to-Board			
Configuration Features				
Number of PCB Mount Retention Features	3			
Number of Positions	184			
PCB Mount Orientation	Vertical			
Ejector	Without			
Electrical Characteristics				
Operating Voltage	203 VAC			
Body Features				
PCB Retention Feature Material	Brass			
PCB Retention Feature Plating Material	Tin			

21.025 g

Natural

### **Contact Features**

Product Weight

Primary Product Color



Contact Underplating Material	Nickel			
Contact Mating Area Plating Material	Gold (Au)			
Contact Base Material	Phosphor Bronze			
PCB Contact Termination Area Plating Material	Tin			
	30 μin			
Termination Features				
Termination Method to PCB	Surface Mount			
Mechanical Attachment				
Connector Mounting Type	Board Mount			
PCB Mount Retention Type	Hold-Down Post			
Housing Features				
Housing Material	High Temperature Thermoplastic			
Centerline (Pitch)	1.27 mm[.05 in]			
Dimensions				
PCB Thickness (Accepted)	1.57 mm[.062 in]			
Connector Length	128 mm[5.039 in]			
Connector Height	13.97 mm[.55 in]			
Connector Width	8.88 mm[.35 in]			
Usage Conditions				
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]			
Operation/Application				
Circuit Application	Signal			
Industry Standards				
Bus Type	PCI			
Packaging Features				
Packaging Method	Box			
Packaging Quantity	32			

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Yet Reviewed	



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Not reviewed for China RoHS compliance
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Reflow solder capable to 245°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**









# **Customers Also Bought**

























### **Documents**

### **Product Drawings**

**CONNECTOR ASSEMBLY, DUAL POSIT** 

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_5145246-1\_B.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_5145246-1\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_5145246-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### **Product Specifications**

Application Specification

English

**Application Specification** 

English