

Part Number: 2249290002

Product Description: 5.00mm Pitch Lever Activated Fixed Mount PCB Terminal Block,

35° Wire Entry, 2 Circuits Series Number: 224929

Status: Active

**Product Category:** Terminal Blocks and

Barrier Strip

**Engineering Number: MX-TLM-215A-02** 



#### **Documents & Resources**

**Drawings** 

2249290002\_sd.pdf

3D Models and Design Files

2249290002\_stp.zip

Specifications

1302270418-000.pdf

## **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Reviewed per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2024)6225-DC (07 Nov 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

#### EU RoHS Certificate of Compliance

### **Part Details**

#### General

Status	Active
Category	Terminal Blocks and Barrier Strip
Series	224929
Description	5.00mm Pitch Lever Activated Fixed Mount PCB Terminal Block, 35° Wire Entry, 2 Circuits
Application	Wire-to-Board
Component Type	One Piece
Product Name	Lever Activated Fixed Mount
Туре	PCB Terminal Blocks and Connectors
UPC	196823649028

#### Electrical

Current - Maximum per Contact	20.0A
Voltage - Maximum	300V

# Physical

Circuits (Loaded)	2
Circuits (maximum)	2
Color - Resin	Green
Entry Angle	35° Angle
Lock to Mating Part	None
Material - Metal	Copper Alloy
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Material - Resin	Polyamide

Net Weight	7.500/kg
Number of Rows	1
Orientation	Vertical
Panel Mount	No
PC Tail Length	3.50mm
PCB Thickness - Recommended	2.00mm
Pitch - Mating Interface	5.00mm
Pitch - Termination Interface	5.00mm
Polarized to Mating Part	N/A
Stackable	No
Temperature Range - Operating	-40° to +115°C
Termination Interface Style	Through Hole
Wire Size (AWG)	12, 14, 16, 18, 20, 22, 24
Wire Size mm²	0.38-3.09

This document was generated on Feb 05, 2025