


I.D. PRO™ Plus LABELS

▶ CABLE MARKING LABELS



WML-511-292

Wire Marker Label

Size # 511, 1.00" x 2.50"

Material B-292, Self-Laminating Vinyl

PART NUMBER EXPLANATION:

Most Brady part numbers for portable printer labels follow the same three-part format:

The first code indicates the application, the second part is a number indicating the die size used (where applicable), the third part indicates the Brady material used.

Self-Laminating White/Transparent Vinyl (B-292)

Part Number	Marker Size Code	Labels Per Roll	Label Width Inch (mm) A	Label Height Inch (mm) B	Vertical Repeat Inch (mm) C	Maximum Lines of Print ▲	Maximum Characters Large	Across Small
WML-511-292	511	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4	7	10
WML-511-292-OR**	511	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4	7	10
WML-511-292-GR**	511	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4	7	10
WML-511-292-PL**	511	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4	7	10
WML-511-292-BL**	511	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4	7	10
WML-511-292-BR**	511	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4	7	10
WML-511-292-RD**	511	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4	7	10
WML-511-292-YL**	511	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4	7	10
WML-511-292-GY**	511	100	1.00 (25.40)	2.50 (63.50)	0.75 (19.05)	4	7	10
WML-517-292	517	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4	10	15
WML-517-292-OR**	517	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4	10	15
WML-517-292-GR**	517	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4	10	15
WML-517-292-PL**	517	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4	10	15
WML-517-292-BL**	517	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4	10	15
WML-517-292-BR**	517	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4	10	15
WML-517-292-RD**	517	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4	10	15
WML-517-292-YL**	517	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4	10	15
WML-517-292-GY**	517	100	1.50 (38.10)	2.50 (63.50)	0.75 (19.05)	4	10	15
WML-711-292	711	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6	7	10
WML-711-292-OR**	711	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6	7	10
WML-711-292-GR**	711	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6	7	10
WML-711-292-PL**	711	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6	7	10
WML-711-292-BL**	711	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6	7	10
WML-711-292-BR**	711	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6	7	10
WML-711-292-RD**	711	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6	7	10
WML-711-292-YL**	711	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6	7	10
WML-711-292-GY**	711	100	1.00 (25.40)	4.00 (101.60)	1.00 (25.40)	6	7	10
WML-717-292	717	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6	10	15
WML-717-292-OR**	717	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6	10	15
WML-717-292-GR**	717	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6	10	15
WML-717-292-PL**	717	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6	10	15
WML-717-292-BL**	717	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6	10	15
WML-717-292-BR**	717	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6	10	15
WML-717-292-RD**	717	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6	10	15
WML-717-292-YL**	717	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6	10	15
WML-717-292-GY**	717	100	1.50 (38.10)	4.00 (101.60)	1.00 (25.40)	6	10	15


▲ I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label.

****OR=orange, GR=green, GY=grey, PL=purple, BL=blue, BR=brown, YL=yellow, RD=red.**
Standard product: Contact your Brady Identification Solutions distributor or Customer Service representative for ordering information.

I.D. PRO™ Plus LABELS

CONTINUED

▶ WIRE MARKING LABELS



Part Number	Marker Size Code	Labels Per Roll	Label Material	Label Width Inch (mm) A	Label Height Inch (mm) B	Vertical Repeat Inch (mm) C	Maximum Lines of Print ▲	Maximum Characters Across Large	Maximum Characters Across Small
6 to 10 Gauge Wire (AWG) Based on THHN Wire — Maximum Wire Diameter - .26" (6.60 mm)									
WML-905-502	905	250	General-Purpose Vinyl Cloth	0.50 (12.70)	1.25 (31.75)	N/A	8	3	4
WML-905-499	905	250	Nylon Cloth, Permanent Adhesive	0.50 (12.70)	1.25 (31.75)	N/A	8	3	4
WML-905-632	905	250	Flame-Retardant, Low-Profile Tedlar®	0.50 (12.70)	1.25 (31.75)	N/A	8	3	4
WML-305-292	305	250	Self-Laminating Vinyl	0.50 (12.70)	1.25 (31.75)	0.50 (12.70)	3	3	4
WML-911-499	911	250	Nylon Cloth, Permanent Adhesive	1.00 (25.40)	1.25 (31.75)	N/A	8	7	10
WML-911-502	911	250	General-Purpose Vinyl Cloth	1.00 (25.40)	1.25 (31.75)	N/A	8	7	10
WML-911-632	911	250	Flame-Retardant, Low-Profile Tedlar	1.00 (25.40)	1.25 (31.75)	N/A	8	7	10
WML-311-292	311	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3	7	10
WML-311-292-OR**	311	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3	7	10
WML-311-292-GR**	311	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3	7	10
WML-311-292-PL**	311	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3	7	10
WML-311-292-BL**	311	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3	7	10
WML-311-292-BR**	311	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3	7	10
WML-311-292-YL**	311	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3	7	10
WML-311-292-RD**	311	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3	7	10
WML-311-292-GY**	311	250	Self-Laminating Vinyl	1.00 (25.40)	1.25 (31.75)	0.50 (12.70)	3	7	10
WML-917-499	917	250	Nylon Cloth, Permanent Adhesive	1.50 (38.10)	1.25 (31.75)	N/A	8	10	15
WML-917-502	917	250	General-Purpose Vinyl Cloth	1.50 (38.10)	1.25 (31.75)	N/A	8	10	15
WML-317-292	317	250	Self-Laminating Vinyl	1.50 (38.10)	1.25 (31.75)	0.50 (12.70)	3	10	15
10 to 12 Gauge Wire (AWG) Based on THHN Wire — Maximum Wire Diameter - .21" (5.30 mm)									
WML-705-499	705	250	Nylon Cloth, Permanent Adhesive	0.50 (12.70)	1.00 (25.40)	N/A	6	3	4
WML-705-502	705	250	General-Purpose Vinyl Cloth	0.50 (12.70)	1.00 (25.40)	N/A	6	3	4
WML-705-632	705	250	Flame-Retardant, Low-Profile Tedlar	0.50 (12.70)	1.00 (25.40)	N/A	6	3	4
WML-205-292-1	205	250	Self-Laminating Vinyl	0.50 (12.70)	1.00 (25.40)	.375 (9.53)	2	3	4
WML-711-499	711	250	Nylon Cloth, Permanent Adhesive	1.00 (25.40)	1.00 (25.40)	N/A	6	7	10
WML-711-502	711	250	General-Purpose Vinyl Cloth	1.00 (25.40)	1.00 (25.40)	N/A	6	7	10
WML-711-632	711	250	Flame-Retardant, Low-Profile Tedlar	1.00 (25.40)	1.00 (25.40)	N/A	6	7	10
WML-211-292-1	211	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2	7	10
WML-211-292-1-OR**	211	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2	7	10
WML-211-292-1-GR**	211	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2	7	10
WML-211-292-1-PL**	211	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2	7	10
WML-211-292-1-BL**	211	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2	7	10
WML-211-292-1-BR**	211	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2	7	10
WML-211-292-1-YL**	211	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2	7	10
WML-211-292-1-RD**	211	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2	7	10
WML-211-292-1-GY**	211	250	Self-Laminating Vinyl	1.00 (25.40)	1.00 (25.40)	.375 (9.53)	2	7	10

▲ I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label. Tedlar® is a registered trademark of DuPont.


****OR=orange, GR=green, GY=grey, PL=purple, BL=blue, BR=brown, YL=yellow, RD=red.**
Standard product: Contact your Brady Identification Solutions distributor or Customer Service representative for ordering information.

portable printer labels

I.D. PRO™ Plus LABELS

CONTINUED

► WIRE MARKING LABELS CONTINUED



Part Number	Marker Size Code	Labels Per Roll	Label Material	Label Width Inch (mm) A	Label Height Inch (mm) B	Vertical Repeat Inch (mm) C	Maximum Lines of Print ▲	Maximum Characters Across Large	Maximum Characters Across Small
10 to 16 Gauge Wire (AWG) Based on THHN Wire — Maximum Wire Diameter - .16" (4.10 mm)									
WML-505-499	505	250	Nylon Cloth, Permanent Adhesive	0.50 (12.70)	0.75 (19.05)	N/A	4	3	4
WML-505-502	505	250	General-Purpose Vinyl Cloth	0.50 (12.70)	0.75 (19.05)	N/A	4	3	4
WML-505-632	505	250	Flame-Retardant, Low-Profile Tedlar	0.50 (12.70)	0.75 (19.05)	N/A	4	3	4
WML-205-292-75	205	250	Self-Laminating Vinyl	0.50 (12.70)	0.75 (19.05)	.375 (9.53)	2	3	4
WML-511-499	511	250	Nylon Cloth, Permanent Adhesive	1.00 (25.40)	0.75 (19.05)	N/A	4	7	10
WML-511-502	511	250	General-Purpose Vinyl Cloth	1.00 (25.40)	0.75 (19.05)	N/A	4	7	10
WML-511-632	511	250	Flame-Retardant, Low-Profile Tedlar	1.00 (25.40)	0.75 (19.05)	N/A	4	7	10
WML-211-292-75	211	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2	7	10
WML-211-292-75-OR**	211	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2	7	10
WML-211-292-75-GR**	211	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2	7	10
WML-211-292-75-BL**	211	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2	7	10
WML-211-292-75-BR**	211	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2	7	10
WML-211-292-75-YL**	211	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2	7	10
WML-211-292-75-RD**	211	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2	7	10
WML-211-292-75-GY**	211	250	Self-Laminating Vinyl	1.00 (25.40)	0.75 (19.05)	.375 (9.53)	2	7	10
WML-517-499	517	250	Nylon Cloth, Permanent Adhesive	1.50 (38.10)	0.75 (19.05)	N/A	4	10	15
WML-517-502	517	250	General-Purpose Vinyl Cloth	1.50 (38.10)	0.75 (19.05)	N/A	4	10	15
16 to 22 Gauge Wire (AWG) Based on THHN Wire — Maximum Wire Diameter - .11" (2.80 mm)									
WML-305-499	305	500	Nylon Cloth, Permanent Adhesive	0.50 (12.70)	0.50 (12.70)	N/A	3	3	4
WML-305-502	305	500	General-Purpose Vinyl Cloth	0.50 (12.70)	0.50 (12.70)	N/A	3	3	4
WML-305-632	305	500	Flame-Retardant, Low-Profile Tedlar	0.50 (12.70)	0.50 (12.70)	N/A	3	3	4

▲ I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label. Tedlar® is a registered trademark of DuPont.



****OR=orange, GR=green, GY=grey, PL=purple, BL=blue, BR=brown, YL=yellow, RD=red.**
Standard product: Contact your Brady Identification Solutions distributor or Customer Service representative for ordering information.

portable printer labels

I.D. PRO™ Plus LABELS

CONTINUED

▶ MULTIPLE-ACROSS WIRE MARKING STRIPS





White Vinyl Cloth (B-502), White/Transparent Self-Laminating Vinyl (B-292), Nylon Cloth (B-499)

Part Number	Marker Size Code	Quantity Per Roll Strips/Sets	Number of Strips Across	Marker Strip Dimension Inch (mm)		Write-On Area C	Wire Gauge*	Maximum Lines of Print ▲	Maximum Characters Across	
				A	B				Large	Small
WML-205-292-2S	205	500/250	2	0.50 (12.70)	0.75 (19.05)	0.40 (10.16)	10 to 14	2	3	4
WML-305-292-2S	305	500/250	2	0.50 (12.70)	1.25 (31.75)	0.52 (13.21)	6 to 10	3	3	4
WML-308-292-2S	317	500/250	2	0.75 (19.05)	1.25 (31.75)	0.50 (12.70)	6 to 10	3	5	7
WML-505-499-2S	505	500/250	2	0.50 (12.70)	0.75 (19.05)	N/A	10 to 14	4	3	4
WML-505-502-2S	505	500/250	2	0.50 (12.70)	0.75 (19.05)	N/A	10 to 14	4	3	4
WML-508-502-2S	517	500/250	2	0.75 (19.05)	0.75 (19.05)	N/A	10 to 16	4	5	7
WML-905-499-2S	905	500/250	2	0.50 (12.70)	1.25 (31.75)	N/A	6 to 10	8	3	4
WML-905-502-2S	905	500/250	2	0.50 (12.70)	1.25 (31.75)	N/A	6 to 10	8	3	4

*Based on THHN wire.

▲ I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label. Tedlar® is a registered trademark of DuPont.

▶ TEMPORARY WIRE MARKER FLAG



Removable Vinyl Cloth (B-502)

Part Number	Marker Size Code	Labels Per Roll	Label Width Inch (mm)		Label Height Inch (mm) B	Maximum Lines of Print ▲	Maximum Characters Across	
			A	A			Large	Small
WML-117-502-PF	117	500	1.50 (38.10)	1.50 (38.10)	.275 (7.00)	1	11	23

▲ I.D. PRO Plus will print up to 8 different lines of text. In wire and strip modes, I.D. PRO Plus will repeat the full legend for the entire length of the label.