

Datasheet Water Based Glass Cleaner

ENGLISH

RS Stock number 692-918



Description:

A weakly alkaline water based light duty foam cleanser designed for specific use on glass and other reflective surfaces.

This product has been designed with a very low solids content combined with a very fast evaporation rate, making it ideal for rapid and effective use with freedom from smearing. It is suitable for most glass substrates including windows, mirrors, windscreens, optical instruments, VDU screens, spectacles etc. and is also suitable for use on water resistant reflective substrates including stainless steel and chromium finishes.

This product is not recommended for use on low emissivity glass.

Do NOT use on large surfaces. If doing so, always work in small easily manageable areas. Do not allow to dry on the surface before removal.

Do NOT work in confined spaces without adequate ventilation.

Do NOT use for regular cleaning of clear stressed thermoplastics where stress cracking may be induced.

RS, Professionally Approved Products, gives you professional quality parts across all products categories. Our range has been testified by engineers as giving comparable quality to that of the leading brands without paying a premium price.



ENGLISH

Benefits:

Fast and effective use Freedom from residues following use Freedom from smearing

Physical Properties:

A fast breaking colourless foam with a bland Appearance:

odour

10.0 - 11.5pH:

Specific Gravity: 0.98 - 1.02

Non Volatiles % m/m: < 0.20

Active Content % m/m, as supplied: 1.0 - 5.0

Flammability, as supplied: Extremely flammable, flash point below -20°C

Composition Data, descriptive: Water, hydrocarbon propellant, glycol, non-

ionic surfactants, a blend of organic and

inorganic sequestering agents and ammonia. Composition Data, specific:

Water [80 - 90%], hydrocarbon propellant [5 -

15%] 1 methoxy-2-propanol [2 – 5%], alcohol ethoxylate and fluorocarbon surfactants [<

0.1%], sodium polyphosphates, sodium

silicates, and alkanolamine sequesterants [<

0.5%]. Ammonia [<0.05%]

Application Details:

Shake well before use. Ensure equipment is fully discharged before use. Spray apply directly to the surface from a distance of 20 – 30cm. Wipe over the surface with a soft dry cloth, turning frequently, and buff to a clean dry state.

Availability:

400 ml Aerosol

RS, Professionally Approved Products, gives you professional quality parts across all products categories. Our range has been testified by engineers as giving comparable quality to that of the leading brands without paying a premium price.