

6469083-2 ✓ ACTIVE

Z-PACK | Z-PACK HM-Zd


TE Internal #: 6469083-2

60 Position High Speed Backplane Connector, 6 Row, 10 Column,
PCB Mount Header, Vertical, Partially Shrouded, Z-PACK HM-Zd

[View on TE.com >](#)



Connectors > PCB Connectors > Backplane Connectors > High Speed Backplane Connectors



Number of Positions: **60**

Row-to-Row Spacing: **1.5 mm [.059 in]**

Mating Alignment: **With**

Mating Alignment Type: **Guide Lugs**

Number of Rows: **6**

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Connector System	Board-to-Board
PCB Connector Type	PCB Mount Header
Shroud Style	Partially Shrouded

Configuration Features

Number of Pairs	30
Number of Ground Positions	30
Number of Signal Positions	60
Pairs per Column	3
Card Slot Centerline	20.3 mm [.8 in]
Number of Positions	60
Number of Rows	6
Number of Columns	10
PCB Mount Orientation	Vertical
Guide Location	Unguided

Electrical Characteristics

Operating Voltage	250 VAC
-------------------	---------

Signal Characteristics

Data Rate	≤12 Gb/s
-----------	----------



Body Features

Shield Material	Phosphor Bronze
Primary Product Color	Gray

Contact Features

Contact Mating Area Plating Material Thickness	.76 μm [30 μin]
Contact Layout	Matrix
Contact Mating Area Plating Material	Gold (Au)
Contact Mating Area Length	3.8 mm[.15 in]
Contact Base Material	Phosphor Bronze
Contact Type	Pin
Contact Current Rating (Max)	.7 A

Termination Features

Termination Method to PCB	Through Hole - Press-Fit
Termination Post & Tail Length	2.5 mm[.098 in]

Mechanical Attachment

Mating Alignment	With
Mating Alignment Type	Guide Lugs
Connector Mounting Type	Board Mount

Housing Features

Housing Material	Polyester GF
Centerline (Pitch)	2.5 mm[.098 in]

Dimensions

Connector Width	18.93 mm[.745 in]
Connector Height	13.4 mm[.527 in]
Connector Length	24.95 mm[.988 in]
Row-to-Row Spacing	1.5 mm[.059 in]

Usage Conditions

Operating Temperature Range	-65 – 105 $^{\circ}\text{C}$ [-85 – 221 $^{\circ}\text{F}$]
-----------------------------	--

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

--	--



UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Tube
------------------	------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
--	---


Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
-----------------	--

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 6469081-1
HMZD 3PR, RECEPTACLE ASSEMBLY



TE Part # 1645616-2
HMZD 3PR, RECEPTACLE ASSEMBLY
30Au



TE Part # 1469081-1
HMZD 3PR, RECEPTACLE ASSEMBLY




TE Part # 1645616-1
HMZD 3PR, RECEPTACLE ASSEMBLY
30Au




TE Part # 6469081-2
HMZD 3PR, RECEPTACLE ASSEMBLY

Also in the Series | Z-PACK HM-Zd



Hard Metric Backplane Connectors(1)




High Speed Backplane Connectors(46)




Insertion & Extraction Tools(1)


Customers Also Bought




TE Part #282049-023
44A0111-24-9



TE Part #2820103008
44A0111-18-0



TE Part #594752-E
STVH15 15 F ZD VV 2 EE25 4,2 * 197 E
172



TE Part #794956-3
VAL-U-LOK SKT PHBZ SN 22-18AWG
172




TE Part #1410142-2
MULTIGIG RT T2 .8" BP FULL RGH



TE Part #1996706-1
8 POS VITA 67.2 RF MODULE,
BACKPLANE, SMPM



TE Part #2102736-1
BP, Center, MULTIGIG RT 2R



TE Part #2170245-1
HMZD+, 3PAIRS, 10COLS, VERTICAL,
ASSEMBLY



TE Part #2302788-1
VERTRECCASSY, LEFTEND, HALF,
MGRT3



TE Part #2302789-1
VERTRECCASSY, CENTER, MULTIGIG
RT3



Documents

Product Drawings

[HMZD 3PAIR, HDR ASSY, 25MM MOD](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_6469083-2_B.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_6469083-2_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_6469083-2_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English