

## Plug-in bridge - FBS 1/2/5/6/9/10/13/14/17/18- - 3030378

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Plug-in bridge, pitch: 6.2 mm, width: 110.1 mm, number of positions: 18, pin assignment: 1, 2, 5, 6, 9, 10, 13, 14, 17, 18, color: red

#### Your advantages

The 2- to 50-pos. jumpers can bridge up to 50 terminal blocks in the two bridge shafts of the CLIPLINE complete system in one step



## **Key Commercial Data**

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	4 046356 707060
GTIN	4046356707060
Weight per Piece (excluding packing)	14.520 g
Custom tariff number	85366990
Country of origin	Germany
Note	Made to Order (non-returnable)

#### Technical data

#### Technical data

Type of note	Note on application		
Note	Version with single- or double-sided cutting edge. Please keep in mine the possible impact on touch protection as well as air clearances and creepage distances.		
Color	red		
Material	Copper		
Number of positions	18		
Pin assignment	1, 2, 5, 6, 9, 10, 13, 14, 17, 18		
Pitch	6.2 mm		
Height	23 mm		
Width	110.1 mm		



## Plug-in bridge - FBS 1/2/5/6/9/10/13/14/17/18- - 3030378

## Technical data

#### Technical data

Flammability rating according to UL 94	V0
Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)

## Standards and Regulations

Flammability rating according to UL 94	V0

## **Environmental Product Compliance**

China RoHS	Environmentally friendly use period: unlimited = EFUP-e	
	No hazardous substances above threshold values	

#### Classifications

## eCl@ss

eCl@ss 10.0.1	27141140
eCl@ss 4.0	27141100
eCl@ss 4.1	27141100
eCl@ss 5.0	27141100
eCl@ss 5.1	27141100
eCl@ss 6.0	27141100
eCl@ss 7.0	27141140
eCl@ss 8.0	27141140
eCl@ss 9.0	27141140

#### **ETIM**

ETIM 3.0	EC000489
ETIM 4.0	EC000489
ETIM 5.0	EC000489
ETIM 6.0	EC000489
ETIM 7.0	EC000489

#### **UNSPSC**

UNSPSC 6.01	30211829
UNSPSC 7.0901	39121426
UNSPSC 11	39121426
UNSPSC 12.01	39121426
UNSPSC 13.2	39121426
UNSPSC 18.0	39121426
UNSPSC 19.0	39121426
UNSPSC 20.0	39121426
UNSPSC 21.0	39121426



# Plug-in bridge - FBS 1/2/5/6/9/10/13/14/17/18- - 3030378

Approvals			
Approvals			
Approvals			
EAC			
Ex Approvals			
Approval details			
EAC	ERC		RU C- DE.A*30.B.01742

Phoenix Contact 2020 © - all rights reserved http://www.phoenixcontact.com