

Product Overview

FGH75T65SHDTL4: IGBT, 650 V, 75 A Field Stop Trench

For complete documentation, see the data sheet.

Using novel field stop IGBT technology, Fairchild's new series of field stop 3rd generation IGBTs offer the optimum performance for solar inverter, UPS, welder, telecom, ESS and PFC applications where low conduction and switching losses are essential.

Features

- Maximum Junction Temperature: T_J =175°C
- · Positive Temperature Co-efficient for Easy Parallel Operating
- · High Current Capability
- Low Saturation Voltage: V_{CE(sat)} =1.6 V(Typ.) @ I_C = 75 A
- 100% of the Parts Tested for I_{LM}(1)
- · High Input Impedance
- · Fast Switching
- · Tighten Parameter Distribution
- · RoHS Compliant

Part Electrical Specifications																
Product	Compliance	Status	V _{(BR)C} ES Typ (V)	I _C Max (A)	V _{CE(sa} t) Typ (V)	V _F Typ (V)	E _{off} Typ (mJ)	E _{on} Typ (mJ)	T _{rr} Typ (ns)	I,, Typ (A)	Gate Char ge Typ (nC)	Short Circui t Withs tand (µs)	E _{AS} Typ (mJ)	P _D Max (W)	Co- Pack aged Diode	Pack age Type
FGH75T65SHDTL4	Pb-free Halide free	Active	650	75	1.6	1.8	1.56	1.06	76	-	126	-	-	455	Yes	TO- 247-4

For more information please contact your local sales support at www.onsemi.com.

Created on: 11/26/2018