



 PRODUCT-DETAILS

CR-M4SFB

CR-M4SFB Standard socket, fork type for 2c/o or 4c/o CR-MX relay



General Information

Extended Product Type	CR-M4SFB
Product ID	1SVR405651R3400
EAN	4013614499074
Catalog Description	CR-M4SFB Standard socket, fork type for 2c/o or 4c/o CR-MX relay
Long Description	The CR-M4SFB socket is from the CR-MX (miniature) relay range. This standard socket is suitable for CR-MX relays with 2 or 4 c/o (SPDT) output contacts. The socket has fork type screw connection terminals. Pluggable function modules and metal holder are available as accessories.

Ordering

EAN	4013614499074
Minimum Order Quantity	240 piece
Customs Tariff Number	85366990

Popular Downloads

Data Sheet, Technical	2CDC117021D0201
-----------------------	-----------------

Information

Instructions and Manuals	1SVC405650M9000
CAD Dimensional Drawing	2CDC001079B0201
EPLAN Data	9AAC179469_EPLAN

Dimensions

Product Net Width	30.3 mm
Product Net Height	66.7 mm
Product Net Depth / Length	29 mm
Product Net Weight	0.053 kg

Technical

Rated Operational Voltage	250 V AC
Terminal Type	Fork Screw Terminals
Rated Operational Current AC-12 (I_e)	(230 V) 7 A
Rated Insulation Voltage (U_i)	4 V
Mounting Position	1
Standards	CAN/CSA C22.2 No.14 IEC/EN 63000 IEC/EN 61984 UL 508

Technical UL/CSA

Connecting Capacity Main Circuit UL/CSA	Flexible with Ferrule 2x 20-16 AWG Rigid 2x 20-14 AWG Stranded 2 x 20-14 AWG
Flammability According to UL94	V-2

Environmental

Ambient Air Temperature	Operation -40 ... +70 °C Storage -40 ... +70 °C
Maximum Operating Altitude Permissible	2000 m

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	1SVD981001-4501
RoHS Declaration	1SVD981001-4401
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	2CMT2023-006536

Certificates and Declarations

cURus Certificate	cURus508_E244328
Declaration of Conformity - CE	1SVD982020-0001
Declaration of Conformity - UKCA	1SVD982020-1000

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	63 mm
Package Level 1 Depth / Length	153 mm
Package Level 1 Height	68 mm
Package Level 1 Gross Weight	0.546 kg
Package Level 1 EAN	4013614489037
Package Level 2 Units	240 piece
Package Level 2 Width	275 mm
Package Level 2 Depth / Length	335 mm
Package Level 2 Height	225 mm
Package Level 2 Gross Weight	14.338 kg
Package Level 2 EAN	4013614505744

External Classifications and Standards

Object Classification Code	K
ETIM 7	EC001456 - Relay socket
ETIM 8	EC001456 - Relay socket
ETIM 9	EC001456 - Relay socket
eClass	V11.0 : 27371603
UNSPSC	39122335

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

