

Bicycle Set 4, 9 pieces

Innovations and Autumn/Winter Campaign 2019/2020



EAN:	4013288211446	Size:	220x100x40 mm
Part number:	05004173001	Weight:	484 g
Article number:	Bicycle Set 4	Country of origin:	CZ
		Customs tariff number:	82079030



- L-key set for hexagonal socket screws and TORX® screws
- L-keys with Hex-Plus advantage for a longer screw life
- L-keys are quickly to hand thanks to their size markings
- Wear-resistant size marking
- In a practical, lightweight folding pouch for easy carrying

L-keys made from circular material with plastic sleeve for use on bicycles. The plastic sleeve makes working comfortable even at low temperatures and is easy on the fingers. All L-keys are easily accessible due to their colour coding and size markings. For hexagonal socket screws and TORX® screws. In a robust and lightweight folding pouch.

Web link

https://products.wera.de/en/innovations_and_autumn_winter_campaign_2019_2020_bicycle_set_4.html

Wera - Bicycle Set 4
05004173001 - 4013288211446

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Set contents:



950 SPKL Multicolour

- 05022602001 1 x 2 x 101 mm
- 05022604001 1 x 2,5 x 112 mm



950 SPKL HF Multicolour

- 05022200001 1 x 3 x 123 mm
- 05022201001 1 x 4 x 137 mm
- 05022202001 1 x 5 x 154 mm
- 05022203001 1 x 6 x 172 mm
- 05022204001 1 x 8 x 195 mm



967 SXL TORX® HF Multicolour

- 05024473001 1 x TX 10 x 112 mm
- 05024476001 1 x TX 25 x 154 mm

Bicycle tool set



For the road and the workshop



Compact screwdriving tool set for bicycle applications, also for mobile use.

SPKL L-keys



L-keys made from circular material with plastic sleeve for use on bicycles. The plastic sleeve makes working comfortable even at low temperatures and is easy on the fingers. All L-keys are easily accessible due to their colour coding and size markings. For hexagon and TORX® screws.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Web link

https://products.wera.de/en/innovations_and_autumn_winter_campaign_2019_2020_bicycle_set_4.html

Wera - Bicycle Set 4

05004173001 - 4013288211446

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

With retaining function on long arm



The clamping of the screw is achieved by a flexible locking ball. The holding function is especially helpful in confined, hard-to-reach spaces, where there is no room for a second hand to sec

Holding function for recessed TORX® screws



The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that TORX® screws made according to Acument Intellectual Properties specifications are securely held on the tool!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

"Take it easy" tool finder system



"Take it easy" tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

Web link

https://products.wera.de/en/innovations_and_autumn_winter_campaign_2019_2020_bicycle_set_4.html

Wera - Bicycle Set 4
05004173001 - 4013288211446

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de