

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025
Version 11.0. Supersedes version: 10.0

Page 1 / 20

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Arcanol LOAD460
UFI: W8V4-E5PS-520V-TQJH

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Schaeffler (UK) Limited
Waleswood Road, Wales Bar
S26 5PN Sheffield / UNITED KINGDOM
Phone +44 19 09 51 05 00
Homepage www.schaeffler.co.uk
E-mail info.uk@schaeffler.com

Manufacturer

Schaeffler Technologies AG & Co. KG
Georg-Schäfer-Str. 30
97421 Schweinfurt / GERMANY
Phone +49 (0)9721 91 - 0
Homepage www.schaeffler.com

Address enquiries to

Technical information

info.uk@schaeffler.com

Safety Data Sheet

sdb@chemiebuero.de (No dispatch of safety data sheets)
Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body

Call NHS 111 or a doctor
+49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Skin Sens. 1: H317 May cause an allergic skin reaction.

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025
Version 11.0. Supersedes version: 10.0

Page 2 / 20

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms



Signal word

WARNING

Contains:

Polysulfides, di-tert-dodecyl

Zinc naphthenate

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice / attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/national regulation.

2.3 Other hazards

Human health dangers

High Pressure Applications. Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency.

Environmental hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025 Version 11.0. Supersedes version: 10.0	Page 3 / 20
--	-------------

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
25 - 50	Residual oils (petroleum), hydrotreated CAS: 64742-57-0, EINECS/ELINCS: 265-160-8, EU-INDEX: 649-470-00-4, Reg-No.: 01-2119489287-22
25 - 50	Residual oils (petroleum), solvent-dewaxed (< 3% DMSO extract) CAS: 64742-62-7, EINECS/ELINCS: 265-166-0, Reg-No.: 01-2119480472-38-XXXX GHS/CLP: Asp. Tox. 1: H304
<= 10	Polysulfides, di-tert-dodecyl CAS: 68425-15-0, EINECS/ELINCS: 270-335-7, Reg-No.: 01-2119540516-41-XXXX GHS/CLP: Skin Sens. 1B: H317
<= 1.8	Zinc naphthenate CAS: 84418-50-8, EINECS/ELINCS: 282-762-6, Reg-No.: 01-2119988500-34-XXXX GHS/CLP: Skin Sens. 1: H317 - Aquatic Chronic 3: H412
<= 0.23	Zinc oxide CAS: 1314-13-2, EINECS/ELINCS: 215-222-5, EU-INDEX: 030-013-00-7, Reg-No.: 01-2119463881-32-XXXX GHS/CLP: Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M-Factor (acute): 1, M-Factor (chronic): 1

Comment on component parts

For full text of H-statements: see SECTION 16.
contains less than 3% w/w DMSO-extract (IP 346)
Highly refined mineral oil and additives. Thickener.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Seek medical advice immediately. Do not induce vomiting.

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025
Version 11.0. Supersedes version: 10.0

Page 4 / 20

4.2 Most important symptoms and effects, both acute and delayed

Hoarseness

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

Note: High Pressure Applications

Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing Foam.
Dry powder.
Carbon dioxide.

Extinguishing media that must not be used Water.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Nitrogen oxides (NOx).
Sulphur oxides (SOx).

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025
Version 11.0. Supersedes version: 10.0

Page 5 / 20

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Take up residues with absorbent material (e.g. oil binder).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
No special measures necessary if used correctly.
Avoid contact with eyes and skin. Use personal protective equipment.

Wash hands before breaks and after work.
Use barrier skin cream.
Do not eat, drink or smoke when using this product.
Contaminated work clothing should not be allowed out of the workplace.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Do not store together with oxidizing agents.
Keep container tightly closed.
Store in a dry place.
Do not keep at temperatures below 0°C / 32°F.
Recommended storage temperature: 5°C/41°F - 40°C/104°F

7.3 Specific end use(s)

See product use, SECTION 1.2

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025 Page 6 / 20
 Version 11.0. Supersedes version: 10.0

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance
Residual oils (petroleum), solvent-dewaxed (< 3% DMSO extract)
CAS: 64742-62-7, EINECS/ELINCS: 265-166-0, Reg-No.: 01-2119480472-38-XXXX
Long-term exposure: 5 mg/m ³ , oil mist, ACGIH

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
There are no DNEL values established for the substance.
Zinc oxide, CAS: 1314-13-2
There are no DNEL values established for the substance.
Residual oils (petroleum), solvent-dewaxed (< 3% DMSO extract), CAS: 64742-62-7
Industrial, inhalative, Long-term - systemic effects, 2.73mg/m ³
Industrial, inhalative, Long-term - local effects, 5.58mg/m ³
Industrial, dermal, Long-term - systemic effects, 0.97mg/kg bw/day
general population, oral, Long-term - systemic effects, 0.74mg/kg bw/day
Zinc naphthenate, CAS: 84418-50-8
There are no DNEL values established for the substance.
Residual oils (petroleum), hydrotreated, CAS: 64742-57-0
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³ (AF=45)
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³ (AF=45)
Industrial, dermal, Long-term - systemic effects, 0.97 mg/kg bw/d (AF=72)
general population, oral, Long-term - systemic effects, 0.74 mg/kg bw/d (AF=120)

PNEC

Substance
Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
sewage treatment plants (STP), 1 g/L
sediment (freshwater), 3.85 mg/kg sediment dw
oral (food), 66.7 mg/kg food
sediment (seawater), 385 µg/kg sediment dw
Zinc oxide, CAS: 1314-13-2
sediment (freshwater), 182,8 mg/kg sediment dw
sediment (seawater), 201,9 mg/kg sediment dw
soil, 103,4 mg/kg soil dw

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025		Page 7 / 20
Version 11.0. Supersedes version: 10.0		
	freshwater, 17,9 µg/L	
	seawater, 9 µg/L	
	sewage treatment plants (STP), 124,5 µg/L	
	Residual oils (petroleum), solvent-dewaxed (< 3% DMSO extract), CAS: 64742-62-7	
	oral (food), 9.33mg/kg food	
	Zinc naphthenate, CAS: 84418-50-8	
	freshwater, 6,39 µg/L	
	seawater, 0,64 µg/L	
	sewage treatment plants (STP), 147,73 µg/L	
	sediment (freshwater), 31,93 mg/kg Sediment dw	
	sediment (seawater), 3,19 mg/kg Sediment dw	
	soil, 6,38 mg/kg Boden dw	

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. General exposure limit for oil mist should be noted.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Protective clothing (EN 340)
Other	Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025
Version 11.0. Supersedes version: 10.0

Page 8 / 20

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	pasty
Color	amber colour
Odor	characteristic
Odour threshold	not required
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	228 (442.4°F) (closed cup)
Flammability	No information available.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	<1 (20 °C / 68,0 °F)
Relative density	No information available.
Bulk density [kg/m³]	not applicable
Solubility in water [g/L]	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	not applicable
Kinematic viscosity	No information available.
Relative vapour density	No information available.
Melting point [°C]	>170 (> 338 °F)
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	>240 (> 464 °F)
Particle characteristics	No information available.

9.2 Other information

Penetration number: 310 - 340 (0.1 mm) (25 °C / 77 °F)

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025
Version 11.0. Supersedes version: 10.0

Page 9 / 20

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Heating (decomposition)

10.5 Incompatible materials

Strong oxidizing agent.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025

Page 10 / 20

Version 11.0. Supersedes version: 10.0

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity Based on available data, the classification criteria are not met.

Product
ATE-mix, oral, > 5000 mg/kg
Substance
Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
LD50, oral, Rat, ca. 20000 mg/kg bw (ECHA)
Zinc oxide, CAS: 1314-13-2
LD50, oral, Rat, > 5000 mg/kg, OECD 401
Residual oils (petroleum), solvent-dewaxed (< 3% DMSO extract), CAS: 64742-62-7
LD50, oral, Rat, > 5000 mg/kg
LOAEL, Intravenous, Rat, 125 mg/kg bw/day
Zinc naphthenate, CAS: 84418-50-8
LD50, oral, Rat, > 2000 mg/kg bw
Residual oils (petroleum), hydrotreated, CAS: 64742-57-0
LD50, oral, Rat, > 5000 mg/kg bw

Acute dermal toxicity Based on available data, the classification criteria are not met.

Product
ATE-mix, dermal, > 5000 mg/kg
Substance
Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
LD0, dermal, Rat, > 2000 mg/kg bw
Zinc oxide, CAS: 1314-13-2
LD50, dermal, Rat, > 2000 mg/kg
Residual oils (petroleum), solvent-dewaxed (< 3% DMSO extract), CAS: 64742-62-7
LD50, dermal, Rabbit, > 5000 mg/kg
NOAEC, dermal, Rat, 980 mg/m ³
Zinc naphthenate, CAS: 84418-50-8
LD50, dermal, Rat, > 2000 mg/kg bw
Residual oils (petroleum), hydrotreated, CAS: 64742-57-0
LD50, dermal, Rat, > 5000 mg/kg bw

Acute inhalational toxicity Based on available data, the classification criteria are not met.

Substance
Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
LC50, inhalativ (dust/mist), Rat, > 15,5 mg/l (ECHA), 4h

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025 Page 11 / 20
 Version 11.0. Supersedes version: 10.0

	Zinc oxide, CAS: 1314-13-2
	LC50, inhalative, Rat, > 5,7 mg/l (4h)
	Residual oils (petroleum), solvent-dewaxed (< 3% DMSO extract), CAS: 64742-62-7
	LC50, inhalative, Rat, > 5 mg/l (4 h)
	Zinc naphthenate, CAS: 84418-50-8
	LC50, inhalative, Rat, > 0.42 mg/l/4h

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.
 Slight irritant effect.

	Substance
	Zinc oxide, CAS: 1314-13-2
	Eye, non-irritating
	Zinc naphthenate, CAS: 84418-50-8
	Eye, Rabbit, OECD 405, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

	Substance
	Zinc oxide, CAS: 1314-13-2
	dermal, non-irritating
	Zinc naphthenate, CAS: 84418-50-8
	dermal, Rabbit, OECD 404, non-irritating

Respiratory or skin sensitisation

May cause an allergic skin reaction.
 Calculation method

	Substance
	Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
	dermal, mouse, OECD 429, sensitising
	Zinc oxide, CAS: 1314-13-2
	dermal, non-sensitizing
	inhalative, non-sensitizing
	Zinc naphthenate, CAS: 84418-50-8
	dermal, Guinea pig, OECD 406, sensitising

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

	Substance
	Zinc oxide, CAS: 1314-13-2
	inhalative, non-irritating

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025
Version 11.0. Supersedes version: 10.0

Page 12 / 20

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance
Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
NOAEL, oral, Rat, 1000 mg/kg bw/day, no adverse effect observed
Zinc oxide, CAS: 1314-13-2
NOAEL, oral, Rat, 31,25 mg/kg bw/day (nominal), The effects observed are not sufficient for cl
Zinc naphthenate, CAS: 84418-50-8
NOAEL, oral, Rat, 50 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Zinc oxide, CAS: 1314-13-2
in vitro, negativ
Zinc naphthenate, CAS: 84418-50-8
InVitro, OECD 471, negativ
InVivo, OECD 474, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance
Zinc oxide, CAS: 1314-13-2
LOAEL, oral, Rat, 7,5 mg/kg bw/day (nominal)
Zinc naphthenate, CAS: 84418-50-8
NOAEL, oral, Rat, 250 mg/kg bw/day

- Development

Substance
Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
NOAEL, oral, Rabbit, 800 mg/kg bw/day, no adverse effect observed
Zinc naphthenate, CAS: 84418-50-8
NOAEL, oral, Rat, 188 mg/kg bw/day

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025 Page 13 / 20
 Version 11.0. Supersedes version: 10.0

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks Has a degreasing effect on the skin.
 Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Ecological data of complete product are not available.

Substance
Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
LC50, (96h), Danio rerio, > 100 mg/L, OECD 203
NOEC, (48h), Invertebrates, 100 µg/L
NOEC, (72h), Algae, 80 µg/L
ErC50, (72h), Pseudokirchneriella subcapitata, > 100 mg/l, OECD 201
Zinc oxide, CAS: 1314-13-2
LC50, (96h), Danio rerio, 1,55 mg/L
LC50, (48h), Daphnia magna, 7,1 mg/L
LC50, (72h), Desmodesmus subspicatus, 7,25 mg/L
Residual oils (petroleum), solvent-dewaxed (< 3% DMSO extract), CAS: 64742-62-7
EL50, (24h), Daphnia magna, >10,000 mg/L, OECD 202
LL50, (96h), Pimephales promelas, >100 mg/L, OECD 203
NOEL, (21d), Daphnia magna, 10 mg/L, OECD 211
NOEL, (72h), Algae, 100 mg/L, OECD 201
Zinc naphthenate, CAS: 84418-50-8
LC50, (4d), Fish, 112 - 5620 µg/L
EC50, (48h), Invertebrates, 155 - 20 000 µg/L
EC50, (72h), Algae, 3,62 - 29,6 mg/L
Residual oils (petroleum), hydrotreated, CAS: 64742-57-0
LC50, (96h), Pimephales promelas, > 100 mg/L
IC50, (72h), Pseudokirchneriella subcapitata, > 100 mg/L
LL50, (48h), Daphnia magna, > 10 000 mg/L

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025
Version 11.0. Supersedes version: 10.0

Page 14 / 20

12.2 Persistence and degradability

Behaviour in environment compartments

Behaviour in sewage plant not determined

Biological degradability not determined

	Substance
	Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
	(28d), 0%, OECD 301 F, The product is not biodegradable.

12.3 Bioaccumulative potential

No information available.

	Substance
	Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
	BCF, < 0,01
	log Pow, > 6,2

12.4 Mobility in soil

The product is insoluble in water.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

None known.

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025
Version 11.0. Supersedes version: 10.0

Page 15 / 20

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 120112* spent waxes and fats

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Uncontaminated packaging may be reused.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025
Version 11.0. Supersedes version: 10.0

Page 16 / 20

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025
Version 11.0. Supersedes version: 10.0

Page 17 / 20

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025

Page 18 / 20

Version 11.0. Supersedes version: 10.0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 2024/573; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- **Comment on component parts** Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- **Annex XIV (REACH)** According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are subject to authorisation.

- **Annex XVII (REACH)** According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions.
75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.

TRANSPORT- NATIONAL REGULATIONS (UK): ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025) EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- **Observe employment restrictions for people** Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.

- **VOC (2010/75/CE)** 0%

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H304 May be fatal if swallowed and enters airways.
H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025
Version 11.0. Supersedes version: 10.0

Page 19 / 20

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

Arcanol LOAD460

Safety Data Sheet (UK REACH) (UK)

Date printed 11.07.2025, Revision 11.04.2025
Version 11.0. Supersedes version: 10.0

Page 20 / 20

16.3 Other information

Classification procedure Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)

Modified position none