

NEPTUNE LED Small

NEPTUNE LED | Damp-proof luminaires



Product benefits

- Prismatic lamp cover for glare-free light

Product features

- Wall and ceiling luminaire
- Housing material: aluminum
- Impact resistance: IK08
- Screws and mounting clips made of stainless steel
- Anti Theft clip for locking regular mounting clip to avoid removal of luminaire
- Type of protection: IP65



Product datasheet

Technical data

Electrical data

Operating mode	ECG	
Nominal wattage	25 W	
Nominal voltage	220240 V	
Mains frequency	50/60 Hz	

Photometrical data

Color temperature	4000 K	
Luminous flux	2000 lm	
Color rendering index Ra	≥ 80	

Light technical data

Dimensions & weight

Length	600.0 mm
Width	80.0 mm
Height	80.0 mm

Colors & materials


Body material	Aluminum	
Product color	Grey	
Cover material	Polycarbonate (PC)	

Temperatures

Lifespan

Additional product data

Product datasheet



LDC typ luminance

Equipped with lamp	Yes
Type of cover	Cover

Capabilities

Type of installation	Surface-mounted/Suspended mounting	
Dimmable	No	
Type of connection	Terminal, 2-pole, max. 1,5 mm ²	

Certificates & standards

Protection class	II
Type of protection	IP65
Protection class IK (shock resistance)	IK08

Country specific categorizations

Order reference 7	72046
-------------------	-------

Country specific information

Product code	METEL-Code	SEG number	STK number	UK Org
4052899910560	-	7210351	4283463	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4052899910560	NEPTUNE LED Small	Folding carton box 1	205 mm x 118 mm x 655 mm	15.84 dm³	3570.00 g
4052899910584	NEPTUNE LED Small	Shipping carton box 2	110 mm x 202 mm x 682 mm	15.15 dm³	3441.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.