

Product data sheet

Specifications



Mureva TUBE - conduit sleeve - grey - Ø63 mm

IMT51363

Main

product range	Mureva TUBE
product type	Conduit sleeve
colour	Grey (RAL 7035)
quantity per package	1 piece

Complementary

Condition of use	Indoor/outdoor
Product destination	Mureva TUBE conduit
Material	PP (polypropylene)
Crush resistance	750 N/m
Nominal cross section	755 mm²
Internal diameter	53.7 mm
External diameter	63 mm
Product weight	0.09 kg

Environment

operating temperature	-5...60 °C
Quality labels	NF
Standards	EN 61386-21 : 2004 EN 50086-2-1
IP-Class	IP41
IK-Class	IK08

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.000 cm
Package 1 Width	7.000 cm
Package 1 Length	15.000 cm
Package 1 Weight	96.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	60
Package 2 Height	40.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	6.270 kg
Unit Type of Package 3	PAM
Number of Units in Package 3	1500
Package 3 Height	210.000 cm
Package 3 Width	100.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	170.000 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.5 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.3 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.1 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	90215406-b6bf-44f8-b463-8540d32a6f6b
EU RoHS Directive	Compliant
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	0
End of life manual availability	No need of specific recycling operations
Take-back	No