



**PRODUCT DESCRIPTION**

Natural Blue is a concentrated, biodegradeable cleaner & degreaser that contains no hazardous solvents and dilutes with water to meet a wide range of industrial and general cleaning applications

**PRODUCT BENEFITS**

- Environmental safe product
- Suitable for all cleaning purposes
- Adjustable cleaning strength, depending on the ratio cleaner to water
- Rapidly removes dirt, oil, grease, soot, wax, tar, cutting fluid, light carbon etc from all washable surfaces
- Non-toxic
- Phosphate & butyl free
- Non-caustic
- Non-flammable
- Contains no chlorinated or petroleum solvents

**TYPICAL APPLICATION**

Natural Blue is an all-purpose cleaner/degreaser and especially suitable for cleaning/degreasing of engines, bearings, vehicles, engine accessories and other automotive equipment and components. It is also suitable to clean the entire working environment of workshops and garages, including tools and machinery.

NOTE Not recommended for surface preparation for bonding with Loctite adhesives.

**PROPERTIES OF MATERIAL**

Chemical type.	water, proprietary solvents, surfactants and conditioners
Appearance	Transparent blue liquid
Odour	Pine
Specific gravity, g/ml	1.02
pH	9.7 - 10.6
Flash Point	None
Solubility in water	100%
Shelf life	2 years

**DIRECTIONS FOR USE**

Depending on the cleaning purpose, dilute Natural Blue with water. Best performance occurs with warm water. It is recommended to begin with a higher concentration of Natural Blue and to progress to weaker solutions until the most economical level of effective cleaning is obtained. Soak or spray part to be cleaned with Natural Blue/water solution and let it soak for 5 to 10 minutes. Rinse off with clean water or wipe clean with a clean cloth. Repeat procedure if required. For thick layers of dirt deposits, additional scrubbing or brushing will increase cleaning performance.

Note Natural Blue may attack painted surfaces and non-passivated aluminium in concentrations with less than 25 parts water when left on the surface for longer than 5 minutes. Thorough rinsing is recommended on those materials.

Natural Blue to Water	Applications
1:1 to 1:4	Heavy duty cleaning/degreasing of engines, engine parts, engine compartments, ovens, moulds etc
1:16 to 1:32	Medium cleaning/degreasing of vehicles, working machinery, tires, tiles, concrete floors and in general to remove soot, road tar, light oils, diesel fuel etc
1:64 to 1:128	Light cleaning of work areas, windows, woodwork, furniture etc

**GENERAL**

**Packaging**

Natural Blue is available in three different container sizes

- 750 ml plastic trigger bottle
- 5 l plastic container
- 20 l plastic container

**Storage**

No special storage requirements. Keep in a cool and well ventilated area.

**Handling Precautions**

No special handling requirements. However, prolonged skin contact and contact with eyes should be avoided. In case of contact with eyes, flush with plenty of water for at least 15 minutes. In case of skin contact wash with plenty of soap and water. For further information refer to the relevant Material and Safety Data Sheet.

**Note**

The data contained herein are furnished for information only and are believed to be reliable. We cannot assume responsibility for the results obtained by others over whose methods we have no control. It is the user's responsibility to determine suitability for the user's purpose of any production methods mentioned herein and to adopt such precautions as may be advisable for the protection of property and of persons against any hazards that may be involved in the handling and use thereof. In light of the foregoing, Loctite Corporation specifically disclaims all warranties expressed or implied, including warranties of merchantability or fitness for a particular purpose, arising from sale or use of Loctite Corporation's products. Loctite Corporation specifically disclaims any liability for consequential or incidental damages of any kind, including lost profits. The discussion herein of various processes or compositions is not to be interpreted as representation that they are free from domination of patents owned by others or as license under any Loctite Corporation patents which may cover such processes or compositions. We recommend that each prospective user test his proposed application before repetitive use, using this data as a guide. This product may be covered by one or more United States or foreign patents or patent applications.

BULK NO 209010