

# Product datasheet

Specifications



APC Replacement Battery Cartridge for Smart-UPS On-Line, 12V 5Ah lead-acid battery, 2-year repair or replace warranty

APCRBC152

EAN Code: 0731304317616

## Overview

Lead time Usually in Stock

## Main

Product or component type Replacement battery cartridge  
Battery type Lead-acid battery  
Provided equipment Installation guide  
Range of product Replacement Battery Cartridges

## Batteries & Runtime

Number of battery free slots 0  
Number of battery filled slots 0  
Device mounting Enclosed battery cartridge  
Number of battery replacement quantity 1

## Physical

Colour Black  
Height 76 mm  
Width 210 mm  
Depth 762 mm  
Net weight 15.29 kg  
Mounting mode Not rack-mountable

## Environmental

Ambient air temperature for operation 0...40 °C  
Operating altitude 0...10000 ft  
Relative humidity 0...95 % non-condensing  
Ambient air temperature for storage -15...45 °C  
Storage altitude 0...15240 m  
Storage Relative Humidity 0...95 % non-condensing

## Packing Units

Unit Type of Package 1 PCE

<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	19.000 cm
<b>Package 1 Width</b>	35.000 cm
<b>Package 1 Length</b>	64.000 cm
<b>Package 1 Weight</b>	18.460 kg
<b>Unit Type of Package 2</b>	P06
<b>Number of Units in Package 2</b>	4
<b>Package 2 Height</b>	75.000 cm
<b>Package 2 Width</b>	80.000 cm
<b>Package 2 Length</b>	60.000 cm
<b>Package 2 Weight</b>	81.840 kg

## Logistical informations

<b>Country of origin</b>	PH
--------------------------	----

## Contractual warranty

<b>Warranty (in months)</b>	24
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	106 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Carbon footprint of the manufacturing phase [A1 to A3]	57 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	2 kg CO2 eq.
Carbon footprint of the installation phase [A5]	1 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0.6 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	44 kg CO2 eq.

### Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	25764278-9ac2-4c03-941a-d133167ad10f
REACH Regulation	<a href="#">REACH Declaration</a>
Halogen-free status	Product contains halogen above thresholds

### Use Longer



### Lifetime extension

Repair	No
--------	----

### Use Again



### Repack and remanufacture


Recyclability potential, in %	1
End of life manual availability	<a href="#">End of Life Information</a>
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

---

