



Connectors > Connector Accessories > Connector Hardware



Connector Hardware Accessory Type: **Male Jackscrew**

Primary Product Material: **Stainless Steel**

Operating Temperature (Max): **150 °C [302 °F]**

Operating Temperature Range: **-55 – 150 °C [-67 – 302 °F]**

Hardware Accessory Function: **Latching, Locking & Retention**

Features

Product Type Features

Connector Hardware Accessory Type	Male Jackscrew
Hardware Accessory Function	Latching, Locking & Retention

Body Features

Primary Product Material	Stainless Steel
--------------------------	-----------------

Mechanical Attachment

Hardware Type Included	Nuts and Lockwashers
Thread Size	4-40 UNC-2A & 6-32 [M3.5 x .6]
Product Plating Finish	None

Dimensions

Product Width	5.72 mm[.225 in]
Product Length	20.62 mm[.812 in]
Product Height	5.72 mm[.225 in]

Usage Conditions

Operating Temperature (Max)	150 °C[302 °F]
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]



Packaging Features

Packaging Method	Bag
Packaging Quantity	100

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 201089-4
SERIES "M" JACKSCREW SOCKET ASS



Also in the Series

AMP M Series

Board-to-Board Jumpers & Shunts(5)	Connector Contacts(51)	Connector Hardware(46)	Power Contacts(51)
Rectangular Connector Housings(77)	Rectangular Power Connectors(82)	Standard Rectangular Connectors(81)	

Customers Also Bought

TE Part #207015-1 HSG,PLUG,4 POSN,SM METRIC	TE Part #207603-1 METRIMATE,STR REL KIT,18P	TE Part #1-200833-1 SERIES "M" GUIDE PIN ST. STL.	TE Part #2336682-1 2MM HM FEMALE ASSY, COL8
TE Part #207601-1 METRIMATE,STR REL KIT,9P	TE Part #163086-2 LOOSE PIECE PIN TYPEIII+ CONTACT SIZE 16	TE Part #201047-2 SERIES "M" ST. STL. GUIDE SOC.	TE Part #1-201046-2 SERIES "M" MIN RECT GUIDE PIN
TE Part #583361-3 CONT AMP LF	TE Part #66425-7 III+ PIN,30-26,15AU/FL,STRIP		



Documents

Product Drawings

SER. "M" JACKSCREW STUD KIT

English

CAD Files

Customer View Model

ENG_CVM_CVM_201092-4_J.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_201092-4_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_201092-4_J.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

M_SERIES_PIN_AND_SOCKET_CONNECTORS

English