





Notice: Black Cut Winter

Index:2

\sim 1	11/	Λ	n		•	Λ	c
Gl	JY.	н	ĸ	u	3	н	.3

22-24, rue Lucien Rouzet Z.A. Villedieu sur Indre/Niherne 36250 NIHERNE FRANCE

Intermediate Risks - PPE Category II

EN ISO 21420 :2020 EN ISO 13997:1999 EN 388:2016+A1:2018 EN 511:2006

en en

EN 511: 2006

Features:

- 5-finger glove, knitted HPPE, brushed acrylic, and lycra.
- Latex coating, breathable back.
 - Gauge 10.
- Elastic cuff with colored overlock indicating the size.

Available Sizes:

Size 8 to 11

USAGE PRECAUTIONS:

- Wear gloves on clean, dry hands. It is recommended to test the gloves prior to use, as actual conditions may differ from EU type testing.
- Before reusing, check that the gloves are free from defects, holes, tears, or unusual wear.
- Shelf life: 5 years from the manufacturing date indicated on the glove.

Safety, Comfort ans dexterity:

- Dexterity level 5
- The glove does not contain substances at levels known or suspected to have harmful effects on the hygiene or health of the user under foreseeable conditions of use.

Packaging:

- In case of unboxing, a copy of the instructions must be included with the smallest packaging.
- Pack of 10 pairs
- Carton of 100 pairs

MARKING:

The CE marking on this glove indicates compliance with the essential health and safety requirements of the European Regulation 2016/425 relating to personal protective equipment (PPE).

EN 388:2016+A1:2018





2542C

Performance Levels:

EN 388:2016

•	Abrasion:	2/4
•	Cut resistance :	5/5
•	Tear resistance:	4/4
•	Puncture resistance:	2/4
•	Cut resistance (ISO 13997):	C/F
15:	<u>11 :2006</u>	

ΕN

<u>511</u>	<u>:2006</u>	
•	Convective cold :	X/4
•	Contact cold :	1/4
•	Waterproofness:	X/1

LIMITS OF PROTECTION

- Do not use for handling objects with a temperature > 50°C.
- Not suitable for handling chemicals or liquids.

RECOMMANDED USES:

Handling sharp objects in cold conditions.

Care and Storage

No special maintenance is required. It is recommended to store the products in a place protected from light, cool, dry, and well-ventilated.

End of life

Destruction at end of life should be controlled and comply with European requirements for traceability and environmental protection.

EU Type Certificate issued in accordance with Module B of Regulation (EU) 2016/425: LEITAT n°:0162 La The EU Declaration of Conformity is available on: www.guyard-sa.com