

# Switching Diode

#### Dimensions (Unit : mm)

High speed switching


Applications


### Features

Construction


Silicon epitaxial planar

Ultra small mold type. (UMD2)
High reliability





## •Taping dimensions (Unit : mm)




#### •Absolute maximum ratings (Ta=25°C)

Parameter	Symbol	Limits	Unit
Reverse voltage (repetitive peak)	V <sub>RM</sub>	40	V
Reverse voltage (DC)	V <sub>R</sub>	35	V
Forward current	I <sub>FM</sub>	225	mA
Average rectified forward current	lo	100	mA
Surge current (t=1s)	I <sub>surge</sub>	400	mA
Junction temperature	Tj	150	°C
Storage temperature	Tstg	-55 to +150	°C

#### •Electrical characteristics (Ta=25°C)

Parameter	Symbol	Min.	Тур.	Max.	Unit	Conditions
Forward voltage	V <sub>F</sub>	-	-	1.2	V	I <sub>F</sub> =100mA
Reverse current	I <sub>R</sub>	-	-	0.01	μA	V <sub>R</sub> =20V
Capacitance between terminals	Ct	-	-	5.0	pF	V <sub>R</sub> =0.5V , f=1MHz



	Notes
	or reproduction of this document, in part or in whole, is permitted without the ROHM Co.,Ltd.
The content	specified herein is subject to change for improvement without notice.
"Products").	specified herein is for the purpose of introducing ROHM's products (hereinafte If you wish to use any such Product, please be sure to refer to the specifications e obtained from ROHM upon request.
illustrate the	application circuits, circuit constants and any other information contained hereir standard usage and operations of the Products. The peripheral conditions mus account when designing circuits for mass production.
However, sh	vas taken in ensuring the accuracy of the information specified in this document nould you incur any damage arising from any inaccuracy or misprint of such ROHM shall bear no responsibility for such damage.
examples or implicitly, an other parties	al information specified herein is intended only to show the typical functions of and f application circuits for the Products. ROHM does not grant you, explicitly o y license to use or exercise intellectual property or other rights held by ROHM and s. ROHM shall bear no responsibility whatsoever for any dispute arising from the technical information.
equipment c	es specified in this document are intended to be used with general-use electronic or devices (such as audio visual equipment, office-automation equipment, commu- ices, electronic appliances and amusement devices).
The Product	s specified in this document are not designed to be radiation tolerant.
	A always makes efforts to enhance the quality and reliability of its Products, a a fail or malfunction for a variety of reasons.
against the failure of any shall bear n	ure to implement in your equipment using the Products safety measures to guard possibility of physical injury, fire or any other damage caused in the event of the y Product, such as derating, redundancy, fire control and fail-safe designs. ROHM o responsibility whatsoever for your use of any Product outside of the prescribed t in accordance with the instruction manual.
system whic may result in instrument, controller or of the Produ	ts are not designed or manufactured to be used with any equipment, device or the requires an extremely high level of reliability the failure or malfunction of which in a direct threat to human life or create a risk of human injury (such as a medica transportation equipment, aerospace machinery, nuclear-reactor controller, fuel- other safety device). ROHM shall bear no responsibility in any way for use of any ucts for the above special purposes. If a Product is intended to be used for any I purpose, please contact a ROHM sales representative before purchasing.
be controlle	I to export or ship overseas any Product or technology specified herein that may d under the Foreign Exchange and the Foreign Trade Law, you will be required to nse or permit under the Law.



Thank you for your accessing to ROHM product informations. More detail product informations and catalogs are available, please contact us.

## ROHM Customer Support System

http://www.rohm.com/contact/



# 1SS380 - Web Page

**Distribution Inventory** 

Part Number	1SS380
Package	UMD2
Unit Quantity	3000
Minimum Package Quantity	3000
Packing Type	Taping
Constitution Materials List	inquiry
RoHS	Yes