according to Regulation (EC) 2020/878

Printing date 13.03.2025

Version number 2.00 (replaces version 1.00)

Page 1/10

Revision: 13.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
 - · Trade name: RS Pro Dust Remover
 - · Related Part Number: RS 441-179, 441-180
 - · UFI: JE5D-U0VF-K00F-9FXT
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
 - · Application of the substance / the mixture Cleaning agent/ Cleaner
 - · Uses advised against Not applicable
- · 1.3 Details of the supplier of the safety data sheet
 - · Manufacturer/Supplier:

RS Components Ltd

Birchington Road

Corby

Northants

NN17 9RS

Great Britain

Tel: +44 (0) 845 850 9900

RCustomerservicesUK@rs-components.com

Glenview Industrial Estate

Herberton Road

Rialto

Dublin 12

Ireland

+353 (0) 1 415 3100

enquiries.ie@rs-components.com

· Further information obtainable from: RCustomerservicesUK@rs-components.com

· 1.4 Emergency telephone number:

Verisk 3E (Access code: 335388)

+(44) 20 3514787

+(1) 760 476 3961

UK Toll free: +(0) 800 680 0425 POISON CENTER INFORMATION

GB: Not available

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

IE: National Poisons Information Centre: +353 (1) 809 2166

(8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

+44 1865 407 333 (24hr)

+44 1235 239670 (24hr)

GB —

according to Regulation (EC) 2020/878

Printing date 13.03.2025 Version number 2.00 (replaces version 1.00) Revision: 13.03.2025

Trade name: RS Pro Dust Remover

(Contd. of page 1)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

Aerosol 3 H229 Pressurised container: May burst if heated.

2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms Not applicable
- · Signal word Warning
- · Hazard-determining components of labelling:

HFO-1234ZE

· Hazard statements

H229 Pressurised container: May burst if heated.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 ℃.

P501 Dispose of contents and container in accordance with local, regional, and national

regulations.

· 2.3 Other hazards

The jet or liquid may cause frostbite in contact with skin or eyes.

May displace oxygen and cause rapid suffocation.

Inhalation overexposure following an intentional abuse or use in confined space may cause cardiac or central nervous systems effects.

- Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - · vPvB: Not applicable.
- **Determination of endocrine-disrupting properties** Endocrine Disruptor substance ≥ 0.1% = none

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture: consisting of the following components.

Dangerous components:				
CAS: 29118-24-9 ELINCS: 471-480-0		Press. Gas (Liq.), H280	60-100%	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation:

Remove person to fresh air and keep comfortable for breathing.

If feeling unwell: Call a POISON CENTRE or doctor.

· After skin contact: Wash with plenty of water or shower.

(Contd. on page 3)

according to Regulation (EC) 2020/878

Printing date 13.03.2025 Version number 2.00 (replaces version 1.00) Revision: 13.03.2025

Trade name: RS Pro Dust Remover

(Contd. of page 2)

· After eye contact:

Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

· After swallowing: Rinse mouth.

· 4.2 Most important symptoms and effects, both acute and delayed

If frostbite occurs: Thaw frosted parts with lukewarm water. Do not use hot water. Do not rub affected area. Get immediate medical attention.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

Prevent fire-fighting wash from entering waterway or sewer system.

Aerosols containers may erupt with force at temperatures above 50 ℃ [122 °F].

Produces irritating and toxic fumes in fires or in contact with hot surfaces.

Vapors are heavier than air. Vapors may travel to sources of ignition near the ground. They can cause flash fire or ignite explosively.

· Hazardous combustion products:

Carbon Oxides (COx) Halogenated compounds

Hydrogen flourides

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist, spray, or vapors.

For very large spills, wear self-contained breathing apparatus before approaching the spill. Wear cold-insulating clothing and gloves.

For aerosol can spills in confined or low lying space, leave the immediate spill area.

If it can safely be done, extinguish open flames or remove high temperature sources to avoid producing toxic decomposition products.

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

For aerosol can spills at room temperature, the product turns gaseous and disperses in atmosphere. Ensure adequate ventilation, especially in low or enclosed areas.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- GB -

according to Regulation (EC) 2020/878

Printing date 13.03.2025 Version number 2.00 (replaces version 1.00) Revision: 13.03.2025

Trade name: RS Pro Dust Remover

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Avoid breathing gas or spray. In cases of inadequate ventilation wear respiratory protection.

Do not pierce or burn, even after use.

Wear cold-insulating gloves if exposure to liquid or aerosol jet is likely. Wear eye protection.

HOLD CAN UPRIGHT to avoid ejection of liquid stream during use. Do NOT spray when container is more than 45 degrees off vertical or inverted.

Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
 - Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

Keep in a dry and clean area, away from incompatible substances

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Do not expose to temperatures exceeding 50 °C [122 °F].

· 7.3 Specific end use(s) See section 1.2

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information:

The lists valid during the making were used as basis.

Refer to the national or regional occupational exposure limit regulation for abbreviations and acronyms.

· 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures: Wash hands before breaks and at the end of work.
 - Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

If the product is heated or worker has a known allergic reaction, consider using a full mask with organic vapor cartridge or with an independent air supply.

· Hand protection

If exposure to the jet or liquid is likely, wear cold-insulating gloves to protect the skin against frostbites. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves: EN374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

according to Regulation (EC) 2020/878

Printing date 13.03.2025 Version number 2.00 (replaces version 1.00) Revision: 13.03.2025

Trade name: RS Pro Dust Remover

(Contd. of page 4)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Not required.



Wear safety glasses: EN 166

SECTION 9: Physical and chemical properties

9.1 Information	on hasic	nhysical and	chemical	nronerties
9. i illioilliation	OII Dasic	Diivsical allu	Cileilicai	Di Obei des

normation on basic physical and chemical properties

Physical stateForm:Aerosol (gas+liquid)Liquefied gas

Colour: Colourless
Odour: Ether-like

· Odour threshold: Not determined.

· Melting point/freezing point: -156 $^{\circ}\mathrm{C}$ · Boiling point or initial boiling point and boiling

range -19 ℃

· Flammability Not applicable.

Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

• Flash point: Not applicable, as aerosol.

· Auto-ignition temperature: 368 °C

Decomposition temperature: Not determined.pH Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

• water at 20 °C: 0.373 g/l

• Partition coefficient n-octanol/water (log value) Not determined. • Vapour pressure at 25 °C: 4,190 hPa

Relative density at 25 °C: 1.17
Vapour density (air=1): 3.94

· Particle characteristics Not available

· 9.2 Other information

· 9.2.1 Information with regard to physical

hazard classes

• **Aerosols** Pressurised container: May burst if heated.

9.2.2 Other safety characteristics

Evaporation rate
 Ignition temperature:
 Explosive properties:
 Not determined.
 Not determined.

(Contd. on page 6)

according to Regulation (EC) 2020/878

Printing date 13.03.2025 Version number 2.00 (replaces version 1.00) Revision: 13.03.2025

Trade name: RS Pro Dust Remover

(Contd. of page 5)

· Solvent content:

· Organic solvents:

Not available

· VOC (EC)

0.00 %

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Chemically stable at normal temperatures and pressures.
 - · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Temperatures above 50 °C, open flames, and incompatible substances
- · 10.5 Incompatible materials:

Strong oxidizing agents

Alkali metals

· 10.6 Hazardous decomposition products:

No dangerous decomposition products known.

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - · Acute toxicity Based on available data, the classification criteria are not met.
 - · LD/LC50 values relevant for classification:

29118-24-9 HFO-1234ZE

Inhalative LC50/4 h 207,000 mg/L (rat)

- · Primary irritant effect:
 - · Skin corrosion/irritation Based on available data, the classification criteria are not met.
 - · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Summary of Effects and Symptoms by Routes of Exposure
 - · Eyes:

Contact with the liquid may cause frostbite due to heat lost caused by rapid evaporation. Exposure to the jet can lead to frostbite.

Skin:

Contact with the liquid may cause frostbite due to heat lost caused by rapid evaporation. Exposure to the jet can lead to frostbite.

- · Inhalation: Extreme exposure may cause central nervous system depression and irregular heart beat.
- · Swallowed: See inhalation and skin symptoms

(Contd. on page 7)

according to Regulation (EC) 2020/878

Printing date 13.03.2025 Version number 2.00 (replaces version 1.00) Revision: 13.03.2025

Trade name: RS Pro Dust Remover

(Contd. of page 6)

- Subacute to chronic toxicity:
 - Delayed and immediate effects as well as chronic effects from short and long-term exposure Contact with the liquid may cause frostbite due to heat lost caused by rapid evaporation. Exposure to the jet can lead to frostbite.
- · 11.2 Information on other hazards
 - **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
 - Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable. · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
 - Additional ecological information:
 - **General notes:**

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - · Recommendation This material and its container must be disposed of as hazardous waste.
 - Uncleaned packaging:
 - **Recommendation:**

Containers may still present a chemical hazard/ danger when empty.

Dispose of contents in accordance with all local, regional, national, and international regulations.

Where possible retain label warnings and SDS and observe all notices pertaining to the product.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA

UN1950

(Contd. on page 8)

according to Regulation (EC) 2020/878

Printing date 13.03.2025

Version number 2.00 (replaces version 1.00)

Trade name: RS Pro Dust Remover

(Contd. of page 7)

Revision: 13.03.2025

14.2 UN proper shipping name

ADR, IMDG

AEROSOLS

·IATA

Aerosols, non-flammable

· 14.3 Transport hazard class(es)

· ADR



· Class

2 5A Gases.

· Label

2.2

· IMDG, IATA



· Class · Label 2.2 Gases.

2.2

· 14.4 Packing group

· ADR, IMDG, IATA

Not applicable

· 14.5 Environmental hazards:

Not applicable.

· 14.6 Special precautions for user

Not applicable.

· Hazard identification number (Kemler code):

· EMS Number:

F-D,S-U

· Stowage Code

SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity

· Segregation Code

of 1 litre:

Segregation as for class 9. Stow "separated from"

class 1 except for division 1.4.

For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of

class 2.

For WASTE AEROSOLS:

Segregation as for the appropriate subdivision of

class 2.

· 14.7 Maritime transport in bulk according to

IMO instruments

Not applicable.

· Transport/Additional information:



Limited Quantity

(Contd. on page 9)

according to Regulation (EC) 2020/878

Printing date 13.03.2025 Version number 2.00 (replaces version 1.00) Revision: 13.03.2025

Trade name: RS Pro Dust Remover

(Contd. of page 8)

· ADR

· Limited quantities (LQ) · Excepted quantities (EQ)

Code: E0

11

· Transport category

Not permitted as Excepted Quantity

· Tunnel restriction code

·IMDG

· Limited quantities (LQ)

1L

Ε

Code: E0

Excepted quantities (EQ)

Not permitted as Excepted Quantity

· UN "Model Regulation":

UN 1950 AEROSOLS, 2.2

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - · Poisons Act
 - Regulated explosives precursors (Part 1)

None of the ingredients is listed.

· Regulated poisons (Part 2)

None of the ingredients is listed.

· Reportable explosives precursors (Part 3)

None of the ingredients is listed.

· Reportable poisons (Part 4)

None of the ingredients is listed.

- · Directive 2012/18/EU
 - Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
 - · Waterhazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.

(Contd. on page 10)

according to Regulation (EC) 2020/878

Printing date 13.03.2025 Version number 2.00 (replaces version 1.00) Revision: 13.03.2025

Trade name: RS Pro Dust Remover

(Contd. of page 9)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H280 Contains gas under pressure; may explode if heated.

· Classification according to Regulation (EC) No 1272/2008

Aerosols, Section 2.3.1 On basis of test data

· Department issuing SDS: Regulatory department

· Contact: RCustomerservicesUK@rs-components.com

· Date of previous version: 20.01.2025

· Version number of previous version: 1.00

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Aerosol 3: Aerosols – Category 3 Press. Gas (Liq.): Gases under pressure – Liquefied gas

* * Data compared to the previous version altered.

GB —