



INSULATING EXTRACTOR FOR BATTERY

Z-429

SAM Outillage

10 rue Camille de RochetaillÃ©e
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 â,-

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2025-07-18 15:15:08





DESCRIPTION

INSULATING EXTRACTOR FOR BATTERY

On electric or hybrid powered vehicles and machinery with standalone on-board electrical power source, in complete safety.

No conducting parts: the device's extraction part is made with fully insulating composite materials, and the lifting ring is completely insulated.

Battery attachment width: Centre-to-centre distance 83.5 mm (BS). Centre-to-centre distance 108 mm (DIN).

1 pair of insulating screws, M10, 22 mm hex-head.

2 locknuts, M10, 22 mm hex-head.

Maximum useful load: 400 kg.

SAM Outillage

10 rue Camille de RochetaillÃ©e
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 Å,-

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2025-07-18 15:15:08



SPECIFIC DATA

Designation	INSULATING EXTRACTOR FOR BATTERY
Sales reference	Z-429
Weight (kg)	0.540
Width (mm)	153
Length (mm)	150
Height (mm)	37
Guarantee	O SAM TOOL guarantee.

Guarantee applied**O | SAM TOOL guarantee.**

Guarantee without time limit on the tools used under normal conditions.

>> [Find out more](#)

SAM Outillage

10 rue Camille de RochetaillÃ©e
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 Å,-

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2025-07-18 15:15:08

