


# Rittal – The System.

Faster – better – everywhere.



## VX 8660.003

### Base/plinth corner pieces with base/plinth trim panels, front and rear

State: 9/12/2025 (Source: [rittal.com/uk-en](http://rittal.com/uk-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# VX 8660.003 - Base/plinth corner pieces with base/plinth trim panels, front and rear for base/plinth system VX, sheet steel

Base/plinth corner pieces with trim panels for flexible cable entry.



## Features

|                 |                                                                                                                                                                                     |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model No.       | VX 8660.003                                                                                                                                                                         |
| Benefits        | Reliable – Excellent stability of the base/plinth<br>Flexible – Countless interior installation options with VX accessories<br>Simple – Flush termination between the baying points |
| Material        | Base/plinth corner piece: Sheet steel<br>Base/plinth trim panel front/rear: Sheet steel<br>Corner and baying cover: Plastic                                                         |
| Colour          | RAL 9005                                                                                                                                                                            |
| Supply includes | 4 corner covers<br>Assembly parts<br>4 base/plinth corner pieces, 100 mm high<br>2 base/plinth trim panels, front/rear, 100 mm high                                                 |
| Note            | Side base/plinth trim panels finish off a base/plinth unit or provide additional stabilisation between base/plinths or enable interior configuration of the base/plinth             |
| Dimensions      | Height: 100 mm                                                                                                                                                                      |

# Features

|                               |                                                                                                                |
|-------------------------------|----------------------------------------------------------------------------------------------------------------|
| To fit                        | Enclosure type: VX<br>VX IT<br>VX SE<br>TX CableNet<br>TS<br>TS IT<br>TP<br>PC<br>IW<br>CX<br>Width: = 800 mm  |
| Type rating to UL 50E         | Type 1<br>Type 12                                                                                              |
| Weight/pack                   | 5.42 kg                                                                                                        |
| Packs of                      | 2 pc(s).                                                                                                       |
| Net weight                    | 5.2                                                                                                            |
| Gross weight                  | 5.218                                                                                                          |
| PCF per pack (cradle-to-gate) | 20.7 kg CO2 eq (Cat B)                                                                                         |
| Note on PCF category          | Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared |
| Customs tariff number         | 94039910                                                                                                       |
| EAN                           | 4028177978058                                                                                                  |
| ETIM 9                        | EC000721                                                                                                       |
| ETIM 8                        | EC000721                                                                                                       |
| ECLASS 8.0                    | 27182003                                                                                                       |

# Approvals

|              |                  |
|--------------|------------------|
| Approvals    | UL + C-UL - FTTA |
| Explanations | PCF-declaration  |