REV	DESCRIPTION	DRAWN	DATE				
	FEMALE P			16.90	8.40		LE PIN Oc
5	Gasket	1 Si-rubber	None				
4	Shell	2 Brass	NICKEL	UNLESS OTHERWISE SPECIFIED 1.REMOVE ALL BURRS.	* MAJOR DIMENSION UNLESS OTHERWISE	APPROVED	▲ Siretta
		2 Teflon	None	1.REMOVE ALL BURRS. 2.BREAK ALL CONNERS & EDGES CO.15 MAX. 3.CHAMFER 1ST & LAST THREADS 45'. 4.DIAMETERS ON COMMON CENTERS. TO BE CONCENTRIC WITHOUT TIME OF THE CONCENTERS. 5.ALL DIMENSIONS ARE AFTER PLATING.	NOTED TOLERANCES 0.5-6=±0.2 6-30=±0.4 30-120=±0.6	CHECKED	Enabling Industrial IoT
			Gold	THREADS 45. 4.DIAMETERS ON COMMON	$6-30=\pm0.4$ $30-120=\pm0.6$	DRAWN	SMA FEMALE TO SMA MALE
	2007		NICKEL	TO BE CONCENTRIC	120-315=±1.0 ANGLES=±1°	andrew	DRAWING NO. ADAPT/SMAM/SMAF REV A
NO	Description	Q'ty Material	Finish	5.ALL DIMENSIONS ARE AFTER PLATING.	SCALE 3/1 UNIT MM	DRAWN DATE 03/12/02	FILE NO.