

# RS 60/40 RMA (Rosin Mildly Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)

## **RS Components**

Chemwatch: 5400-66 Version No: 2.1.1.1 Safety Data Sheet according to HSNO Regulations

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### **Product Identifier**

······································	179-6679, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)
Synonyms Not Available	
Other means of identification Not Available	

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Soldering.

#### Details of the supplier of the safety data sheet

Registered company name	RS Components
Address	PO Box 12-127 Penrose, Auckland New Zealand
Telephone	+64 27 4747122
Fax	+64 9 579 1700
Website	www.nz.rs-online.com
Email	Not Available

#### Emergency telephone number

Association / Organisation	CHEMWATCH EMERGENCY RESPONSE
Emergency telephone numbers	+64 800 700 112
Other emergency telephone numbers	+61 2 9186 1132

#### Once connected and if the message is not in your prefered language then please dial 01

#### **SECTION 2 HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

Classification <sup>[1]</sup>	Skin Sensitizer Category 1, Germ cell mutagenicity Category 2, Carcinogenicity Category 2, Reproductive Toxicity Category 1, Lactation Effects, Specific target organ toxicity - repeated exposure Category 1
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI
Determined by Chemwatch using GHS/HSNO criteria	6.5B (contact), 6.6B, 6.7B, 6.8A, 6.8C, 6.9A
Label elements	



SIGNAL WORD	DANGER
Hazard statement(s)	
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H360	May damage fertility or the unborn child.

Chemwatch Hazard Alert Code: 3

Issue Date: **17/03/2020** Print Date: **17/03/2020** 

L.GHS.NZL.EN

# RS 60/40 RMA (Rosin Mildly Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)

H362	May cause harm to breast-fed children.
H372	Causes damage to organs through prolonged or repeated exposure.
Precautionary statement(s) Pre	evention
P201	Obtain special instructions before use.
P260	Do not breathe dust/fume.
P263	Avoid contact during pregnancy and while nursing.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary statement(s) Response

P308+P313	IF exposed or concerned: Get medical advice/ attention.
P321	Specific treatment (see advice on this label).
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P314	Get medical advice/attention if you feel unwell.

# Precautionary statement(s) Storage

P405	Store locked up.

#### Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

### SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### Substances

See section below for composition of Mixtures

#### Mixtures

CAS No	%[weight]	Name
7440-31-5	NotSpec	tin
7439-92-1	NotSpec	lead
65997-05-9	NotSpec	rosin, polymerised

### SECTION 4 FIRST AID MEASURES

#### Description of first aid measures If this product comes in contact with eyes: Wash out immediately with water. Eye Contact If irritation continues, seek medical attention. ▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Skin Contact Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. If fumes, aerosols or combustion products are inhaled remove from contaminated area. Inhalation Other measures are usually unnecessary. wallowed do NOT induce vomiting F If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Ingestion • Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. • Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5 FIREFIGHTING MEASURES**

#### Extinguishing media

• There is no restriction on the type of extinguisher which may be used.

Use extinguishing media suitable for surrounding area.

#### Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.	
Advice for firefighters		
Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> </ul>	

# RS 60/40 RMA (Rosin Mildly Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)

Fire/Explosion Hazard Not considered a significant fire risk, however containers may burn. Decomposition may produce toxic fumes of: metal oxides

> May emit poisonous fumes. May emit corrosive fumes.

Non combustible.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

See section 8

#### **Environmental precautions**

See section 12

#### Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing dust and contact with skin and eyes.</li> <li>Wear protective clothing, gloves, safety glasses and dust respirator.</li> <li>Use dry clean up procedures and avoid generating dust.</li> </ul>
Major Spills	Moderate hazard.  CAUTION: Advise personnel in area.  Alert Emergency Services and tell them location and nature of hazard.  Control personal contact by wearing protective clothing.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

### SECTION 7 HANDLING AND STORAGE

#### Precautions for safe handling

Safe handling	<ul> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Prevent concentration in hollows and sumps.</li> </ul>
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry area protected from environmental extremes.</li> <li>Store away from incompatible materials and foodstuff containers.</li> </ul>
Conditions for safe storage, including any incompatibilities	

Suitable container	<ul> <li>Polyethylene or polypropylene container.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>
Storage incompatibility	<ul> <li>Metals and their oxides or salts may react violently with chlorine trifluoride and bromine trifluoride.</li> <li>These trifluorides are hypergolic oxidisers. They ignite on contact (without external source of heat or ignition) with recognised fuels - contact with these materials, following an ambient or slightly elevated temperature, is often violent and may produce ignition.</li> <li>The state of subdivision may affect the results.</li> </ul>

# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

# OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
New Zealand Workplace Exposure Standards (WES)	tin	Tin metal	2 mg/m3	Not Available	Not Available	Not Available

### EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
tin	Tin	6 mg/m3	67 mg/m3	400 mg/m3
lead	Lead	0.15 mg/m3	120 mg/m3	700 mg/m3
Ingredient	Original IDLH		Revised IDLH	
tin	Not Available		Not Available	
lead	Not Available		Not Available	
rosin, polymerised	Not Available		Not Available	

### MATERIAL DATA

### Exposure controls

Appropriate engineering

controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Page 4 of 9

# RS 60/40 RMA (Rosin Mildly Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)

	Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Personal protection	
Eye and face protection	<ul> <li>Safety glasses with side shields.</li> <li>Chemical goggles.</li> <li>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	<ul> <li>NOTE:</li> <li>The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.</li> <li>Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.</li> <li>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.</li> <li>Personal hygiene is a key element of effective hand care.</li> <li>Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.</li> <li>polychloroprene.</li> <li>nitrile rubber.</li> <li>butyl rubber.</li> </ul>
Body protection	See Other protection below
Other protection	<ul> <li>Overalls.</li> <li>P.V.C. apron.</li> <li>Barrier cream.</li> </ul>

### **Respiratory protection**

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1 -
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

\* - Negative pressure demand \*\* - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- ▶ Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

> Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.

• Use approved positive flow mask if significant quantities of dust becomes airborne.

Try to avoid creating dust conditions.

#### SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Appearance	Dark grey solid with characteristic odour; insoluble in	water.	
Physical state	Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	>226
pH (as supplied)	Not Applicable	Decomposition temperature	Not Available
Melting point / freezing point (°C)	183-190	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	197	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Applicable	Explosive properties	Not Available

# Page 5 of 9

# RS 60/40 RMA (Rosin Mildly Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)

Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Applicable
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Applicable

# SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# SECTION 11 TOXICOLOGICAL INFORMATION

# Information on toxicological effects

Inhaled		rritation of the respiratory tract (as classified by EC Directives using animal sure be kept to a minimum and that suitable control measures be used in an
Ingestion	corroborating animal or human evidence. The material may still b	classification systems as "harmful by ingestion". This is because of the lack of e damaging to the health of the individual, following ingestion, especially where definitions of harmful or toxic substances are generally based on doses se, ill-health).
Skin Contact	models). Nevertheless, good hygiene practice requires that expo- setting. Open cuts, abraded or irritated skin should not be exposed to this	, puncture wounds or lesions, may produce systemic injury with harmful effects.
Eye	The material may be irritating to the eye, with prolonged contact of conjunctivitis.	causing inflammation. Repeated or prolonged exposure to irritants may produce
Chronic	individuals, and/or of producing a positive response in experimen Toxic: danger of serious damage to health by prolonged exposure Serious damage (clear functional disturbance or morphological cl repeated or prolonged exposure. As a rule the material produces become apparent following direct application in subchronic (90 da tests. There is sufficient evidence to establish a causal relationship beth There is sufficient evidence to establish a causal relationship beth effects in the off-spring.	e through inhalation, in contact with skin and if swallowed. hange which may have toxicological significance) is likely to be caused by , or contains a substance which produces severe lesions. Such damage may ay) toxicity studies or following sub-acute (28 day) or chronic (two-year) toxicity
	May cause harm to breastfed babies. Possible risk of irreversible effects. Limited evidence of a carcinogenic effect.	
	Possible risk of irreversible effects.	
RS 60/40 RMA (Rosin Mildly Activated) #179-6675.	Possible risk of irreversible effects. Limited evidence of a carcinogenic effect.	
RS 60/40 RMA (Rosin Mildly Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)	Possible risk of irreversible effects.	IRRITATION Not Available
Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6681,	Possible risk of irreversible effects. Limited evidence of a carcinogenic effect. TOXICITY Not Available	Not Available
Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)	Possible risk of irreversible effects. Limited evidence of a carcinogenic effect. TOXICITY Not Available TOXICITY	Not Available IRRITATION
Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6681,	Possible risk of irreversible effects. Limited evidence of a carcinogenic effect. TOXICITY Not Available	Not Available
Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)	Possible risk of irreversible effects.         Limited evidence of a carcinogenic effect.         TOXICITY         Not Available         TOXICITY         dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup> Oral (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Not Available         IRRITATION         Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin: no adverse effect observed (not irritating) <sup>[1]</sup>
Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)	Possible risk of irreversible effects.         Limited evidence of a carcinogenic effect.         TOXICITY         Not Available         TOXICITY         dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup> Oral (rat) LD50: >2000 mg/kg <sup>[1]</sup> TOXICITY	Not Available         IRRITATION         Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin: no adverse effect observed (not irritating) <sup>[1]</sup> IRRITATION
Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)	Possible risk of irreversible effects.         Limited evidence of a carcinogenic effect.         TOXICITY         Not Available         TOXICITY         dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup> Oral (rat) LD50: >2000 mg/kg <sup>[1]</sup> TOXICITY         dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Not Available         IRRITATION         Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin: no adverse effect observed (not irritating) <sup>[1]</sup>
Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6681, 179-6682, 179-6683 (NZ) tin	Possible risk of irreversible effects.         Limited evidence of a carcinogenic effect.         TOXICITY         Not Available         TOXICITY         dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup> Oral (rat) LD50: >2000 mg/kg <sup>[1]</sup> TOXICITY	Not Available         IRRITATION         Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin: no adverse effect observed (not irritating) <sup>[1]</sup> IRRITATION
Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6681, 179-6682, 179-6683 (NZ) tin	Possible risk of irreversible effects.         Limited evidence of a carcinogenic effect.         TOXICITY         Not Available         TOXICITY         dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup> Oral (rat) LD50: >2000 mg/kg <sup>[1]</sup> TOXICITY         dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup> Inhalation (rat) LC50: >5.05 mg/l4 h <sup>[1]</sup>	Not Available         IRRITATION         Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin: no adverse effect observed (not irritating) <sup>[1]</sup> IRRITATION
Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6681, 179-6682, 179-6683 (NZ) tin	Possible risk of irreversible effects.         Limited evidence of a carcinogenic effect.         TOXICITY         Not Available         TOXICITY         dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup> Oral (rat) LD50: >2000 mg/kg <sup>[1]</sup> TOXICITY         dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup> Inhalation (rat) LD50: >2000 mg/kg <sup>[1]</sup> Inhalation (rat) LD50: >2000 mg/kg <sup>[1]</sup> Oral (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Not Available         IRRITATION         Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin: no adverse effect observed (not irritating) <sup>[1]</sup> IRRITATION         Not Available

#### Page 6 of 9

# RS 60/40 RMA (Rosin Mildly Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)

Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.\* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

LEAD	WARNING: Lead is a cumulative poison and has the p workers.	potential to cause abortion and intelled	ctual impairment to unborn children of pregnant
TIN & ROSIN, POLYMERISED	No significant acute toxicological data identified in liter	ature search.	
Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	✓
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	✓	STOT - Repeated Exposure	*
Mutagenicity	×	Aspiration Hazard	×
			ot available or does not fill the criteria for classification le to make classification

### **SECTION 12 ECOLOGICAL INFORMATION**

#### Toxicity RS 60/40 RMA (Rosin Mildly ENDPOINT TEST DURATION (HR) SPECIES VALUE SOURCE Activated) #179-6675, 179-6676, 179-6677, 179-6678, Not Not Not Not Available Not Available 179-6679, 179-6680, 179-6681, Available Available Available 179-6682, 179-6683 (NZ) ENDPOINT **TEST DURATION (HR)** SPECIES VALUE SOURCE LC50 96 Fish >0.0124mg/L 2 tin EC50 48 Crustacea 0.00018mg/L 5 EC50 72 Algae or other aquatic plants 0.009-0.846mg/L 2 NOEC 72 Algae or other aquatic plants 0.001-mg/L 2 ENDPOINT TEST DURATION (HR) SPECIES VALUE SOURCE LC50 96 Fish 0.001-0.06756mg/L 2 EC50 48 Crustacea 0.029mg/L 2 lead 0.0205mg/L EC50 72 2 Algae or other aquatic plants BCFD 8 Fish 4.324mg/L 4 4 NOEC 672 Fish 0.00003mg/L ENDPOINT **TEST DURATION (HR)** SPECIES VALUE SOURCE LC50 96 2 Fish >1-mg/L EC50 48 Crustacea 2 rosin, polymerised >2-mg/L 96 2 EC50 Algae or other aquatic plants 0.031mg/L NOEC 96 Algae or other aquatic plants 0.013mg/L 2 Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite Legend: V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

DO NOT discharge into sewer or waterways.

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

#### **Bioaccumulative potential**

Ingredient	Bioaccumulation
	No Data available for all ingredients
Mobility in soil	
Mobility in soil	Mobility

### SECTION 13 DISPOSAL CONSIDERATIONS

### Waste treatment methods

Product / Packaging disposal

# RS 60/40 RMA (Rosin Mildly Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)

<ul> <li>Return to supplier for reuse/ recycling if possible.</li> <li>Otherwise:</li> <li>If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.</li> <li>Where possible retain label warnings and SDS and observe all notices pertaining to the product.</li> <li>Recycle wherever possible or consult manufacturer for recycling options.</li> <li>Consult State Land Waste Management Authority for disposal.</li> <li>Bury residue in an authorised landfill.</li> </ul>
<ul> <li>Bury residue in an authorised landfill.</li> <li>Recycle containers if possible, or dispose of in an authorised landfill.</li> </ul>

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

#### **Disposal Requirements**

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package. The package must be disposed according to the manufacturer's directions taking into account the material it is made of. Packages which hazardous content have been appropriately treated and removed may be recycled.

The hazardous substance must only be disposed if it has been treated by a method that changed the characteristics or composition of the substance and it is no longer hazardous.

## **SECTION 14 TRANSPORT INFORMATION**

#### Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

#### Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

### Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

# SECTION 15 REGULATORY INFORMATION

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
HSR002531	Cleaning Products (Toxic [6.7]) Group Standard 2017
HSR002596	Laboratory Chemicals and Reagent Kits Group Standard 2017
HSR002607	Lubricants (Toxic [6.7]) Group Standard 2017
HSR002586	Fuel Additives (Toxic [6.7]) Group Standard 2017
HSR002520	Aerosols (Toxic [6.7]) Group Standard 2017
HSR002521	Animal Nutritional and Animal Care Products Group Standard 2017
HSR002646	Polymers (Toxic [6.7]) Group Standard 2017
HSR002616	Metal Industry Products (Toxic [6.7]) Group Standard 2017
HSR002626	N.O.S. (Toxic [6.1, 6.7], Combustible) Group Standard 2017
HSR002512	Additives, Process Chemicals and Raw Materials (Toxic [6.7]) Group Standard 2017
HSR002568	Embalming Chemicals (Toxic [6.7]) Group Standard 2017
HSR002679	Surface Coatings and Colourants (Toxic [6.7]) Group Standard 2017
HSR100425	Pharmaceutical Active Ingredients Group Standard 2017
HSR002601	Leather and Textile Products (Toxic [6.7]) Group Standard 2017
HSR002648	Refining Catalysts Group Standard 2017
HSR002551	Corrosion Inhibitors (Toxic [6.7]) Group Standard 2017
HSR100757	Veterinary Medicine (Limited Pack Size, Finished Dose) Standard 2017
HSR100758	Veterinary Medicines (Non-dispersive Closed System Application) Group Standard 2017
HSR100759	Veterinary Medicines (Non-dispersive Open System Application) Group Standard 2017
HSR002655	Solvents (Toxic [6.7]) Group Standard 2017
HSR002625	N.O.S. (Toxic [6.1, 6.7]) Group Standard 2017
HSR002639	Photographic Chemicals (Toxic [6.7]) Group Standard 2017
HSR002560	Dental Products (Toxic [6.7]) Group Standard 2017
HSR002687	Water Treatment Chemicals (Toxic [6.7]) Group Standard 2017

TIN IS FOUND ON THE FOLLOWING REGULATORY LISTS

Page 8 of 9

# RS 60/40 RMA (Rosin Mildly Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)

New Zealand Approved Hazardous Substances with controls New Zealand Inventory of Chemicals (NZIoC) New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification New Zealand Workplace Exposure Standards (WES) of Chemicals New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data LEAD IS FOUND ON THE FOLLOWING REGULATORY LISTS Chemical Footprint Project - Chemicals of High Concern List New Zealand Approved Hazardous Substances with controls New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs of Chemical International Agency for Research on Cancer (IARC) - Agents Classified by the IARC New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data Monographs - Group 1 : Carcinogenic to humans International Agency for Research on Cancer (IARC) - Agents Classified by the IARC New Zealand Inventory of Chemicals (NZIoC) Monographs - Group 2B : Possibly carcinogenic to humans ROSIN. POLYMERISED IS FOUND ON THE FOLLOWING REGULATORY LISTS New Zealand Inventory of Chemicals (NZIoC)

#### Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantity beyond which controls apply for closed containers	Quantity beyond which controls apply when use occurring in open containers
Not Applicable	Not Applicable	Not Applicable

#### **Certified Handler**

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

#### Tracking Requirements

Not Applicable

#### **National Inventory Status**

National Inventory	Status
Australia - AICS	Yes
Canada - DSL	Yes
Canada - NDSL	No (lead; rosin, polymerised; tin)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	No (lead; tin)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	No (rosin, polymerised)
Vietnam - NCI	Yes
Russia - ARIPS	No (rosin, polymerised)
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

#### **SECTION 16 OTHER INFORMATION**

Revision Date	17/03/2020
Initial Date	17/03/2020

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists

#### Version No: 2.1.1.1

#### Page 9 of 9

# RS 60/40 RMA (Rosin Mildly Activated) #179-6675, 179-6676, 179-6677, 179-6678, 179-6679, 179-6680, 179-6680, 179-6681, 179-6682, 179-6683 (NZ)

TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.