
Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications





NSYCGSP32

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT	
Product or Component Type	Cable gland	
Accessory / separate part category	Cable management accessory	
Range compatibility	Thalassa Thalassa PLM PanelSeT PanelSeT S3D PanelSeT PanelSeT S3X	
Mounting Location	Enclosure top Enclosure bottom	
Cable entry	Cable gland M32	
Device composition	1 cable gland 1 seal	
Quantity per Set	Set of 10	
Material	Seal CR (chloroprene) Body PA (polyamide) 6	

Complementary

color	Gray RAL 7035)	
Fixing mode	Push and turn clockwise	
Net Weight	0.077 lb(US) (0.035 kg)	

Environment

Product Certifications	UL VDE	
Environmental characteristic	UV resistant	
Flame retardance	V2 conforming to UL 94	
Ambient Air Temperature for Operation	-4212 °F (-20100 °C) permanent -22302 °F (-30150 °C) intermittent	
IP degree of protection	IP68 IEC 60529 5 bar, 30 min	

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606481360366
Returnability	No
Country of origin	TR

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

r acking Critis	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.46 in (3.700 cm)
Package 1 Width	1.57 in (4.000 cm)
Package 1 Length	1.97 in (5.000 cm)
Package 1 Weight	1.658 oz (47.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	4.33 in (11.000 cm)
Package 2 Width	7.48 in (19.000 cm)
Package 2 Length	7.48 in (19.000 cm)
Package 2 Weight	16.720 oz (474.000 g)
Unit Type of Package 3	P12
Number of Units in Package 3	720
Package 3 Height	17.72 in (45.000 cm)
Package 3 Width	31.50 in (80.000 cm)
Package 3 Length	47.24 in (120.000 cm)
Package 3 Weight	123.459 lb(US) (56.000 kg)



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances			
Packaging made with recycled cardboard	No		
Packaging without single use plastic	No		
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)		

Use Again

○ Repack and remanufacture		
Take-back	No	