

### AMP | LEAVYSEAL

TE Internal #: 1703804-1

Other Automotive Connector Accessories, Mounting Clips, Wire-to-

Wire, PBT GF, Red, -40 – 120 °C [-40 – 248 °F], LEAVYSEAL

View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Other Connector Accessories > LEAVYSEAL LOCKING SLIDES











Automotive Connector Accessory Type: Mounting Clips

Connector System: Wire-to-Wire
Primary Product Material: PBT GF
Primary Product Color: Red

Operating Temperature Range: -40 – 120 °C [-40 – 248 °F]

All LEAVYSEAL LOCKING SLIDES (7)

## Features

## **Product Type Features**

Automotive Connector Accessory Type	Mounting Clips
Connector System	Wire-to-Wire
Body Features	
Primary Product Material	PBT GF
Primary Product Color	Red
Usage Conditions	
Compatible With Connector Style	Housing For Male Terminals
Operating Temperature Range	-40 - 120 °C[-40 - 248 °F]
Industry Standards	
UL Flammability Rating	UL 94V-0

600

Box

**Packaging Features** 

Packaging Quantity

Packaging Method



#### Other

## **Product Compliance**


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



Also in the Series | LEAVYSEAL





Automotive Connector Caps & Covers (16)



Automotive Housings(64)



Insertion & Extraction Tools(5)



Other Automotive Connector Accessories(15)



PCB Headers & Receptacles(13)

# Customers Also Bought



TE Part #2-1393249-0 W58-XB1A4A-6=W58



TE Part #1-1823440-3 22POS, MIXED,REC HSG,ASSY, SEALED



TE Part #1564411-6 Heavy Duty Sealed Connector Series Fixing Slides



TE Part #2-1904058-7 V23700F0002A408-EV-CBOX









## **Documents**

**Product Drawings** 

SLIDE, FOR TAB HOUSING, 15POS.

English

SLIDE,FOR TAB HOUSING, 15POS.

English

**CAD Files** 

3D PDF



English

**Customer View Model** 

ENG\_CVM\_1703804-1\_A1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_1703804-1\_A1.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_1703804-1\_A1.2d\_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

**CONNECTOR SELECTOR** 

English

## **Product Specifications**

**Application Specification** 

German

## **Product Environmental Compliance**

**Product Compliance** 

English

**Product Compliance** 

English