

# Samsung Original Supplies Compatibility Chart



# Samsung Original Supplies Compatibility Chart

Colour LBP	Black	Cyan	Magenta	Yellow	Imaging Unit	Transfer Belt	Waste Toner Container	ETC
CLP-300/300N	CLP-K300A Average 2,000 standard pages <sup>2</sup>	CLP-C300A Average 1,000 standard pages <sup>2</sup>	CLP-M300A Average 1,000 standard pages <sup>2</sup>	CLP-Y300A Average 1,000 standard pages <sup>2</sup>	CLP-R300A Yield B&W : Average 20,000 pages (Colour : Average 12,500 pages)		CLP-W300A Yield B&W : Average 5,000 pages (Colour : Average 1,250 pages)	Value Pack (C+M+Y+K) CLP-P300C Black Toner Average 2,000 standard pages. Cyan/Magenta/Yellow Toner Average 1,000 standard pages.
CLP-320/320N/ 325/325W	CLT-K407S CLT-K4072S (EU) Average 1,500 standard pages <sup>2</sup>	CLT-C407S CLT-C4072S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-M407S CLT-M4072S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-Y407S CLT-Y4072S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-R407 Approx. 24,000 images (Mono), 6,000 pages (Colour)		CLT-W409 Approx. 10,000 pages (Mono), 2,500 pages (Colour)	
CLP-350N	CLP-K350A Average 4,000 standard pages <sup>2</sup>	CLP-C350A Average 2,000 standard pages <sup>2</sup>	CLP-M350A Average 2,000 standard pages <sup>2</sup>	CLP-Y350A Average 2,000 standard pages <sup>2</sup>	CLP-R350A Yield B&W : Average 20,000 pages (Colour : Average 11,500 pages)		CLP-W350A Yield Approx. 5,000 pages (Colour : Approx 1,250 pages)	
CLP-310/310N/ 315/315W	CLT-K409S CLT-K4092S (EU) Average 1,500 standard pages <sup>2</sup>	CLT-C409S CLT-C4092S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-M409S CLT-M4092S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-Y409S CLT-Y4092S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-R409 Yield B&W : Average 24,000 pages <sup>3</sup> (Colour : Average 6,000 pages)		CLT-W409 Yield B&W : Average 10,000 pages <sup>3</sup> (Colour : Average 2,500 pages)	Value Pack (C+M+Y+K) CLT-P409C / CLT-P4092C (EU) Black Toner Average 1,500 standard pages. Cyan/Magenta/Yellow Toner Average 1,000 standard pages.
CLP-500/500N/ 550/550N	CLP-500D7K Average 7,000 pages @ 5% coverage	CLP-500D5C Average 5,000 pages @ 5% coverage	CLP-500D5M Average 5,000 pages @ 5% coverage	CLP-500D5Y Average 5,000 pages @ 5% coverage	CLP-500RB Yield B&W : Average 50,000 pages <sup>3</sup> (Colour : Average 12,500 pages)	CLP-500RT Yield B&W : Average 50,000 pages <sup>3</sup> (Colour : Average 12,500 pages)	CLP-500WB Yield B&W : Average 12,000 pages <sup>3</sup> (Colour : Average 3,000 pages)	
CLP-510/510N	CLP-510D7K CLP-510D3K Average 7,000 / 3,000 pages @ 5% coverage	CLP-510D5C CLP-510D2C Average 5,000 / 2,000 pages @ 5% coverage	CLP-510D5M CLP-510D2M Average 5,000 / 2,000 pages @ 5% coverage	CLP-510D5Y CLP-510D2Y Average 5,000 / 2,000 pages @ 5% coverage	CLP-510RB Yield B&W : Average 50,000 pages <sup>3</sup> (Colour : Average 12,500 pages)	CLP-510RT Yield B&W : Average 50,000 pages <sup>3</sup> (Colour : Average 12,500 pages)	CLP-500WB Yield B&W : Average 12,000 pages <sup>3</sup> (Colour : Average 3,000 pages)	
CLP-600/600N/ 650/650N	CLP-K600A Average 4,000 standard pages <sup>1</sup>	CLP-C600A Average 4,000 standard pages <sup>1</sup>	CLP-M600A Average 4,000 standard pages <sup>1</sup>	CLP-Y600A Average 4,000 standard pages <sup>1</sup>		CLP-T600A Average 35,000 pages <sup>3</sup>	Fuser Unit CLP-F600A (110V) *CLP-600/600N only CLP-F600B (220V) Average 50,000 pages <sup>3</sup>	Fuser Unit CLP-F650A (Free voltage) *CLP-650/650N only Average 50,000 pages <sup>3</sup>
CLP-610ND/ 660N/ 660ND	CLP-K660A CLP-K660B Average 2,500 / 5,500 standard pages <sup>2</sup>	CLP-C660A CLP-C660B Average 2,000 / 5,000 standard pages <sup>2</sup>	CLP-M660A CLP-M660B Average 2,000 / 5,000 standard pages <sup>2</sup>	CLP-Y660A CLP-Y660B Average 2,000 / 5,000 standard pages <sup>2</sup>		CLP-T660B Average 50,000 pages <sup>3</sup>		
CLP-620ND/ 670N/ 670ND	CLT-K508L/K5082L(EU) High yield 5,000 standard pages <sup>2</sup>  CLT-K508S/K5082S(EU) Standard yield 2,500 standard pages <sup>2</sup>	CLT-C508L/C5082L(EU) High yield 4,000 standard pages <sup>2</sup>  CLT-C508S/C5082S(EU) Standard yield 2,000 standard pages <sup>2</sup>	CLT-M508L/M5082L(EU) High yield 4,000 standard pages <sup>2</sup>  CLT-M508S/M5082S(EU) Standard yield 2,000 standard pages <sup>2</sup>	CLT-Y508L/Y5082L(EU) High yield 4,000 standard pages <sup>2</sup>  CLT-Y508S/Y5082S(EU) Standard yield 2,000 standard pages <sup>2</sup>		CLP-T508 Average 50,000 pages <sup>3</sup>		
CLP-770ND	CLT-K609S CLT-K6092S (EU) Average 7,000 standard pages	CLT-C609S CLT-C6092S (EU) Average 7,000 standard pages	CLT-M609S CLT-M6092S (EU) Average 7,000 standard pages	CLT-Y609S CLT-Y6092S (EU) Average 7,000 standard pages		CLP-T609 Yield B&W : Average 50,000 pages <sup>3</sup>		
CLP-775ND	CLT-K609S CLT-K6092S (EU) Average 7,000 standard pages	CLT-C609S CLT-C6092S (EU) Average 7,000 standard pages	CLT-M609S CLT-M6092S (EU) Average 7,000 standard pages	CLT-Y609S CLT-Y6092S (EU) Average 7,000 standard pages		CLP-T508 Average 50,000 pages <sup>3</sup>		

1. Declared continuous cartridge yield value in accordance with ISO/IEC WD 19798 2. Declared continuous cartridge yield value in accordance with ISO/IEC 19798 : 2006(E) 3. Average cartridge yield. This may vary depending on average area coverage

# Samsung Original Supplies Compatibility Chart

## Colour Laser Fax / MFP / Colour Digital Multifunction Printer

	Black	Cyan	Magenta	Yellow	Imaging Unit	Transfer Belt	Waste Toner Container	ETC
<b>CLX-2160/2160N</b>	<b>CLP-K300A</b> Average 2,000 standard pages <sup>2</sup>	<b>CLP-C300A</b> Average 1,000 standard pages <sup>2</sup>	<b>CLP-M300A</b> Average 1,000 standard pages <sup>2</sup>	<b>CLP-Y300A</b> Average 1,000 standard pages <sup>2</sup>	<b>CLP-R300A</b> Yield B&W : Average 20,000 pages <sup>3</sup> (Colour : Average 12,500 pages)		<b>CLP-W300A</b> Yield B&W : Average 5,000 pages (Colour : Average 1,250 pages)	Value Pack (C+M+Y+K) <b>CLP-P300C</b> Black Toner Average 2,000 standard pages. Cyan/Magenta/Yellow Toner Average 1,000 standard pages.
<b>CLX-3160N/3160FN</b>	<b>CLP-K300A</b> Average 2,000 standard pages <sup>2</sup>	<b>CLP-C300A</b> Average 1,000 standard pages <sup>2</sup>	<b>CLP-M300A</b> Average 1,000 standard pages <sup>2</sup>	<b>CLP-Y300A</b> Average 1,000 standard pages <sup>2</sup>	<b>CLP-R300A</b> Yield B&W : Average 20,000 pages <sup>3</sup> (Colour : Average 12,500 pages)		<b>CLP-W300A</b> Yield B&W : Average 5,000 pages (Colour : Average 1,250 pages)	
<b>CLX-3170FN/3175N/3175FN/3175FW</b>	<b>CLT-K409S</b> <b>CLT-K4092S (EU)</b> Average 1,500 standard pages <sup>2</sup>	<b>CLT-C409S</b> <b>CLT-C4092S (EU)</b> Average 1,000 standard pages <sup>2</sup>	<b>CLT-M409S</b> <b>CLT-M4092S (EU)</b> Average 1,000 standard pages <sup>2</sup>	<b>CLT-Y409S</b> <b>CLT-Y4092S (EU)</b> Average 1,000 standard pages <sup>2</sup>	<b>CLT-R409</b> Yield B&W : Average 24,000 pages <sup>3</sup> (Colour : Average 6,000 pages)		<b>CLT-W409</b> Yield B&W : Average 10,000 pages <sup>3</sup> (Colour : Average 2,500 pages)	Value Pack (C+M+Y+K) <b>CLT-P409C / CLT-P4092C (EU)</b> Black Toner Average 1,500 standard pages. Cyan/Magenta/Yellow Toner Average 1,000 standard pages.
<b>CLX-3185/3185N/3185FN/3185FW</b>	<b>CLT-K407S</b> <b>CLT-K4072S (EU)</b> Average 1,500 standard pages <sup>2</sup>	<b>CLT-C407S</b> <b>CLT-C4072S (EU)</b> Average 1,000 standard pages <sup>2</sup>	<b>CLT-M407S</b> <b>CLT-M4072S (EU)</b> Average 1,000 standard pages <sup>2</sup>	<b>CLT-Y407S</b> <b>CLT-Y4072S (EU)</b> Average 1,000 standard pages <sup>2</sup>	<b>CLT-R407</b> Approx. 24,000 images (Mono), 6,000 pages (Colour)		<b>CLT-W409</b> Approx. 10,000 pages (Mono), 2,500 pages (Colour)	
<b>CLX-6200ND/FX/6210FX/6240FX</b>	<b>CLP-K660A</b> <b>CLP-K660B</b> Average 2,500 / 5,500 standard pages <sup>2</sup>	<b>CLP-C660A</b> <b>CLP-C660B</b> Average 2,000 / 5,000 standard pages <sup>2</sup>	<b>CLP-M660A</b> <b>CLP-M660B</b> Average 2,000 / 5,000 standard pages <sup>2</sup>	<b>CLP-Y660A</b> <b>CLP-Y660B</b> Average 2,000 / 5,000 standard pages <sup>2</sup>			<b>CLP-T660B</b> Average 50,000 pages <sup>3</sup>	
<b>CLX-6220FX/6250FX</b>	<b>CLT-K508L/K5082L(EU)</b> High yield 5,000 standard pages <sup>2</sup>	<b>CLT-C508L/C5082L(EU)</b> High yield 4,000 standard pages <sup>2</sup>	<b>CLT-M508L/M5082L(EU)</b> High yield 4,000 standard pages <sup>2</sup>	<b>CLT-Y508L/Y5082L(EU)</b> High yield 4,000 standard pages <sup>2</sup>			<b>CLT-T508</b> Average 50,000 pages <sup>3</sup>	
	<b>CLT-K508S/K5082S(EU)</b> Standard yield 2,500 standard pages <sup>2</sup>	<b>CLT-C508S/C5082S(EU)</b> Standard yield 2,000 standard pages <sup>2</sup>	<b>CLT-M508S/M5082S(EU)</b> Standard yield 2,000 standard pages <sup>2</sup>	<b>CLT-Y508S/Y5082S(EU)</b> Standard yield 2,000 standard pages <sup>2</sup>				
<b>MultiXpress C8380ND</b>	<b>CLX-K8380A</b> Average 20,000 standard pages <sup>2</sup>	<b>CLX-C8380A</b> Average 15,000 standard pages <sup>2</sup>	<b>CLX-M8380A</b> Average 15,000 standard pages <sup>2</sup>	<b>CLX-Y8380A</b> Average 15,000 standard pages <sup>2</sup>	Imaging Unit <b>CLX-R838XC</b> Average 30,000 standard pages <sup>2</sup>	Imaging Unit <b>CLX-R838XM</b> Average 30,000 standard pages <sup>2</sup>	Imaging Unit <b>CLX-R838XY</b> Average 30,000 standard pages <sup>2</sup>	Imaging Unit <b>CLX-R838XK</b> Average 30,000 standard pages <sup>2</sup>
								Waste Toner Container <b>CLX-W8380A</b> Average 48,000 images
<b>MultiXpress C8385ND</b>	<b>CLX-K8385A</b> Average 20,000 standard pages <sup>2</sup>	<b>CLX-C8385A</b> Average 15,000 standard pages <sup>2</sup>	<b>CLX-M8385A</b> Average 15,000 standard pages <sup>2</sup>	<b>CLX-Y8385A</b> Average 15,000 standard pages <sup>2</sup>	Imaging Unit <b>CLX-R8385C</b> Average 30,000 standard pages <sup>2</sup>	Imaging Unit <b>CLX-R8385M</b> Average 30,000 standard pages <sup>2</sup>	Imaging Unit <b>CLX-R8385Y</b> Average 30,000 standard pages <sup>2</sup>	Imaging Unit <b>CLX-R8385K</b> Average 30,000 standard pages <sup>2</sup>
<b>MultiXpress C9250ND C9350ND</b>	<b>CLT-K606S/K6062S(EU)</b> Average 25,000 pages <sup>2</sup>	<b>CLT-C606S/C6062S(EU)</b> Average 20,000 pages <sup>2</sup>	<b>CLT-M606S/M6062S(EU)</b> Average 20,000 pages <sup>2</sup>	<b>CLT-Y606S/Y6062S(EU)</b> Average 20,000 pages <sup>2</sup>	Imaging Unit <b>CLT-R607C</b> Average 75,000 standard pages <sup>2</sup>	Imaging Unit <b>CLT-R607M</b> Average 75,000 standard pages <sup>2</sup>	Imaging Unit <b>CLT-R607Y</b> Average 75,000 standard pages <sup>2</sup>	Imaging Unit <b>CLT-R607K</b> Average 75,000 standard pages <sup>2</sup>
	<b>CLT-C607S/C6072S(EU)</b> Average 15,000 pages <sup>2</sup>	<b>CLT-M607S/M6072S(EU)</b> Average 15,000 pages <sup>2</sup>	<b>CLT-Y607S/Y6072S(EU)</b> Average 15,000 pages <sup>2</sup>					Waste Toner Container <b>CLT-W606</b> Average 75,000 images <sup>2</sup>



1. Declared continuous cartridge yield value in accordance with ISO/IEC WD 19798 2. Declared continuous cartridge yield value in accordance with ISO/IEC 19798 : 2006(E) 3. Average cartridge yield. This may vary depending on average area coverage

# Samsung Original Supplies Compatibility Chart

Inkjet Fax / MFP	Black	Twin Pack (INK-MXX x 2)	Colour
SF-330/331P/335T	INK-M40 Yield : 750 pages @ 4% Coverage	INK-M40V Yield : 1500 pages @ 4% Coverage	
SF-340/341P/345TP	INK-M40 Yield : 750 pages @ 4% Coverage	INK-M40V Yield : 1500 pages @ 4% Coverage	
SF-350	INK-M55 Yield : 1,000 pages @ 4% Coverage		
SF-360/361P/365TP	INK-M40 / INK-M45 (China only) Yield : 750 pages @ 4% Coverage	INK-M40V Yield : 1500 pages @ 4% Coverage	
SF-370/371/375TP	INK-M43 / INK-M41 (EU/CIS) Yield : 750 pages @ 4% ITU#1 chart with draft mode	INK-M41V (EU/CIS) Yield : 1500 pages @ 4% ITU#1 chart with draft mode (x2)	
SF-430	INK-M50 Yield : 600 pages @ 5% Coverage		INK-C60 Yield : 275 pages @ 15% Coverage
SF-3100/3100T	INK-M10 Yield : 1,000 pages @ 4% Coverage		
SF-3100P	INK-M10 Yield : 1,000 pages @ 4% Coverage		INK-C10 Yield : 275 pages @ 15% Coverage
SF-3200/3200T	INK-M10 Yield : 1,000 pages @ 4% Coverage		
SF-3200P	INK-M10 Yield : 1,000 pages @ 4% Coverage		INK-C10 Yield : 275 pages @ 15% Coverage
SCX-1100/1150F	INK-M50 Yield : 600 pages @ 5% Coverage		INK-C60 Yield : 275 pages @ 15% Coverage

1. Declared continuous cartridge yield value in accordance with ISO/IEC WD 197982.  
Declared continuous cartridge yield value in accordance with ISO/IEC 19798 : 2006(E)






Photo Printers	Colour
SPP-2020/2020R/2020B	IPP-4640G ribbon cartridge + glossy photo paper : 40 pages IPP-46120G ribbon cartridge + glossy photo paper : 120 pages
SPP-2040/2040S/2040B	IPP-4640G ribbon cartridge + glossy photo paper : 40 pages IPP-46120G ribbon cartridge + glossy photo paper : 120 pages


+

=


Ribbon Cartridge
Photo Paper

## The benefit of using Samsung original supplies

Samsung printing supplies are specially designed to work together with Samsung printer. We assure optimal print quality with sharp, clear output from first print to last.

Remanufactured	Key differences	Comparison of printout quality
	<b>Smudge</b>	Yellow streaks and smudges print across the document.
	<b>Smudge</b>	Red streaks and smudges print across the document.
	<b>Streaks</b>	During printing, image density is inconsistent and horizontal and vertical lines appear.
	<b>Ghost effect</b>	Red dots are printed on the document background.
	<b>Uneven fill</b>	The printed characters are blurry and faded so the text cannot be read.

This information is based on test results of LGA. 2007 Cartridge Comparison Study test results provided by LGA. Testing performed on CLP-510D7K, CLP-510D5C, CLP-510D5M and CLP-510D5Y laser cartridges. Tests were performed under laboratory conditions and actual performance may vary.

Monochrome LBP


Black

ML-1010	ML-1210D3 Average 2,500 pages @ 5% Coverage	
ML-1210/1220M/1250	ML-1210D3 Average 2,500 pages @ 5% Coverage	
ML-1430	ML-1210D3 Average 2,500 pages @ 5% Coverage	
ML-1440/1450/1451N	ML-6060D6 Average 6,000 pages @ 5% Coverage	
ML-1500/1510	ML-1710D3 Average 3,000 pages @ IDC 5% Coverage	
ML-1520	ML-1520D3 Average 3,000 standard pages <sup>4</sup>	
ML-1610/1610R/1615	ML-1610D2 Average 2,000 standard pages <sup>4</sup>	
ML-1620/1625/1625R	ML-1610D2 Average 2,000 standard pages <sup>4</sup>	
ML-1630/1630W	ML-D1630A Average 2,000 standard pages <sup>4</sup>	
ML-1650/1650P/1650S/1651N	ML-1650D8 Average 8,000 pages @ 5% Coverage	
ML-1640	MLT-D108S / MLT-1082S (EU) Average 1,500 standard pages <sup>4</sup>	
ML-1660/1665/1670/1675/ 1860/1865/1865W	MLT-D104S / MLT-1042S (EU) / MLT-1043S Average 1,500 standard pages MLT-D104X Average 700 standard pages	
ML-1710/1710P/1750	ML-1710D3 Average 3,000 pages @ IDC 5% Coverage	
ML-1740	ML-1710D3 Average 3,000 pages @ IDC 5% Coverage	
ML-2010R/2010PR/2015	ML-2010D3 Average 3,000 standard pages <sup>4</sup>	
ML-2150/2151N/2152W	ML-2150D8 Average 8,000 standard pages	
ML-2240	MLT-D108S / MLT-1082S (EU) Average 1,500 standard pages <sup>4</sup>	
ML-2245	MLT-D106S Average 2,000 standard pages <sup>4</sup>	MLT-R106 Average 12,000 standard pages <sup>5</sup>
ML-2250/2251N/2251NP/2252W	ML-2250D5 Average 5,000 standard pages <sup>4</sup>	
ML-2510/2570/2571N	ML-2010D3 Average 3,000 standard pages <sup>4</sup>	
ML-2550/2551N/2552W	ML-2550DA Average 10,000 standard pages <sup>4</sup>	
ML-1910/1915/ 2525/2580N/2525W	MLT-D105S / MLT-D1052S (EU) Average 1,500 standard pages <sup>4</sup>	MLT-D105L / MLT-D1052L (EU) Average 2,500 standard pages <sup>4</sup>
ML-2850D/2851ND	ML-D2850A Average 2,000 standard pages <sup>4</sup>	ML-D2850B Average 5,000 standard pages <sup>4</sup>
ML-2855ND	MLT-D209S / MLT-D2092S (EU) Average 2,000 standard pages <sup>4</sup>	MLT-D209L / MLT-D2092L (EU) Average 5,000 standard pages <sup>4</sup>
ML-3050/3051N/3051ND	ML-D3050A Average 4,000 standard pages <sup>4</sup>	ML-D3050B Average 8,000 standard pages <sup>4</sup>
ML-3310D/3310ND	MLT-D205S Average 2,000 standard pages MLT-D205L High yield 5,000 standard pages <sup>4</sup>	
ML-3710D/3710ND/3710DW	MLT-D205S Average 2,000 standard pages MLT-D205L High yield 5,000 standard pages <sup>4</sup> MLT-D205E Extra High yield 10,000 standard pages <sup>4</sup>	
ML-3470D/3471ND	ML-D3470A Average 4,000 standard pages <sup>4</sup>	ML-D3470B Average 10,000 standard pages <sup>4</sup>
ML-3560/3561N/3561ND	ML-3560D6 Average 6,000 standard pages <sup>4</sup>	ML-3560DB Average 12,000 standard pages <sup>4</sup>
ML-4050N	ML-D4550A Average 10,000 standard pages <sup>4</sup>	ML-D4550B Average 20,000 standard pages <sup>4</sup>
ML-4550R/4551NR/4551NDR	ML-D4550A Average 10,000 standard pages <sup>4</sup>	ML-D4550B Average 20,000 standard pages <sup>4</sup>
ML-5510N/5510ND/6510ND	MLT-D309S Average 10,000 standard pages MLT-D309L High yield 30,000 standard pages <sup>4</sup>	Imaging Unit ML-R309 Average 80,000 standard pages
ML-6040/6060/6060N/6060S	ML-6060D6 Average 6,000 pages @ 5% Coverage	
ML-7300/7300N	ML-7300DA Average 10,000 pages @ 5% Coverage	

## Imagine security labels to prove it is original Samsung

### Verification of colour changing film

The label changes colour when viewed from different positions. When viewed head-on at an angle of 0° the film is clear. At a viewing angle of about 60° the colour changes to cyan.



### Verification of colour changing embossed "Samsung Logo"

The embossed characters change colour between red-gold and blue when viewed from different angles. Verification of the embossed character is possible by feeling the texture.



# Samsung Original Supplies Compatibility Chart

Monochrome Laser Fax/MFPs / Digital Multifunction Printer	Black	Value Pack
SF-515	SF-5100D3 Average 2,500 pages @ IDC 5% Coverage	
SF-530/531P	SF-5100D3 Average 2,500 pages @ IDC 5% Coverage	
SF-550/555P	SF-550D3 Average 3,000 standard pages <sup>4</sup>	
SF-560/565P	SCX-4216D3 Average 3,000 pages @ IDC 5% Coverage	SCX-P4216A Average 6,000 standard pages @ IDC 5% Coverage
SF-560R/565PR	SF-D560R Average 3,000 standard pages <sup>4</sup>	
SF-650/650P	MLT-D105S / MLT-D1052S (EU) Average 1,500 standard pages <sup>4</sup>	MLT-D105L / MLT-D1052L (EU) Average 2,500 standard pages <sup>4</sup>
SF-730	SF-6800D6 Average 6,000 pages @ 5% Coverage	
SF-750/755P	SCX-4216D3 Average 3,000 pages @ IDC 5% Coverage	SCX-P4216A (EU) Average 6,000 standard pages @ IDC 5% Coverage
SF-830/835P	SCX-5312D6 Average 6,000 pages @ IDC 5% Coverage	SCX-5315R2 Average 15,000 pages <sup>5</sup>
SF-5100/5100P	SF-5100D3 Average 2,500 pages @ IDC 5% Coverage	
SF-5800/5800P	SF-5800D5 Average 5,000 pages @ 5% Coverage	
SF-5905P	SF-5800D5 Average 5,000 pages @ 5% Coverage	
SF-6800/6800P	SF-6800D6 Average 6,000 pages @ 5% Coverage	
SF-6900	SF-6800D6 Average 6,000 pages @ 5% Coverage	
SCX-4016/4116/4216F	SCX-4216D3 Average 3,000 pages @ IDC 5% Coverage	SCX-P4216A Average 6,000 standard pages @ IDC 5% Coverage
SCX-4100	SCX-4100D3 Average 3,000 standard pages <sup>4</sup>	
SCX-4200	SCX-D4200A Average 3,000 standard pages <sup>4</sup>	
SCX-4300	MLT-D109S / MLT-D1092S (EU) Average 2,000 standard pages <sup>4</sup>	
SCX-3200/3205/3205W	MLT-D104S / MLT-1042S (EU) / MLT-1043S Average 1,500 standard pages MLT-D104X Average 700 standard pages	
SCX-4321/4521F	SCX-4521D3 Average 3,000 standard pages <sup>4</sup>	SCX-P4521A Average 6,000 standard pages <sup>4</sup>
SCX-4500/4500W	ML-D1630A Average 2,000 standard pages <sup>4</sup>	
SCX-4520/4720F/4720FN	SCX-4720D3 Average 3,000 standard pages <sup>4</sup>	SCX-4720D5 Average 5,000 standard pages <sup>4</sup>
SCX-4600/4623F/4623FN/4623FW	MLT-D105S / MLT-D1052S (EU) Average 1,500 standard pages <sup>4</sup>	MLT-D105L / MLT-D1052L (EU) Average 2,500 standard pages <sup>4</sup>
SCX-4725FN/4725F	SCX-D4725A Average 3,000 standard pages <sup>4</sup>	
SCX-4824FN/4828FN	MLT-D209S / MLT-D2092S (EU) Average 2,000 standard pages <sup>4</sup>	MLT-D209L / MLT-D2092L (EU) Average 5,000 standard pages <sup>4</sup>
SCX-4833FD/4833FR	MLT-D205S Average 2,000 standard pages	MLT-D205L High yield 5,000 standard pages <sup>4</sup>
SCX-4835FD/4835FR(US)		
SCX-5637FR/5737FW		
SCX-5639FR/5739FW(US)	MLT-D205S Average 2,000 standard pages	MLT-D205L High yield 5,000 standard pages <sup>4</sup> MLT-D205E Extra High yield 10,000 standard pages <sup>4</sup>
SCX-5015/5112/5115	SCX-5312D6 Average 6,000 pages @ IDC 5% Coverage	SCX-5315R2 Average 15,000 pages <sup>5</sup>
SCX-5312F/5315F	SCX-5312D6 Average 6,000 standard pages <sup>4</sup>	SCX-5315R2 Average 15,000 pages <sup>5</sup>
SCX-5330N/5530FN	SCX-D5530A Average 4,000 standard pages <sup>4</sup>	SCX-D5530B Average 8,000 standard pages <sup>4</sup>
SCX-5635FN/5835FN	MLT-D208S / MLT-D2082S (EU) Average 4,000 standard pages	MLT-D208L / MLT-D2082L (EU) Average 10,000 standard pages
SCX-5935FN (US Only)	MLT-D206S Average 4,000 standard pages <sup>4</sup>	MLT-D206L Average 10,000 standard pages <sup>4</sup>
SCX-6220/6320F	SCX-6320D8 Average 8,000 standard pages <sup>4</sup>	SCX-6320R2 Average 20,000 pages <sup>5</sup>
MultiXpress 6122FN/6322DN	SCX-6320D8 Average 8,000 standard pages <sup>4</sup>	SCX-6320R2 Average 20,000 pages <sup>5</sup>
MultiXpress 6345N	SCX-D6345A Average 20,000 standard pages <sup>4</sup>	SCX-R6345A Average 60,000 pages <sup>5</sup>
MultiXpress 6555N/6545N	SCX-D6555A Average 25,000 standard pages <sup>4</sup>	SCX-R6555A Average 80,000 pages
MultiXpress C8030ND/C8040DN	MLT-K606S Average 35,000 pages	MLT-K607S Average 20,000 pages <sup>4</sup> Imaging Unit MLT-R607K Average 100,000 Standard pages <sup>4</sup> Waste Toner Container MLT-W606 Average 300,000 Standard pages

4. Declared cartridge yield value in accordance with ISO/IEC 19752 5. This may vary depending on average area coverage

Published by Samsung Digital Printing Division

\* Design and Specifications are subject to change without notice.

\* Trademarks of other companies mentioned in this publication are hereby recognised and acknowledged.

Distributed by

Printing solutions  
as easy as

