

Data Sheet NO: MSDS0090UK Issue: 1 Dated: 06-12-2011

Product name: Ni-MH Battery Pack

1. IDENTIFICATION OF THE SUBSTANCE AND THE COMPANY

Identification of substance/preparation: Nickel Metal Hydride Battery

Product Name: Ni-MH Battery Pack
Use of the Substance/Preparation: Battery product
Company/Indostaking Identification

Company/Undertaking Identification

Supplier: No Climb Products Ltd, Edison House, 163 Dixons Hill Road

Welham Green, Hertfordshire, AL9 7JE, UK

Telephone number: +44 (0) 1707 282760; Fax + 44 (0) 1707 282777

2. HAZARDS IDENTIFICATION

Classification Carcinogenic Category 3 R40, sensitizing R42/43, Xn R20/22, C R35,

N R50-53

Limited evidence of a carcinogenic effect. Causes severe burns Harmful by inhalation and if swallowed. May cause sensitization by inhalation and skin contact. Very toxic to aquatic organisms, may cause

long-term adverse effects in the aquatic environment.

Further information The Nickel Metal Hydride is a sealed battery which is not hazardous when used

according to stated guidelines.

Under normal conditions of use, the integrity of the battery casing and security vent are maintained, the ingredients are not expected to pose a significant risk to

man nor the environment.

In extreme or adverse conditions (high over-charge, inverse charge, external short

circuit), some electrolyte leakage can occur by the safety vent. In these cases, the risk is the

caustic nature of electrolyte (potassium hydroxide).

The classification above is based on the contents being considered as a preparation in

accordance with Directive 1999/45/EC

3. COMPOSITION / INFORMATION ON INGREDIENTS

The Nickel Metal Hydride battery is hermetically sealed; among its components, the following ones could be conceived as potentially be hazardous upon release.

Hazardous components	CAS-No.	EC-No.	Weight %	Classification
Nickel hydroxide	12054-48-7	235-008-5	15-30%	Carcinogenic Category 3 R40 sensitizing R43, Xn R20/22 N R50-53
Metal Hydride Alloy			15-40%	Carcinogenic Category 3 R40 Sensitizing R42/43,
Potassium hydroxide	1310-58-3	215-181-3	3-15%	C R35, Xn R22
Cobalt hydroxide	21041-93-0	244-166-4	2.5-7%	XnR22, sensitizing R42/43

For the full text of the R phrases mentioned in this Section, see Section 15.

4. FIRST AID MEASURES

General advice

Show this safety data sheet to the doctor in attendance.

The information below refers to exposure to the ingredients.

Inhalation

Immediate medical attention is required. Move to fresh air. If symptoms persist, call a physician.

Skin contact

Immediate medical attention is required. Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. If skin irritation persists, call a physician.

Eye contact

Immediate medical attention is required.

Remove contact lenses. Rinse immediately with plenty of water for at least 15 minutes.

Ingestion

Immediate medical attention is required. Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Centre immediately.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry powder, carbon dioxide (CO2), sand.

Extinguishing media which must not be used for safety reasons

Water, water spray.

Specific hazards

Risk of receptacle bursting.

Special protective equipment for firefighters

In the event of fire, wear self contained breathing apparatus. Wear personal protective equipment.

Hazardous decomposition products

Nickel and cobalt compounds.

6. ACCIDENTAL RELEASE MEASURES

The information below refers to exposure to the ingredients.

Personal precautions

Use personal protective equipment.

Avoid contact with skin and eyes.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

Do not allow material to contaminate ground water system.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

Dispose of in accordance with local environmental regulations.

7. HANDLING AND STORAGE

Handling

Technical measures/Precautions

No special technical protective measures required.

Do not obstruct safety vent by soldering or welding tabs on the positive top.

Safe handling advice

Avoid contact with skin and eyes.

Use personal protective equipment.

Storage

Technical measures/Storage conditions

Keep in a dry, cool and well-ventilated place, preferably in the temperature range of +5 to +25℃ at 65%(+-5%) relative humidity.

Keep away from heat and sources of ignition.

Ensure battery terminals are protected during storage.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Not required under normal use.

The information below refers to exposure to the ingredients.

Respiratory protection

Wear a positive-pressure supplied-air respirator with full face piece.

Hand protection

Neoprene gloves (EN374).

Eye protection

Safety glasses with side-shields conforming to EN166.

Skin and body protection

Boots, apron, protective suit.

Hygiene measures

General industrial hygiene practice.

Environmental exposure controls

The information below refers to exposure to the ingredients

Prevent product from entering drains.

Do not allow material to contaminate ground water system.

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Form: battery (sealed unit) Colour: not applicable Odour: odourless

Important Health Safety and Environmental Information

not applicable

10. STABILITY AND REACTIVITY

Stability

Stable under normal conditions.

Hazardous polymerisation

Hazardous polymerisation does not occur.

Conditions to avoid

Keep away from heat and sources of ignition.

Materials to avoid

Exposure to moisture.

Hazardous decomposition products

Nickel and cobalt compounds.

11. TOXICOLOGICAL INFORMATION

The information below refers to exposure to the ingredients

Local effects

Causes severe burns. Risk of serious damage to eyes. Harmful by inhalation and if swallowed.

Long term toxicity

No data available. Avoid repeated exposure.

Specific effects

May cause sensitization by inhalation and skin contact.

Limited evidence of a carcinogenic effect.

12. ECOLOGICAL INFORMATION

If used as directed, and if the integrity of the battery casing and security vent are maintained, the ingredients are not expected to pose a significant risk to the environment.

Mobility

No data available.

Persistence and degradability

No data available.

Ecotoxicity effects

The information below refers to exposure to the ingredients

Nickel hydroxide: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products

Dispose of in accordance with local environmental regulations. Item must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations. Should not be released or discarded into the environment.

Contaminated packaging

Not applicable.

Further information

EWC waste disposal No: 200133 - batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries

Never incinerate Ni-MH batteries.

Never dispose Ni-MH batteries as landfill.

Nickel-Metal Hydride batteries - which in some countries may not be subject to collection & recycling and/or disposal requirements – do however contain recyclable materials and it is strongly recommended that responsible recycling of these batteries is practiced whenever possible.

14. TRANSPORT INFORMATION

Nickel Metal Hydride batteries (sometimes referred to as "Dry cell" batteries) are not listed as dangerous goods under the IATA Dangerous Goods Regulations, ICAO Technical instructions and the U.S. hazardous materials regulations (49 CFR). These batteries are not subject to the dangerous goods regulations provided they meet the requirements contained in the following Special Provisions. Special Provision A123 in the IATA Dangerous Goods Regulations and ICAO Technical Instructions and Special 130 in 49 CFR 172.102 of the U.S. hazardous materials regulations require these batteries to be packed in such a way to prevent short circuits or generating a dangerous quantity of heat. In addition, the IATA Dangerous Goods Regulations and ICAO Technical Instructions require the words "Not Restricted" and "Special Provision A123" be provided on the air waybill, when an air waybill is issued. By ocean the IMO regulates them under Special Provision 304. These Special Provisions have requirements which are similar to the requirements found in Special Provision 130 of the DOT.

We hereby certify that the consignment is not classified as dangerous goods under the current edition of the IATA Dangerous Goods Regulations and have passed the "test of time" of UN38.3.

Regulatory Body	Special provisions		
ADR	295-304,598		
INDG	UN 3028 Provisions 295-304		
UN	UN 3028 Provisions 295-304		
US DOT	49 CFR 172,102 Provision 130		
IATA	A123		
ICAO	UN 3028 Provisions 295-304		

15. REGULATORY INFORMATION

Symbol C - Corrosive

N – Dangerous for the environment

Text of R phrases mentioned in Section 2

R22 - Harmful if swallowed.

R20/22 - Harmful by inhalation and if swallowed.

R35 - Causes severe burns

R40 - Limited evidence of a carcinogenic effect.

R42/43 - May cause sensitization by inhalation and skin contact.

R43 - May cause sensitization by skin contact.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

16. OTHER INFORMATION

S- phrases S1/2 – Keep locked up and out of reach of children

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection. S45 - In case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible).

S60 - This material and its container must be disposed of as hazardous waste.

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets.

Revision status:

1 New material safety data Sheet

06-12-2011

Note The information provided in this Safety Data Sheet is correct to the best of our knowledge, at the date of its publication. The information given is designed only to act as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless previously specified within the content of the document provided.