

# Product datasheet

Specifications



## IP55 TRANSPARENT DOOR W400

LVS08544

**EAN Code:** 3606481884312

### Main

|                           |   |
|---------------------------|---|
| Range                     | PrismaSeT   |
| Range of product          | PrismaSeT P   |
| Product or component type | Door  |
| Range compatibility       | PrismaSeT PrismaSeT P cubicle duct  |
| Provided equipment        | door<br>handle<br>keylock (key 405)<br>other keylock and insert to be ordered separately<br>4 hinge<br>polyurethane joint |
| Enclosure mounting        | Floor-standing  |
| type of door              | Transparent   |
| IP degree of protection   | IP55  |

### Complementary

|                                    |                              |
|------------------------------------|------------------------------|
| installation description           | Cubicle duct - width 400 mm  |
| Door opening side                  | Reversible                   |
| Number of locks                    | 3                            |
| door opening angle                 | 120 °                        |
| Number of vertical modules [50 mm] | 36                           |
| Enclosure material                 | Glass<br>Treated sheet steel |
| Quantity per set                   | Set of 1                     |
| Height                             | 1925 mm                      |
| Width                              | 400 mm                       |
| Depth                              | 30 mm                        |
| Net weight                         | 18.18 kg                     |
| Surface finish                     | Matt<br>Textured             |
| Colour                             | White (RAL 9003)             |

### Environment

|                         |                                 |
|-------------------------|---------------------------------|
| IK degree of protection | IK10 conforming to EN/IEC 62262 |
| Standards               | IEC 61439-1<br>IEC 61439-2      |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                      |  |
|----------------------|--|
| Protective treatment | Electrophoresis treatment and hot-polymerised polyester epoxy powder |
|----------------------|--|

## Packing Units

|                              |            |
|------------------------------|------------|
| Unit Type of Package 1       | PCE        |
| Number of Units in Package 1 | 1          |
| Package 1 Height             | 7.000 cm   |
| Package 1 Width              | 46.500 cm  |
| Package 1 Length             | 197.500 cm |
| Package 1 Weight             | 19.200 kg  |
| Unit Type of Package 2       | PAL        |
| Number of Units in Package 2 | 10         |
| Package 2 Height             | 49.000 cm  |
| Package 2 Width              | 120.000 cm |
| Package 2 Length             | 202.000 cm |
| Package 2 Weight             | 218.000 kg |

## Logistical informations

|                   |    |
|-------------------|----|
| Country of origin | FR |
|-------------------|----|

## Contractual warranty


|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Environmental Data


Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)


[How we assess product sustainability >](#)

| <div>Environmental footprint</div> |   |
|---|---|
| Environmental Disclosure  | <a href="#">Product Environmental Profile</a> |

Use Better

| <div>Materials and Substances</div> |  |
|--|--|
| Packaging made with recycled cardboard   | Yes  |
| Packaging without single use plastic   | Yes  |
| <a href="#">EU RoHS Directive</a>  | Pro-active compliance (Product out of EU RoHS legal scope) |
| SCIP Number  | 53da272d-b040-4851-8009-84e538bee882                       |
| REACH Regulation   | <a href="#">REACH Declaration</a>                          |


Use Again

| <div>Repack and remanufacture</div> |  |
|--|--|
| Circularity Profile  | No need of specific recycling operations |
| Take-back  | No                                       |

Technical Illustration

Dimensions

---



- All dimensions are approximate and are in mm.
- Also see technical documentation.