

Part Number: 191930296


**Product Description :** VersaKrimp Ring Tongue Terminal for 2 AWG Wire, Closed-Brazed Barrel, Stud

Size 1/2" (M12), Carton Series Number: 19193

**Status:** Active

**Product Category:** Ring and Spade Terminals

**Engineering Number:** G-374-12



#### **Documents & Resources**

#### **Drawings**

191930296 sd.pdf

**3D Models and Design Files** 

STEP AP242

**SOLIDWORKS** 

Creo

**Specifications** 

PS-19902-013-001.pdf

## **Product Environment Compliance**

#### **Compliance**

GADSL/IMDS	Not Relevant
China RoHS	⊚ per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

#### **Compliance Statements**

- EU RoHS
- REACH SVHC
- Low-Halogen

#### **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## **Substances of Interest**

PFAS

## **EU RoHS Certificate of Compliance**

## Additional Product Compliance Information

#### **Part Details**

#### General

Status	Active
Category	Ring and Spade Terminals
Series	19193
Description	VersaKrimp Ring Tongue Terminal for 2 AWG Wire, Closed-Brazed Barrel, Stud Size 1/2" (M12), Carton
Keyword	Ring Terminal, Ring Terminals
Product Name	VersaKrimp
Туре	Ring
UPC	800755051346

## Agency

CSA	LR18689
UL	E32244

## **Physical**

Barrel Type	Closed - Brazed
Insulation	None
Material - Plating Mating	Tin
Net Weight	14.288/g
Packaging Type	Carton
Stud Size	1/2" (M12)
Termination Interface Style	Crimp or Compression

Wire Insulation Diameter	13.36mm max.
Wire Size (AWG)	2
Wire Size mm²	35.00

# **Application Tooling**

## Global

Description	Part Number
Putt Pump Hydraulic Head Crimper, Die Set Required, For Insulated and Non-Insulated Terminals and Splices	<u>192860117</u>
Die Set (Large) for the HHLS Hydraulic Crimper	<u>192900010</u>
Square "DIN" style dies for 2 AWG	<u>640037970</u>
Putt Pump Dieless Head Crimper, For Insulated and Non-Insulated Terminals and Splices	<u>638162000</u>

This document was generated on Aug 04, 2025