

Serie 7400 Kraffform pre-set adjustable torque screwdrivers (0.1-3.0 Nm) with Rapidaptor quick-release chuck, art. no. 7460 x 0.3 N m
Series 7400 Kraffform Torque Screwdrivers - Pre-set, adjustable torque models



EAN:	4013288102911	Size:	155x37x37 mm
Part number:	05074715001	Weight:	180 g
Article number:	7400 vor	Country of origin:	CZ
		Customs tariff number:	82054000



- Pre-set, adjustable torque screwdrivers with Rapidaptor quick-release chuck
- Suitable for bits with 1/4" hex head drive
- Rapidaptor technology for rapid bit change
- Distinct signal when pre-set value is reached
- Multi-component Kraffform handle for high working speeds

Wera torque screwdriver. Pre-set torque value for all applications where the same, constant torque and repeat accuracy are required. The torque value can be modified within a specific measurement range. Rapidaptor quick-release technology for rapid bit change. Unlimited torque to loosen seized screws. Multi-component Kraffform handle with hard and soft zones for high working speeds, whilst being easy on the hand. Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Web link

https://products.wera.de/en/torque_tools_series_7400_kraffform_torque_screwdrivers_pre-set_adjustable_torque_models_7400_vor.html

Wera - 7400 vor
05074715001 - 4013288102911


Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Pre-set, adjustable torque screwdrivers



Pre-set torque, adjustable within a defined range. Also available in ESD version (also for HIOS/Halfmoon bits) and with Kraffform Micro handle.

Unlimited torque



Unlimited torque for loosening seized screws.

Versatile




Rapidaptor technology makes the tool adaptable since bits and sockets can be exchanged rapidly.

Chuck-all




The Rapidaptor quick-release chucks hold 1/4" DIN ISO 1173-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.

Rapid-in and self-lock




The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.

Rapid-out



Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool. The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.

Individual pre-setting



The pre-set torque screwdrivers of the Kraffform 7400 series with a pre-set torque value can be set to any value within the specified metered range in the test laboratory.

Web link

https://products.wera.de/en/torque_tools_series_7400_kraffform_torque_screwdrivers_pre-set_adjustable_torque_models_7400_vor.html







Wera - 7400 vor
 05074715001 - 4013288102911

Wera Werkzeuge GmbH
 Korzter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de

Serie 7400 Kraffform pre-set adjustable torque screwdrivers (0.1-3.0 Nm) with
 Rapidaptor quick-release chuck, art. no. 7460 x 0.3 N m
 Series 7400 Kraffform Torque Screwdrivers - Pre-set, adjustable torque models



Further versions in this product family:

								
	art. no.	mm	inch	Nm	Nm	mm	inch	
	05074790001	7450	89	1/4	0.1	0.1-0.34	133	5 1/4
	05074790010 ¹⁾	7450	89	1/4	0.1	0.1-0.34	133	5 1/4
	05074792001	7451	89	1/4	0.3	0.3-1.0	133	5 1/4
	05074792010 ¹⁾	7451	89	1/4	0.3	0.3-1.0	133	5 1/4
	05074794001	7452	89	1/4	0.9	0.9-1.5	133	5 1/4
	05074794010 ¹⁾	7452	89	1/4	0.9	0.9-1.5	133	5 1/4
	05074715001	7460	105	1/4	0.3	0.3-1.2	155	6
	05074715010 ¹⁾	7460	105	1/4	0.3	0.3-1.2	155	6
	05074716001	7461	105	1/4	1.2	1.2-3.0	155	6
	05074716010 ¹⁾	7461	105	1/4	1.2	1.2-3.0	155	6
	05133177001	7464	105	1/4	3.3	3.0-6.0	155	6

¹⁾ Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

Web link

https://products.wera.de/en/torque_tools_series_7400_kraffform_torque_screwdrivers_pre-set_adjustable_torque_models_7400_vor.html

Wera - 7400 vor
 05074715001 - 4013288102911

Wera Werkzeuge GmbH
 Korzter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de