

# Product datasheet

Specifications



## "19" fixed chassis 17U PanelSeT"

Local distributor code:

385511081

NSYVDM17UF

**EAN Code: 3606480174780**

### Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or component type	19" rack
Application	Multi-purpose Electronic application
For enclosure nominal dimensions	- H: 800 mm W: 600 mm D: 200 mm - H: 800 mm W: 600 mm D: 250 mm - H: 800 mm W: 600 mm D: 300 mm - H: 800 mm W: 600 mm D: 400 mm
Rack type	Fixed
Mounting location	Front of enclosure Step slide
Range compatibility	PanelSeT PanelSeT S3D PanelSeT PanelSeT S3X PanelSeT PanelSeT VDM PanelSeT PanelSeT CRN PanelSeT PanelSeT CRNG
Device composition	fixing elements 2 19" uprights
Number of units 19"	17

### Complementary

Material	Galvanised steel
Enclosure/cubicle description	Wall-mounted enclosure
fixing mode	By fixing element
Adjustment	Adjustable in depth, pitch 12.5 mm, on the step slide
Colour	Grey (RAL 7035)
Permanent permissible load	3 kg per unit
Height	Nominal: 800 mm
Width	Nominal: 600 mm
Depth	830 mm
thickness	2 mm
Net weight	4.72 kg

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

---

Package 1 Height	7.000 cm
Package 1 Width	10.500 cm
Package 1 Length	82.500 cm
Package 1 Weight	4.724 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	100
Package 2 Height	83.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	485.000 kg

## Logistical informations

---

Country of origin ES

## Contractual warranty

---

Warranty (in months) 18



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	45 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	23 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	9 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.9 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	11 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	E893f0a0-d2cc-4011-9425-3873dde70142
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Free of Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	Nej